

Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Permethrin (1%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :







Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H350 May cause cancer.



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Sulfuric acid, mono-C16-18-alkyl esters, sodium salts	68955-20-4	>= 10 -< 20	
Coconut oil diethanolamide	68603-42-9	>= 3 -< 10	
Ethanol#	64-17-5	< 10	
Permethrin (ISO)	52645-53-1	>= 1 -< 2.5	
Formaldehyde	50-00-0	>= 0.2 -< 1	

[#] Voluntarily-disclosed substance



Permethrin (1%) Formulation

Date of last issue: 2023/09/30 Version Revision Date: SDS Number: 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of contact, immediately flush skin with plenty of water. In case of skin contact

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction. Causes serious eye damage.

Most important symptoms and effects, both acute and

delayed

May cause cancer. This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders First Aid responders should pay attention to self-protection.

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Chlorine compounds Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides Metal oxides

Specific extinguishing meth-Use extinguishing measures that are appropriate to local cir-



Permethrin (1%) Formulation

Date of last issue: 2023/09/30 Version Revision Date: SDS Number: 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

cumstances and the surrounding environment. ods

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Avoid release to the environment. Environmental precautions

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling Do not get on skin or clothing.

Avoid breathing mist or vapours.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis		
		(Form of	ters / Permissible			
		exposure)	concentration			
Ethanol	64-17-5	PSD	1,000 ppm	ID OEL		
	Further inform	Further information: Confirmed animal carcinogen.				
		STEL	1,000 ppm	ACGIH		
Permethrin (ISO)	52645-53-1	TWA	80 μg/m3 (OEB 3)	Internal		
		Wipe limit	800 μg/100 cm ²	Internal		
Formaldehyde	50-00-0	PSD	0.3 ppm	ID OEL		
	Further inform	Further information: Dermal Sensitization, Respiratory Sensitiza-				
	tion, Suspecte	tion, Suspected human carcinogen				
		TWA	0.1 ppm	ACGIH		
		STEL	0.3 ppm	ACGIH		

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

Chemical-resistant gloves

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.
Combined particulates and organic vapour type

Filter type Hand protection

Material

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : No data available

Odour Threshold : No data available

pH : 7.3 - 7.7

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.025 - 1.035 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Acute oral toxicity : LD50 (Rat): 4,010 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Coconut oil diethanolamide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Coconut oil diethanolamide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Permethrin (ISO):

Species : Rabbit

Result : No skin irritation

Formaldehyde:

Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Causes serious eye damage.



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Coconut oil diethanolamide:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Permethrin (ISO):

Species : Rabbit

Result : No eye irritation

Formaldehyde:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Coconut oil diethanolamide:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Ethanol:

Test Type : Mouse ear swelling test (MEST)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Permethrin (ISO):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Formaldehyde:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Coconut oil diethanolamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion

Result: negative

Permethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Intraperitoneal injection

Result: negative



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Mouse

Application Route: Inhalation

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

May cause cancer.

Components:

Permethrin (ISO):

Species : Rat Result : negative

Species : Mouse Result : negative

Formaldehyde:

Species : Rat

Application Route : inhalation (gas)
Exposure time : 28 Months
Result : positive

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.



Permethrin (1%) Formulation

Date of last issue: 2023/09/30 Version **Revision Date:** SDS Number: 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Coconut oil diethanolamide:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Ethanol:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Permethrin (ISO):

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Result: negative

Formaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (gas)

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

: May cause respiratory irritation. Assessment



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Species : Rat
NOAEL : 428 mg/kg
LOAEL : 970 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Coconut oil diethanolamide:

Species : Rat

NOAEL : > 300 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Remarks : Based on data from similar materials

Species : Rat
NOAEL : 50 mg/kg
Application Route : Skin contact

Exposure time : 2 yr

Ethanol:

Species : Rat

NOAEL : 1,730 mg/kg LOAEL : 3,200 mg/kg Application Route : Ingestion Exposure time : 90 Days

Permethrin (ISO):

Species : Rat

NOAEL : 0.2201 mg/l Application Route : Inhalation Exposure time : 90 Days

Species : Rat

NOAEL : 175 mg/kg
Application Route : Ingestion
Exposure time : 90 Days



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 5.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.8 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 34 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 0.204 mg/l

Exposure time: 7 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (Pseudomonas putida): 550 mg/l

Exposure time: 18 h

Coconut oil diethanolamide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.4 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.2 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Desmodesmus subspicatus (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l

Exposure time: 21 d



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

ic toxicity) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 830 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l

Exposure time: 100 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l

Exposure time: 4 h

Permethrin (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0001 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13

mg/l

Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023

mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to fish (Chronic tox-

icity)

: NOEC (Danio rerio (zebra fish)): 0.00041 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.0047 μg/l



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

aquatic invertebrates (Chron-

Exposure time: 21 d

ic toxicity)

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 10,000

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Formaldehyde:

Toxicity to fish : LC50 (Morone saxatilis (striped bass)): 6.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5.8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.04 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): 19 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 77 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Coconut oil diethanolamide:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Permethrin (ISO):



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

Formaldehyde:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301A

Bioaccumulative potential

Components:

Coconut oil diethanolamide:

Partition coefficient: n- : log Pow: 3.75

octanol/water Remarks: Calculation

Ethanol:

Partition coefficient: n-

octanol/water

log Pow: -0.35

Permethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 570

Partition coefficient: n-

octanol/water

log Pow: 4.67

Formaldehyde:

Partition coefficient: n-

octanol/water

log Pow: 0.35

Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Permethrin (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Permethrin (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Permethrin (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Formaldehyde

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Formaldehyde

Ethanol

Internal technical data, data from raw material SDSs, OECD

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Formaldehyde

control, Annex I

Type of hazardous materials subject to distribution and : Not applicable

control, Annex II

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/09/28

Further information

Sources of key data used to

compile the Safety Data

eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations



Permethrin (1%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 4.2 2024/09/28 5544453-00011 Date of first issue: 2020/03/19

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN