

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Permethrin (1%) Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Kilsheelan  
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 1B	H350: May cause cancer.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

Hazard statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H350 May cause cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

Sulfuric acid, mono-C16-18-alkyl esters, sodium salts  
Coconut oil diethanolamide  
Permethrin (ISO)  
Formaldehyde

### Additional Labelling

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Sulfuric acid, mono-C16-18-alkyl esters, sodium salts	68955-20-4 273-258-7	Flam. Sol. 2; H228 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Chronic 3; H412  specific concentra- tion limit Eye Dam. 1; H318 > 55 % Eye Irrit. 2; H319 > 20 - 55 % Skin Irrit. 2; H315 > 55 % STOT SE 3; H335 > 55 %	>= 10 - < 20
Coconut oil diethanolamide	68603-42-9 271-657-0	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 3 - < 10
Ethanol#	64-17-5 200-578-6 603-002-00-5	Flam. Liq. 2; H225 Eye Irrit. 2; H319  specific concentra- tion limit Eye Irrit. 2; H319 >= 50 %	>= 1 - < 10
Permethrin (ISO)	52645-53-1 258-067-9 613-058-00-2	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000  Acute toxicity esti- mate  Acute oral toxicity:	>= 1 - < 2,5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

		480 mg/kg Acute inhalation toxicity (dust/mist): 2,3 mg/l	
Formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335  specific concentra- tion limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H319 5 - < 25 % STOT SE 3; H335 >= 5 % Skin Sens. 1A; H317 >= 0,2 %  Acute toxicity esti- mate  Acute oral toxicity: 100 mg/kg Acute inhalation toxicity (gas): 100 ppm Acute dermal toxic- ity: 270 mg/kg	>= 0,2 - < 1

For explanation of abbreviations see section 16.  
#: Voluntarily-disclosed substance

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause cancer.
- This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Chlorine compounds  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and dis-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Avoid breathing mist or vapours.<br>Do not swallow.<br>Do not get in eyes.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Take care to prevent spills, waste and minimize release to the environment.   |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |  |
|---|---|--|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.                      |
| Advice on common storage                      | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases |

### 7.3 Specific end use(s)

- |                 |   |                   |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	500 ppm 950 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
Formaldehyde	50-00-0	TWA	0,3 ppm 0,37 mg/m <sup>3</sup>	FOR-2011-12-06-1358
	Further information: Substances considered to be carcinogenic, Substances considered to evoke allergies when coming into touch with the eyes or air-ways or evoking allergies after coming into contact with the skin			
		STEL	0,6 ppm 0,74 mg/m <sup>3</sup>	FOR-2011-12-06-1358
	Further information: Substances considered to be carcinogenic, Substances considered to evoke allergies when coming into touch with the eyes or air-ways or evoking allergies after coming into contact with the skin			
		TWA	0,3 ppm 0,37 mg/m <sup>3</sup>	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		STEL	0,6 ppm 0,74 mg/m <sup>3</sup>	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Coconut oil diethanolamide	Workers	Inhalation	Long-term systemic effects	73,4 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	4,16 mg/kg bw/day
	Workers	Skin contact	Acute local effects	0,0936 mg/cm <sup>2</sup>
	Consumers	Inhalation	Long-term systemic effects	21,73 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Skin contact	Acute local effects	0,0562 mg/cm <sup>2</sup>
Polyethylene glycol castor oil	Consumers	Ingestion	Long-term systemic effects	6,25 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	16,4 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic	4,67 mg/kg



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	2,9 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	1,67 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1,67 mg/kg bw/day
Sulfuric acid, mono-C16-18-alkyl esters, sodium salts	Workers	Inhalation	Long-term systemic effects	285 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	4060 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	85 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2440 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	24 mg/kg bw/day
Ethanol	Workers	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	343 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	114 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	206 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	87 mg/kg bw/day
Formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	0,375 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	0,75 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,037 mg/cm <sup>2</sup>
	Consumers	Inhalation	Long-term systemic effects	3,2 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	0,1 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,012 mg/cm <sup>2</sup>
	Consumers	Ingestion	Long-term systemic effects	4,1 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Coconut oil diethanolamide	Fresh water	0,007 mg/l
	Freshwater - intermittent	0,024 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

	Marine water	0,001 mg/l
	Sewage treatment plant	830 mg/l
	Fresh water sediment	0,195 mg/kg dry weight (d.w.)
	Marine sediment	0,019 mg/kg dry weight (d.w.)
	Soil	0,035 mg/kg dry weight (d.w.)
Polyethylene glycol castor oil	Fresh water	0,000 mg/l
	Freshwater - intermittent	0,0661 mg/l
	Marine water	0,000 mg/l
	Marine water - intermittent	0,00661 mg/l
	Fresh water sediment	0,0129 mg/kg dry weight (d.w.)
	Marine sediment	0,00129 mg/kg dry weight (d.w.)
	Soil	0,00258 mg/kg dry weight (d.w.)
Sulfuric acid, mono-C16-18-alkyl esters, sodium salts	Fresh water	0,02 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	550 mg/l
	Fresh water sediment	6,75 mg/kg dry weight (d.w.)
	Marine sediment	0,675 mg/kg dry weight (d.w.)
	Soil	1,35 mg/kg dry weight (d.w.)
Ethanol	Fresh water	0,96 mg/l
	Freshwater - intermittent	2,75 mg/l
	Marine water	0,79 mg/l
	Sewage treatment plant	580 mg/l
	Fresh water sediment	3,6 mg/kg dry weight (d.w.)
	Marine sediment	2,9 mg/kg dry weight (d.w.)
	Soil	0,63 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	380 mg/kg food
Formaldehyde	Fresh water	0,44 mg/l
	Freshwater - intermittent	4,44 mg/l
	Marine water	0,44 mg/l
	Sewage treatment plant	0,19 mg/l
	Fresh water sediment	2,3 mg/kg dry weight (d.w.)
	Marine sediment	2,3 mg/kg dry weight (d.w.)
	Soil	0,2 mg/kg dry weight (d.w.)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

### 8.2 Exposure controls

#### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387
Filter type	:	Combined particulates, inorganic gas/vapour and organic vapour type (AB-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	amber
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	7,3 - 7,7
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	1,025 - 1,035 g/cm <sup>3</sup>
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Molecular weight	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

#### **Components:**

#### **Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:**

Acute oral toxicity : LD50 (Rat): 4.010 mg/kg  
Remarks: Based on data from similar materials

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### Coconut oil diethanolamide:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Ethanol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

### Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

### Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Species : Rabbit  
Method : OECD Test Guideline 404

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

Result : Skin irritation  
Remarks : Based on data from similar materials

### Coconut oil diethanolamide:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : Based on data from similar materials

### Ethanol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Permethrin (ISO):

Species : Rabbit  
Result : No skin irritation

### Formaldehyde:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

#### Coconut oil diethanolamide:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

### Ethanol:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

### Permethrin (ISO):

Species : Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

Result : No eye irritation

### Formaldehyde:

Species : Rabbit  
Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### Coconut oil diethanolamide:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### Ethanol:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

#### Permethrin (ISO):

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

#### Formaldehyde:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

Assessment : Probability or evidence of high skin sensitisation rate in humans

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

#### **Coconut oil diethanolamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

#### **Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: equivocal

#### **Permethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

- Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Result: negative
- Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Result: negative
- Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative
- Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ  
cell mutagen.

### Formaldehyde:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive
- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Rat  
Application Route: Inhalation  
Result: positive
- Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell muta-  
genicity tests.

### Carcinogenicity

May cause cancer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

### Components:

#### **Permethrin (ISO):**

Species : Rat  
Result : negative

Species : Mouse  
Result : negative

#### **Formaldehyde:**

Species : Rat  
Application Route : inhalation (gas)  
Exposure time : 28 Months  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Coconut oil diethanolamide:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Permethrin (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

Species: Rat  
Application Route: Ingestion  
Result: negative

### Formaldehyde:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (gas)  
Result: negative

### STOT - single exposure

Not classified based on available information.

### Components:

#### Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Assessment : May cause respiratory irritation.

### Formaldehyde:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Formaldehyde:

Exposure routes : inhalation (gas)  
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:

Species : Rat  
NOAEL : 428 mg/kg  
LOAEL : 970 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### Coconut oil diethanolamide:

Species : Rat  
NOAEL : > 300 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Remarks : Based on data from similar materials

Species : Rat

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

NOAEL : 50 mg/kg  
Application Route : Skin contact  
Exposure time : 2 yr

### Ethanol:

Species : Rat  
NOAEL : 1.280 mg/kg  
LOAEL : 3.156 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### Permethrin (ISO):

Species : Rat  
NOAEL : 0,2201 mg/l  
Application Route : Inhalation  
Exposure time : 90 Days

Species : Rat  
NOAEL : 175 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### Formaldehyde:

Species : Rat  
NOAEL : 6 ppm  
LOAEL : 10 ppm  
Application Route : inhalation (gas)  
Exposure time : 28 Days

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

**Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 5,2 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,8 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 34 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : NOEC (Pseudomonas putida): 550 mg/l  
Exposure time: 18 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,204 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (water flea)  
Remarks: Based on data from similar materials

### Coconut oil diethanolamide:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,4 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- EC10 (Desmodesmus subspicatus (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (Pseudomonas putida): 830 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,01 - 0,1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### Ethanol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1.000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6.500 mg/l  
Exposure time: 16 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9,6 mg/l  
Exposure time: 9 d  
Species: Daphnia magna (Water flea)

### Permethrin (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00079 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0001 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,13 mg/l  
Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,0023 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10.000

Toxicity to microorganisms : EC50 : > 1.000 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,00041 mg/l  
Exposure time: 35 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0047 µg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10.000

### Formaldehyde:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

Toxicity to fish	:	LC50 : 6,7 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 5,8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 : 34,1 mg/l Exposure time: 120 h
Toxicity to fish (Chronic toxicity)	:	NOEC: >= 48 mg/l Exposure time: 28 d Species: Oryzias latipes (Orange-red killifish)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: >= 6,4 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

### 12.2 Persistence and degradability

#### Components:

##### **Sulfuric acid, mono-C16-18-alkyl esters, sodium salts:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 77 % Exposure time: 30 d Method: OECD Test Guideline 301D
------------------	---	---

##### **Coconut oil diethanolamide:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92,5 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

##### **Ethanol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---	---

##### **Permethrin (ISO):**

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301F
------------------	---	--

##### **Formaldehyde:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C  
Remarks: Based on data from similar materials

### 12.3 Bioaccumulative potential

#### Components:

##### **Coconut oil diethanolamide:**

Partition coefficient: n-octanol/water : log Pow: 3,75  
Remarks: Calculation

##### **Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0,35

##### **Permethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4,67

##### **Formaldehyde:**

Partition coefficient: n-octanol/water : log Pow: 0,35  
Remarks: Calculation

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

#### 14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Permethrin (ISO))
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Permethrin (ISO))
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Permethrin (ISO))
- IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Permethrin (ISO))
- IATA : Environmentally hazardous substance, liquid, n.o.s.  
(Permethrin (ISO))

#### 14.3 Transport hazard class(es)

- |     | Class | Subsidiary risks |
|-----|-------|------------------|
| ADN | : 9   |                  |
| ADR | : 9   |                  |
| RID | : 9   |                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 5558022-00010      Date of last issue: 04.04.2023  
Date of first issue: 19.03.2020

---

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

Formaldehyde (Number on list 72, 28)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Permethrin (ISO)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL	Quantity 1 100 t	Quantity 2 200 t
----	---------------	---------------------	---------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

### HAZARDS

#### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H221	:	Flammable gas.
H225	:	Highly flammable liquid and vapour.
H228	:	Flammable solid.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H341	:	Suspected of causing genetic defects.
H350	:	May cause cancer.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Gas	: Flammable gases
Flam. Liq.	: Flammable liquids
Flam. Sol.	: Flammable solids
Muta.	: Germ cell mutagenicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits
2004/37/EC / STEL	: Short term exposure limit
2004/37/EC / TWA	: Long term exposure limit
FOR-2011-12-06-1358 / TWA	: Long term exposure limit
FOR-2011-12-06-1358 / STEL	: Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Permethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	5558022-00010	Date of first issue: 19.03.2020

---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Eye Dam. 1	H318
Skin Sens. 1	H317
Carc. 1B	H350
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN