



| Version 5.0 | Revision Date: 06.04.2024 | SDS Number 1965380-000 | |
|-----------------|--|---------------------------|---|
| SECTION | 1: Identification of | the substanc | e/mixture and of the company/undertaking |
| 1.1 Produ | ct identifier | | |
| Trade | ename | : Permethri | in (5%) Formulation |
| 1.2 Releva | ant identified uses of t | he substance | or mixture and uses advised against |
| Use c | of the Sub- e/Mixture | : Veterinary | - |
| Reco on us | mmended restrictions e | : Not applic | able |
| 1.3 Details | s of the supplier of the | e safety data sl | heet |
| Comp | •• | : MSD 20 Sparta | |
| Telep | hone | : +2711923 | 39300 |
| | il address of person Insible for the SDS | : EHSDAT | ASTEWARD@msd.com |
| - | gency telephone numb 08-423-6000 | per | |
| SECTION | V 2: Hazards identifie | cation | |
| 2.1 Classi | fication of the substa | nce or mixture | |
| Class | sification (REGULATIC |)N (EC) No 127 | 2/2008) |
| Skin s | sensitisation, Category ation hazard, Category | 1 | H317: May cause an allergic skin reaction. H304: May be fatal if swallowed and enters air- |
| Short gory 2 | -term (acute) aquatic ha 1 | azard, Cate- | ways. H400: Very toxic to aquatic life. |
| Long- egory | -term (chronic) aquatic I 1 | nazard, Cat- | H410: Very toxic to aquatic life with long lasting effects. |
| 2.2 Label | elements | | |
| | lling (REGULATION (E rd pictograms | C) No 1272/20 | |
| Signa | l word | : Danger | \checkmark \checkmark |
| Haza | rd statements | : H304 Ma | ay be fatal if swallowed and enters airways. |



| Version 5.0 | Revision Date: 06.04.2024 | SDS Numbe 1965380-00 | |
|--------------------------|------------------------------|--|--|
| | | | lay cause an allergic skin reaction. ery toxic to aquatic life with long lasting effects. |
| Precautionary statements | | | on: void release to the environment. /ear protective gloves. |
| | | CENTER P331 D P333 + P advice/ at | 310 IF SWALLOWED: Immediately call a POISON / doctor. o NOT induce vomiting. 313 If skin irritation or rash occurs: Get medical |

Hazardous components which must be listed on the label: Paraffin oils (petroleum), catalytic dewaxed light Permethrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|---|--------------------------|
| Paraffin oils (petroleum), catalytic dewaxed light | 64742-71-8 265-176-5 649-478-00-8 | Asp. Tox. 1; H304 | >= 70 - < 90 |
| Permethrin (ISO) | 52645-53-1 258-067-9 613-058-00-2 | Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute | >= 2,5 - < 10 |
| | | aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 | |



Permethrin (5%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 30.09.2023 |
|---------|----------------|---------------|---------------------------------|
| 5.0 | 06.04.2024 | 1965380-00016 | Date of first issue: 20.09.2017 |

For explanation of abbreviations see section 16.

| SECTION 4: First aid measure | es |
|-----------------------------------|---|
| 4.1 Description of first aid meas | sures |
| General advice | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| In case of skin contact | In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person. |
| 4.2 Most important symptoms a | nd effects, both acute and delayed |
| Risks | : May be fatal if swallowed and enters airways. May cause an allergic skin reaction. |
| | This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. |
| 4.3 Indication of any immediate | medical attention and special treatment needed |
| Treatment | : Treat symptomatically and supportively. |
| SECTION 5: Firefighting mea | sures |
| 5.1 Extinguishing media | |
| Suitable extinguishing media | : Water spray |

Alcohol-resistant foam Carbon dioxide (CO2)



| Vers 5.0 | sion | Revision Date: 06.04.2024 | | 0S Number: 65380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|-------------|---------------------|-----------------------------------|-----|-------------------------------------|--|
| | | | | Dry chemical | |
| | Unsuita media | able extinguishing | : | None known. | |
| 5.2 | Special | hazards arising from | the | e substance or mi | xture |
| | • • | | : | Exposure to com | oustion products may be a hazard to health. |
| | Hazaro ucts | lous combustion prod- | : | Chlorine compour Carbon oxides | nds |
| 5.3 | Advice | for firefighters | | | |
| | Specia for firef | l protective equipment ighters | : | | e, wear self-contained breathing apparatus. active equipment. |
| | Specifi ods | c extinguishing meth- | : | cumstances and Use water spray f | measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| | | · · · · · · · · · · · · · · · · · · · |
|-------------------------------|---|--|
| Personal precautions | : | Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8). |
| 6.2 Environmental precautions | | |
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Soak up with inert absorbent material. |
|-------------------------|---|---|
| | | For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can |
| | | be pumped, store recovered material in appropriate container. |
| | | Clean up remaining materials from spill with suitable absor- |
| | | bent. |
| | | Local or national regulations may apply to releases and dis- |
| | | posal of this material, as well as those materials and items |
| | | employed in the cleanup of releases. You will need to deter- |
| | | mine which regulations are applicable. |
| | | Sections 13 and 15 of this SDS provide information regarding |



| Version 5.0 | Revision Date: 06.04.2024 | | Number: 380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|----------------|------------------------------|-----------------------------|---|---|
| | | с | ertain local or | national requirements. |
| | ence to other sections | | | |
| | ons: 7, 8, 11, 12 and 13. | | | |
| 7.1 Preca | utions for safe handlir | ng | | |
| Tech | nical measures | | | ng measures under EXPOSURE ERSONAL PROTECTION section. |
| Local | /Total ventilation | | | idequate ventilation. |
| | e on safe handling | | | skin or clothing. |
| | Ŭ | A | void breathing | g mist or vapours. |
| | | - | Do not swallow | - |
| | | | void contact v | |
| | | | | rdance with good industrial hygiene and safety I on the results of the workplace exposure as- |
| | | • | essment | |
| | | ĸ | Ceep container | tightly closed. |
| | | | | event spills, waste and minimize release to the |
| | | | nvironment. | |
| Hygie | ene measures | fl w V T e a | ushing system lace. When us vork clothing s Vash contamir he effective op engineering con ppropriate deg ndustrial hygie | chemical is likely during typical use, provide eye as and safety showers close to the working sing do not eat, drink or smoke. Contaminated hould not be allowed out of the workplace. hated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the trative controls. |
| 7 2 Condi | tions for safe storage, | incluc | ding any inco | matihilities |
| | irements for storage | | | ly labelled containers. Store locked up. Keep |
| | and containers | ti | | Store in accordance with the particular national |
| Advic | e on common storage | S | Do not store wi Strong oxidizin Gases | ith the following product types: g agents |
| 7.3 Specif | fic end use(s) | | | |
| - | ific use(s) | | lo data availat | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| omponents CAS-No. | Value type (Form of exposure) | Control parameters | Basis | |
|-------------------|-------------------------------|--------------------|-------|--|
|-------------------|-------------------------------|--------------------|-------|--|



| Version 5.0 | Revision Da 06.04.2024 | | Number: 380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 | |
|----------------|---------------------------|------------|----------------------|---|----------------------|
| Perme | ethrin (ISO) | 52645-53-1 | TWA Wipe limit | 80 μg/m3 (OEB 3) 800 μg/100 cm² | Internal Internal |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| | Substance name | Environmental Compartment | Value |
|---|--------------------------------------|----------------------------|-----------------|
| I | Paraffin oils (petroleum), catalytic | Oral (Secondary Poisoning) | 9,33 mg/kg food |
| | dewaxed light | | |

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

| Eye/face protection | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
|---------------------------------------|---|--|
| Material | : | Chemical-resistant gloves |
| Remarks Skin and body protection | : | Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Respiratory protection Filter type | : | If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Combined particulates and organic vapour type (A-P) |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance Colour Odour Odour Threshold | : | liquid clear, amber odourless No data available |
|--|---|--|
| рН | : | No data available |
| Melting point/freezing point | : | No data available |



Permethrin (5%) Formulation

| Vers 5.0 | sion | Revision Date: 06.04.2024 | | S Number: 5380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|-------------|------------------|---|---|---|---|
| | | | | . | |
| | Initial b | oiling point and boiling | : | No data available | 9 |
| | Flash p | point | : | No data available | 9 |
| | Evapor | ation rate | : | No data available | 9 |
| | Flamma | ability (solid, gas) | : | Not applicable | |
| | | explosion limit / Upper bility limit | : | No data available | 9 |
| | | explosion limit / Lower bility limit | : | No data available | 9 |
| | Vapour | pressure | : | < 2 mmHg (25 °C | C) |
| | Relative | e vapour density | : | No data available | 9 |
| | Relative | e density | : | 0,876 (20 °C) | |
| | Density | / | : | No data available | 9 |
| | Partitio octanol | er solubility n coefficient: n- | : | immiscible Not applicable No data available | 5 |
| | - | - | | | |
| | | position temperature | : | No data available | 3 |
| | Viscosi Visc | ty cosity, dynamic | : | 39 Pas | |
| | Visc | cosity, kinematic | : | No data available | 9 |
| | Explosi | ve properties | : | Not explosive | |
| | Oxidiziı | ng properties | : | The substance o | r mixture is not classified as oxidizing. |
| 9.2 (| Other in | formation | | | |
| | Flamma | ability (liquids) | : | No data available | 9 |
| | Molecu | lar weight | : | No data available | 9 |
| | Particle | e size | : | Not applicable | |

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.



| 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : Can react with strong oxidizing agents. 10.4 Conditions to avoid : None known. 10.5 Incompatible materials Materials to avoid : None known. 10.6 Hazardous decomposition products No hazardous decomposition products are known. : Oxidizing agents 10.6 Hazardous decomposition products are known. : Oxidizing agents 11.1 Information on toxicological information : Information on likely routes of : Inhalation exposure 11.1 Information on likely routes of : Inhalation exposure : Skin contact Ingestion Eye contact Acute toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method Acute inhalation toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute inhalation toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat | Version 5.0 | Revision Date: 06.04.2024 | | 9S Number: 65380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|--|----------------|---------------------------------------|-------|---------------------------|---|
| 10.3 Possibility of hazardous reactions Hazardous reactions : Can react with strong oxidizing agents. 10.4 Conditions to avoid : None known. Conditions to avoid : None known. 10.5 Incompatible materials Materials to avoid : Oxidizing agents 10.5 Hazardous decomposition products Materials to avoid : Oxidizing agents 10.5 Hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on toxicological effects Information on likely routes of : Inhalation Exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Method: OECD Test Guideline 401 Acute oral toxicity : LC50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute oral toxicity Acute oral toxicity : LD50 (Rabbit): > 5.000 mg | 10.2 Chen | nical stability | | | |
| Hazardous reactions : Can react with strong oxidizing agents. 10.4 Conditions to avoid : None known. Conditions to avoid : None known. 10.5 Incompatible materials Materials to avoid : Oxidizing agents 10.6 Hazardous decomposition products Materials to avoid : Oxidizing agents 10.6 Hazardous decomposition products No hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Exposure time: 4 h Evaluate time: 4 h Evaluate time: 4 h Test atmosphere: dust/mist | Stable | e under normal condition | ns. | | |
| 10.4 Conditions to avoid E. None known. 10.5 Incompatible materials Materials to avoid E. Oxidizing agents 10.6 Hazardous decomposition products Materials to avoid E. Oxidizing agents 10.6 Hazardous decomposition products No hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of Eye contact Information on likely routes of Eye contact Acute toxicity Not classified based on available information. Product: Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity Acute toxicity estimate: > 5 mg/l Acute inhalation toxicity Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Method: Calculation method Acute oral toxicity E. LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity Acute inhalation toxicity E. LC50 (Rat): > 5.000 mg/kg Acute inhalation toxicity E. LD50 (Ratbit): > 5.000 mg/kg Acute inhalation toxicity LD50 (Ratbit): > 5.000 mg/kg Acute dermal toxicity LD50 (Ratbit): > 5.000 mg/kg | 10.3 Poss | ibility of hazardous re | acti | ons | |
| Conditions to avoid : None known. 10.5 Incompatible materials Materials to avoid : Oxidizing agents 10.6 Hazardous decomposition products No hazardous decomposition products are known. 10.6 Hazardous decomposition products are known. SECTION 11: Toxicological information Information on toxicological effects Materials Acute toxicity Reposure Acute oral toxicity Retuct coxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 401 Acute oral toxicity : LO50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 | Haza | rdous reactions | : | Can react with st | rong oxidizing agents. |
| 10.5 Incompatible materials Materials to avoid : Oxidizing agents 10.6 Hazardous decomposition products No hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 401 Acute inhalation toxicity : LD50 (Rat): > 5.500 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabit): > 5.000 mg/kg Method: OECD Test Guideline 403 Method: OECD Test Guideline 402 Permethrin (ISO): : DS0 (Rabit): > 5.000 mg/kg | 10.4 Conc | litions to avoid | | | |
| Materials to avoid : Oxidizing agents 10.6 Hazardous decomposition products No hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Ratbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): | Cond | itions to avoid | : | None known. | |
| 10.6 Hazardous decomposition products No hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Method: Calculation method Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: CECD Test Guideline 401 Acute inhalation toxicity : LD50 (Rat): > 5.53 mg/l Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 401 Acute inhalation toxicity : LD50 (Rat): > 5.5000 mg/kg Acute oral toxicity : LD50 (Rat): > 5.5000 mg/kg Method: OECD Test Guideline 403 Acute oral toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 </td <td>10.5 Incor</td> <td>npatible materials</td> <td></td> <td></td> <td></td> | 10.5 Incor | npatible materials | | | |
| No hazardous decomposition products are known. SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 | Mater | rials to avoid | : | Oxidizing agents | |
| SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Inhalation Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LC50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): | 10.6 Haza | rdous decomposition | prod | ducts | |
| 11.1 Information on toxicological effects Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Exposure time: 4 h Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Method: OECD Test Guideline 403 | No ha | azardous decomposition | pro | ducts are known. | |
| Information on likely routes of : Inhalation Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 | SECTION | 11: Toxicological i | nfor | mation | |
| Information on likely routes of : Inhalation Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 | 11.1 Infor | mation on toxicologica | al ef | fects | |
| exposure Skin contact Ingestion Eye contact Acute toxicity Eye contact Not classified based on available information. Product: Acute oral toxicity : Acute oral toxicity : Acute inhalation toxicity : Acute inhalation toxicity : Acute inhalation toxicity : Acute inhalation toxicity : Acute oral toxicity : LO50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LO50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 <td></td> <td>-</td> <td></td> <td></td> <td></td> | | - | | | |
| Eye contact Acute toxicity Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 | expos | sure | | | |
| Not classified based on available information. Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 | | | | - | |
| Product: Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabit): > 5.000 mg/kg Method: OECD Test Guideline 403 Permethrin (ISO): : LD50 (Rabit): > 5.000 mg/kg | | • | | | |
| Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 | | | adie | information. | |
| Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): : | | | | | |
| Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 403 Permethrin (ISO): | Acute | e oral toxicity | : | | |
| Test atmosphere: dust/mist Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): : | Acute | inhalation toxicity | : | | |
| Method: Calculation method Components: Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 | | | | | |
| Paraffin oils (petroleum), catalytic dewaxed light: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): : | | | | | |
| Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): | Com | oonents: | | | |
| Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): | Paraf | fin oils (petroleum), ca | ataly | tic dewaxed light | : |
| Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 | | | - | - | |
| Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): | | | | Method: OECD T | est Guideline 401 |
| Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 | Acute | inhalation toxicity | : | | |
| Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 Permethrin (ISO): | | | | | |
| Method: OECD Test Guideline 402 Permethrin (ISO): | | | | | |
| Method: OECD Test Guideline 402 Permethrin (ISO): | Acute | e dermal toxicitv | : | LD50 (Rabbit): > 5 | 5.000 ma/kg |
| | | · · · · · · · · · · · · · · · · · · · | 2 | | |
| | Perm | ethrin (ISO): | | | |
| | | . , | : | LD50 (Rat): 480 - | 554 mg/kg |



Permethrin (5%) Formulation

| Version 5.0 | Revision Date: 06.04.2024 | - | 0S Number: 65380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|----------------|---|--------|---|---|
| Acut | te inhalation toxicity | : | LC50 (Rat): 2,3 m Exposure time: 4 Test atmosphere: | ĥ |
| Acut | te dermal toxicity | : | LD50 (Rabbit): > 2 | 2.000 mg/kg |
| Not | n corrosion/irritation classified based on avai nponents: | ilable | information. | |
| Para | affin oils (petroleum), o | cataly | tic dewaxed light | : |
| Spe Res | | : | Rabbit No skin irritation | |
| Perr | nethrin (ISO): | | | |
| Spec Res | cies | : | Rabbit No skin irritation | |
| | ous eye damage/eye in classified based on ava | | | |
| Con | nponents: | | | |
| Para | affin oils (petroleum), o | cataly | tic dewaxed light | : |
| Spe Res | | : | Rabbit No eye irritation | |
| Perr | nethrin (ISO): | | | |
| Spec Res | cies | : | Rabbit No eye irritation | |
| Res | piratory or skin sensit | isatio | on | |
| - | n sensitisation cause an allergic skin r | eactio | on. | |
| Res | piratory sensitisation classified based on avai | | | |
| Con | <u>nponents:</u> | | | |
| Para | affin oils (petroleum), o | cataly | tic dewaxed light | : |
| Test | Type osure routes cies nod | : | Buehler Test Skin contact Guinea pig OECD Test Guide negative | |
| Perr | methrin (ISO): | | | |
| U - . | · · · / | | | |

Test Type

: Buehler Test



| ersion .0 | Revision Date: 06.04.2024 | SDS Numb 1965380-00 | |
|-------------------------|--|---|---|
| Expos Speci Resul | | : Skin cor : Guinea : positive | pig |
| Asses | ssment | : Probabi | lity or evidence of skin sensitisation in humans |
| | cell mutagenicity assified based on ava | ailable informati | on. |
| <u>Comp</u> | oonents: | | |
| Paraf | fin oils (petroleum), | catalytic dewa | ixed light: |
| Geno | toxicity in vitro | | pe: Chromosome aberration test in vitro negative |
| | | Method | pe: In vitro mammalian cell gene mutation test : OECD Test Guideline 476 negative |
| Geno | toxicity in vivo | cytogen Species Applicat Method: | pe: Mammalian erythrocyte micronucleus test (in vivo etic assay) 5: Mouse tion Route: Intraperitoneal injection : OECD Test Guideline 474 negative |
| Perm | ethrin (ISO): | | |
| Geno | toxicity in vitro | | pe: Bacterial reverse mutation assay (AMES) negative |
| | | | pe: In vitro mammalian cell gene mutation test negative |
| | | | pe: Chromosome aberration test in vitro negative |
| | | thesis in | pe: DNA damage and repair, unscheduled DNA syn- n mammalian cells (in vitro) negative |
| | | Test Ty Result: | pe: Chromosome aberration test in vitro positive |
| Geno | toxicity in vivo | cytogen Species | pe: Mammalian erythrocyte micronucleus test (in vivo etic assay) 5: Mouse negative |
| | | cytogen Species | pe: Mutagenicity (in vivo mammalian bone-marrow etic test, chromosomal analysis) :: Mouse negative |
| | | Test Ty | pe: Rodent dominant lethal test (germ cell) (in vivo) |



| Version 5.0 | Revision Date: 06.04.2024 | - | 0S Number: 65380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 | |
|----------------|------------------------------|-------|---------------------------------------|---|--|
| | | | Species: Mouse Result: negative | | |
| | | | - | nalian anthrasuta miaranualaus taat (in viva | |
| | | | cytogenetic assay | nalian erythrocyte micronucleus test (in vivo /) | |
| | | | Species: Rat Application Route | : Intraperitoneal injection | |
| | Result: negative | | | | |
| | | | | enicity (in vivo mammalian bone-marrow chromosomal analysis) | |
| | | | Species: Mouse | | |
| | | | Application Route Result: positive | e: Ingestion | |
| | cell mutagenicity- As- | : | | ce does not support classification as a germ | |
| sessr | nent | | cell mutagen. | | |
| Carci | inogenicity | | | | |
| Not c | lassified based on availa | able | information. | | |
| <u>Com</u> | ponents: | | | | |
| | ifin oils (petroleum), ca | ataly | - | : | |
| Spec | es cation Route | : | Mouse Skin contact | | |
| | sure time | ÷ | 78 weeks | | |
| Resu | lt | : | negative | | |
| Perm | ethrin (ISO): | | | | |
| Spec | | : | Rat | | |
| Resu | lt | : | negative | | |
| Spec | ies | : | Mouse | | |
| Resu | lt | : | negative | | |
| Repr | oductive toxicity | | | | |
| Not c | lassified based on availa | able | information. | | |
| <u>Com</u> | ponents: | | | | |
| Perm | ethrin (ISO): | | | | |
| Effect | ts on fertility | : | | eneration reproduction toxicity study | |
| | | | Species: Rat Application Route | - Induction | |
| | | | Result: negative | | |
| Effect | ts on foetal develop- | • | Test Type: Comb | ined repeated dose toxicity study with the | |
| ment | | • | reproduction/deve | elopmental toxicity screening test | |
| | | | Species: Rat | - Indeption | |
| | | | Application Route Result: negative | e. ingestion | |
| II | | | | | |



Permethrin (5%) Formulation

| Version 5.0 | Revision Date: 06.04.2024 | SDS Number: 1965380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 | | | | |
|----------------|---|------------------------------|---|--|--|--|--|
| | Γ - single exposure lassified based on av | ailable information. | | | | | |
| | STOT - repeated exposure Not classified based on available information. | | | | | | |
| Repe | Repeated dose toxicity | | | | | | |
| Com | ponents: | | | | | | |

Paraffin oils (petroleum), catalytic dewaxed light:

| : Rat |
|---------------------------|
| : >= 2.000 mg/kg |
| : Skin contact |
| : 90 Days |
| : OECD Test Guideline 411 |
| |

Permethrin (ISO):

| Species | : Rat |
|-------------------|---------------|
| NOAEL | : 0,2201 mg/l |
| Application Route | : Inhalation |
| Exposure time | : 90 Days |
| Species | : Rat |
| NOAEL | : 175 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Paraffin oils (petroleum), catalytic dewaxed light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Paraffin oils (petroleum), catalytic dewaxed light:

| Toxicity to fish | : | LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 |
|---|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction |



| Version 5.0 | Revision Date: 06.04.2024 | | 0S Number: 65380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|----------------------------------|---|---|---|---|
| Toxicity to algae/aquatic plants | | : | mg/l Exposure time: 72 | Vater Accommodated Fraction |
| | | | mg/l Exposure time: 72 | Vater Accommodated Fraction |
| Toxicit | ty to microorganisms | : | NOEC : > 2,17 mg Exposure time: 10 | |
| | ty to daphnia and other c invertebrates (Chron- city) | : | NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: Water Accommodated Fraction | |
| Perme | ethrin (ISO): | | | |
| | ty to fish | : | LC50 (Lepomis m Exposure time: 96 | acrochirus (Bluegill sunfish)): 0,00079 mg/l Sh |
| | ty to daphnia and other c invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,0001 mg/l Exposure time: 48 h | |
| Toxicit plants | ty to algae/aquatic | : | ErC50 (Pseudokir mg/l Exposure time: 72 | chneriella subcapitata (green algae)): > 1,13 2 h |
| | | | EC10 (Pseudokiro mg/l Exposure time: 72 | chneriella subcapitata (green algae)): 0,0023 2 h |
| M-Fac icity) | tor (Acute aquatic tox- | : | 10.000 | |
| Toxicit | ty to microorganisms | : | EC50 : > 1.000 m Exposure time: 3 | |
| Toxicit icity) | ty to fish (Chronic tox- | : | : NOEC: 0,00041 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210 | |
| | ty to daphnia and other c invertebrates (Chron- city) | : | NOEC: 0,0047 µg Exposure time: 21 Species: Daphnia Method: OECD To | l d magna (Water flea) |
| M-Fac toxicity | tor (Chronic aquatic ⁄) | : | 10.000 | |



Permethrin (5%) Formulation

| Version 5.0 | Revision Date: 06.04.2024 | | DS Number: 965380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 | |
|-------------------------------------|---------------------------------------|-------|---|--|--|
| 12.2 Pers | istence and degradab | ility | | | |
| Com | ponents: | | | | |
| Para | ffin oils (petroleum), c | ataly | tic dewaxed light | : | |
| Biod | egradability | : | Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F | | |
| Pern | nethrin (ISO): | | | | |
| Biode | egradability | : | Result: Not readily biodegradable. Method: OECD Test Guideline 301F | | |
| 12.3 Bioa | ccumulative potential | | | | |
| <u>Com</u> | ponents: | | | | |
| Pern | nethrin (ISO): | | | | |
| Bioa | ccumulation | : | | s macrochirus (Bluegill sunfish) factor (BCF): 570 | |
| | tion coefficient: n- nol/water | : | log Pow: 4,67 | | |
| | ility in soil ata available | | | | |
| 12.5 Res | ults of PBT and vPvB a | isse | ssment | | |
| Prod | uct: | | | | |
| Asse | ssment | : | to be either persi | nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of | |
| 12.6 Othe | er adverse effects | | | | |
| Prod | uct: | | | | |
| Endo tial | ocrine disrupting poten- | : | ered to have end REACH Article 5 | ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher. | |
| SECTION 13: Disposal considerations | | | | | |
| 13.1 Waste treatment methods | | | | | |
| Prod | | : | | ordance with local regulations. | |

Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.



| Version 5.0 | Revision Date: 06.04.2024 | OS Number:Date of last issue: 30.065380-00016Date of first issue: 20.0 | | |
|--------------------------------------|------------------------------|---|------------------|--|
| Contaminated packaging | | Do not dispose of waste into sewer. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. | | |
| SECTION | N 14: Transport inform | ion | | |
| 14.1 UN n | umber | | | |
| ADN | | UN 3082 | | |
| ADR | | UN 3082 | | |
| RID | | UN 3082 | | |
| IMDG | ; | UN 3082 | | |
| ΙΑΤΑ | | UN 3082 | | |
| 14.2 UN p | roper shipping name | | | |
| ADN | | ENVIRONMENTALLY HAZARDOUS SU N.O.S. (Permethrin (ISO)) | BSTANCE, LIQUID, | |
| ADR | | ENVIRONMENTALLY HAZARDOUS SU N.O.S. (Permethrin (ISO)) | BSTANCE, LIQUID, | |
| RID | | ENVIRONMENTALLY HAZARDOUS SU N.O.S. (Permethrin (ISO)) | BSTANCE, LIQUID, | |
| IMDG | 3 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Permethrin (ISO)) | | |
| ΙΑΤΑ | | Environmentally hazardous substance, liquid, n.o.s. (Permethrin (ISO)) | | |
| 14.3 Trans | sport hazard class(es) | | | |
| | | Class Subsidiary risks | | |
| ADN | | 9 | | |
| ADR | | 9 | | |
| RID | | 9 | | |
| IMDG | 6 | 9 | | |
| ΙΑΤΑ | | 9 | | |
| 14.4 Pack | ing group | | | |
| Class Haza Label ADR | | III M6 90 9 | | |
| Packi | ing group | 111 | | |



| Version 5.0 | Revision Date: 06.04.2024 | SDS Number: 1965380-00016 | Date of last issue: 30.09.2023 Date of first issue: 20.09.2017 |
|------------------------|--|---|---|
| Haza Labe | sification Code Ird Identification Number Is el restriction code | : M6 : 90 : 9 : (-) | |
| Class | ing group sification Code ırd Identification Number Is | : III : M6 : 90 : 9 | |
| Labe | ing group | : III : 9 : F-A, S-F | |
| Pack aircra Pack | ing instruction (LQ) ing group | : 964 : Y964 : III : Miscellaneou: | s |
| Pack ger a Pack | (Passenger) ing instruction (passen- ircraft) ing instruction (LQ) ing group Is | : 964 : Y964 : III : Miscellaneous | S |
| 14.5 Envi | ronmental hazards | | |
| ADN Envir | onmentally hazardous | : yes | |
| ADR Envir | onmentally hazardous | : yes | |
| RID Envir | onmentally hazardous | : yes | |
| IMDC Marir | G ne pollutant | : yes | |
| | (Passenger) onmentally hazardous | : yes | |
| ΙΑΤΑ | (Cargo) | : yes | |
| 14 6 Spor | vial precautions for use | - | |

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.





| Version | Revision Date: | SDS Number: | Date of last issue: 30.09.2023 |
|---------|----------------|---------------|---------------------------------|
| 5.0 | 06.04.2024 | 1965380-00016 | Date of first issue: 20.09.2017 |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| AICS | : | not determined |
|-------|---|----------------|
| DSL | : | not determined |
| IECSC | : | not determined |

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

| Other information : Items where changes have been made to the pre- are highlighted in the body of this document by to lines. | |
|--|--|
|--|--|

Full text of H-Statements

| H302 : | Harmful if swallowed. |
|--------|---|
| H304 : | May be fatal if swallowed and enters airways. |
| H317 : | May cause an allergic skin reaction. |
| H332 : | Harmful if inhaled. |
| H400 : | Very toxic to aquatic life. |
| H410 : | Very toxic to aquatic life with long lasting effects. |
| | |

Full text of other abbreviations

| Acute Tox. : | Acute toxicity |
|-------------------|------------------------------------|
| Aquatic Acute : | Short-term (acute) aquatic hazard |
| Aquatic Chronic : | Long-term (chronic) aquatic hazard |
| Asp. Tox. : | Aspiration hazard |
| Skin Sens. : | Skin sensitisation |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;



| Version | Revision Date: | SDS Number: | Date of last issue: 30.09.2023 |
|---------|----------------|---------------|---------------------------------|
| 5.0 | 06.04.2024 | 1965380-00016 | Date of first issue: 20.09.2017 |

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

| Sources of key data used to compile the Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/ | |
|---|-----------------|--|---------------------------|
| Classification of the mixture | e: | | Classification procedure: |
| Skin Sens. 1 | H3 ⁻ | 17 | Calculation method |
| Asp. Tox. 1 | H3(|)4 | Calculation method |
| Aquatic Acute 1 | H4(| 00 | Calculation method |
| Aquatic Chronic 1 | H4′ | 10 | Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN