



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	10843967-00007	Date of first issue: 2022/08/31

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Permethrin (5%) Liquid Formulation
Supplier's company name, ac Company name of supplier		
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemi	cal p	product
Skin sensitisation	:	Category 1
Aspiration hazard	:	Category 1
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:



Version 5.0	Revision Date: 2024/09/28	SDS Number: 10843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
		P272 Contamir the workplace.	eathing mist or vapours. nated work clothing should not be allowed out of ease to the environment. tective gloves.
		CENTER/ doct P302 + P352 IF P331 Do NOT P333 + P313 If vice/ attention.	ON SKIN: Wash with plenty of water. induce vomiting. skin irritation or rash occurs: Get medical ad- ake off contaminated clothing and wash it before
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose d disposal plant.	of contents/ container to an approved waste

Other hazards which do not result in classification

lines of the emergency assumed

Important symptoms and out- : Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Distillates (petroleum), solvent-	64742-65-0	>= 90 - <= 100	9-1692
dewaxed heavy paraffinic Permethrin (ISO)	52645-53-1	5	3-4010
		_	

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	
		Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes.



Version 5.0	Revision Date: 2024/09/28		OS Number: 843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31		
If swalle Most im and effe delayed	nportant symptoms ects, both acute and	: :	Flush eyes with w Get medical atten If swallowed, DO If vomiting occurs Call a physician o Never give anythi May be fatal if sw May cause an alle This product cont Pyrethroid poison or organophospha First Aid responde and use the recor	fore reuse. shoes before reuse. rater as a precaution. tion if irritation develops and persists. NOT induce vomiting. have person lean forward. r poison control centre immediately. ng by mouth to an unconscious person. allowed and enters airways. ergic skin reaction. ains a pyrethroid. ing should not be confused with carbamate ate poisoning. ers should pay attention to self-protection, nmended personal protective equipment		
Notes to	Notes to physician		when the potential for exposure exists (see section 8).Treat symptomatically and supportively.			
5. FIREFIGH	ITING MEASURES					
Suitable	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical			
Unsuita media	ble extinguishing	:	None known.			
Specific fighting	c hazards during fire-	:	Exposure to comb	pustion products may be a hazard to health.		
Hazard ucts	ous combustion prod-	:	Carbon oxides Chlorine compour	nds		
Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to c		
Special for firefi	protective equipment ighters	:		e, wear self-contained breathing apparatus. ective equipment.		
	TAL RELEASE MEAS	SUF	RES			
	al precautions, protec- uipment and emer-	:		ective equipment. ing advice (see section 7) and personal pro		

tive equipment and emer-	Follow safe handling advice (see section 7) and personal pro-
gency procedures	tective equipment recommendations (see section 8).
	• • • • • • • • • •

Environmental precautions : Avoid release to the environment.



Version 5.0	Revision Date: 2024/09/28	SDS Number: 10843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
		Prevent spreadir barriers). Retain and dispo	eakage or spillage if safe to do so. ng over a wide area (e.g. by containment or oil ose of contaminated wash water. should be advised if significant spillages ned.
Methods and materials for containment and cleaning up		For large spills, p ment to keep ma be pumped, stor Clean up remain bent. Local or national posal of this mat employed in the mine which regu Sections 13 and	rt absorbent material. provide dyking or other appropriate contain- aterial from spreading. If dyked material can e recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.

7. HANDLING AND STORAGE

Handling		
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation Advice on safe handling	::	Use only with adequate ventilation. Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed.
		Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact Hygiene measures	:	Oxidizing agents If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.



Version 5.0	Revision Date: 2024/09/28	SDS Number: 10843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31		
Stora	ae				
	itions for safe storage	Store locked u Keep tightly cl			
Mate	rials to avoid	: Do not store w Oxidizing solid	Do not store with the following product types: Oxidizing solids Oxidizing liquids		
Packa	aging material	: Unsuitable ma	iterial: None known.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Distillates (petroleum), solvent- dewaxed heavy paraffinic	64742-65-0	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 µg/m3 (OEB 3)	Internal
		Wipe limit	800 µg/100 cm ²	Internal

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Personal protective equipmen	t
	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type : Hand protection	Combined particulates and organic vapour type
Material :	Chemical-resistant gloves
Remarks:Eye protection:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.



Vers 5.0	sion	Revision Date: 2024/09/28		S Number: 343967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31	
Skin and body protection		:	 Wear a faceshield or other full face protection if there is potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon th task being performed (e.g., sleevelets, apron, gauntlets, posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove poten contaminated clothing. 			
9. PI	HYSICA	AL AND CHEMICAL P	ROF	PERTIES		
	Physica	al state	:	liquid		
	Colour		:	clear		
				amber		
	Odour		:	odourless		
	Odour	Threshold	:	No data available	e	
	Melting point/freezing point		:	No data available		
	Boiling point, initial boiling point and boiling range		:	No data available	9	
	Flammability (solid, gas)		:	Not applicable		
	Flamm	ability (liquids)	:	Ignitable (see flash point)		
	Upp	explosion limit and upp per explosion limit / Up- flammability limit	oere - :	xplosion limit / flan No data available	nmability limit e	
		ver explosion limit / ver flammability limit	:	No data available	9	
	Flash p	point	:	151.7 °C		
	Decom	position temperature	:	No data available	e	
	pН		:	No data available	e	
	Evapor	ation rate	:	No data available	e	
	Auto-ig	nition temperature	:	No data available	e	
	Viscosi Visc	ty cosity, kinematic	:	39 mm2/s		
	Solubili	itv(ies)				





Vers 5.0	sion	Revision Date: 2024/09/28		S Number: 43967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
	Wate	er solubility	:	immiscible	
	Solu	bility in other solvents	:	completely miscil Solvent: Kerosine	
				completely miscil Solvent: Xylene	ble
	Partitior octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	< 2 mmHg (25 °C	;)
		and / or relative densit tive density	у :	0.876 (20 °C)	
	Den	sity	:	No data available)
	Relative	e vapour density	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	g properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecul	ar weight	:	No data available)
		characteristics icle size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.



ersion 0	Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/04/0610843967-00007Date of first issue: 2022/08/31
Prod	uct:	
Acute	e oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute	e inhalation toxicity	 Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Com	ponents:	
Distil	llates (petroleum), so	blvent-dewaxed heavy paraffinic:
Acute	e oral toxicity	 LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute	e inhalation toxicity	 LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala tion toxicity Remarks: Based on data from similar materials
Acute	e dermal toxicity	 LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials
Perm	ethrin (ISO):	
Acute	e oral toxicity	: LD50 (Rat): 480 - 554 mg/kg
Acute	e inhalation toxicity	: LC50 (Rat): 2.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute	e dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg
	corrosion/irritation	
Not c	lassified based on ava	ailable information.
Com	ponents:	
Distil	llates (petroleum), so	olvent-dewaxed heavy paraffinic:
Spec		: Rabbit
Resu Rema		No skin irritationBased on data from similar materials
Perm	ethrin (ISO):	
Spec	ies	: Rabbit : No skin irritation
Resu		



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	10843967-00007	Date of first issue: 2022/08/31

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species Result Method Remarks	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Permethrin (ISO):

Species Result	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

: Buehler Test
: Skin contact
: Guinea pig
: OECD Test Guideline 406
: negative
: Based on data from similar materials

Permethrin (ISO):

Test Type Exposure routes Species Result	 Buehler Test Skin contact Guinea pig positive
Assessment	: Probability or evidence of skin sensitisation

Assessment

Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

- Genotoxicity in vitro
- : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471



/ersion 5.0	Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/04/0610843967-00007Date of first issue: 2022/08/31
Geno	otoxicity in vivo	Result: negative Remarks: Based on data from similar materials : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
II Perm	nethrin (ISO):	
	otoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test
		Result: negative Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Result: negative
		Test Type: Chromosome aberration test in vitro Result: positive
Geno	otoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative
		Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion



	Revision Date: 2024/09/28		DS Number: 843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
11			Result: positive	
	cell mutagenicity -	:	Weight of evider	nce does not support classification as a gerr
Asses	ssment		cell mutagen.	
	nogenicity lassified based on avai	ilable	information.	
<u>Com</u>	oonents:			
Distil	lates (petroleum), so	lvent	-dewaxed heavy	paraffinic:
Speci		:	Mouse	
	cation Route	:	Skin contact	
	sure time	:	78 weeks	dolino 451
Metho Resu			OECD Test Guid negative	Jeline 45 I
		•	nogativo	
	ethrin (ISO):		Det	
Speci Resu		-	Rat negative	
i tesu		•	negative	
Speci Resu		:	Mouse negative	
Resul Repre Not cl	t oductive toxicity lassified based on avai	: : ilable	negative	
Resul Repro Not cl <u>Com</u>	It oductive toxicity lassified based on avai conents:		negative information.	<i></i> .
Resul Repre Not cl <u>Com</u> Distil	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy	-
Resul Repre Not cl <u>Com</u> Distil	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy	paraffinic: oduction/Developmental toxicity screening
Resul Repre Not cl <u>Com</u> Distil	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy Test Type: Repr test Species: Rat	oduction/Developmental toxicity screening
Resul Repre Not cl <u>Com</u> Distil	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout	e: Ingestion
Resul Repre Not cl <u>Com</u> Distil	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative	e: Ingestion
Resul Repre Not cl <u>Com</u> Distil	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative	e: Ingestion
Resul Repro Not cl Comp Distil Effect	It oductive toxicity lassified based on avai <u>conents:</u> lates (petroleum), so	lvent	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb	e: Ingestion
Resul Repro Not cl Com Distil	It In the second	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat	oduction/Developmental toxicity screening e: Ingestion I on data from similar materials ryo-foetal development
Resul Repro Not cl Comp Distil Effect	It In the second	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout	e: Ingestion don data from similar materials ryo-foetal development e: Skin contact
Resul Repro Not cl Comp Distil Effect	It In the second	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative	oduction/Developmental toxicity screening e: Ingestion I on data from similar materials ryo-foetal development e: Skin contact Test Guideline 414
Resul Repro Not cl Comp Distil Effect	It In the second	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative	e: Ingestion douction/Developmental toxicity screening on data from similar materials ryo-foetal development e: Skin contact Test Guideline 414
Resul Repro Not cl Com Distil Effect	It In the second	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative	oduction/Developmental toxicity screening e: Ingestion I on data from similar materials ryo-foetal development e: Skin contact Test Guideline 414
Resul Repro Not cl Com Distil Effect ment	It oductive toxicity lassified based on avaination conents: lates (petroleum), so is on fertility is on foetal develop-	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative Remarks: Based	oduction/Developmental toxicity screening e: Ingestion I on data from similar materials ryo-foetal development e: Skin contact Test Guideline 414
Resul Repro Not cl Com Distil Effect ment	It oductive toxicity lassified based on avaination oonents: lates (petroleum), so its on fertility its on foetal develop-	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative Remarks: Based Test Type: Two- Species: Rat	duction/Developmental toxicity screening e: Ingestion d on data from similar materials ryo-foetal development e: Skin contact Test Guideline 414 d on data from similar materials generation reproduction toxicity study
Resul Repro Not cl Com Distil Effect ment	It oductive toxicity lassified based on avaination oonents: lates (petroleum), so its on fertility its on foetal develop-	lvent :	negative information. -dewaxed heavy Test Type: Repr test Species: Rat Application Rout Result: negative Remarks: Based Test Type: Emb Species: Rat Application Rout Method: OECD Result: negative Remarks: Based Test Type: Two-	e: Ingestion douction/Developmental toxicity screening e: Ingestion d on data from similar materials ryo-foetal development e: Skin contact Test Guideline 414 d on data from similar materials generation reproduction toxicity study e: Ingestion





ersion 0	Revision Date: 2024/09/28	SDS Number: 10843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
Effect ment	s on foetal develop-		
	- single exposure lassified based on avai	lable information.	
STOT	- repeated exposure		
Not cl	assified based on avai	lable information.	
Repe	ated dose toxicity		
<u>Com</u>	oonents:		
Distil	lates (petroleum), so	vent-dewaxed heavy	paraffinic:
	EL cation Route sure time od	 Rabbit 1,000 mg/kg Skin contact 4 Weeks OECD Test Guid Based on data from the second sec	deline 410 rom similar materials
	EL cation Route sure time	: Rat : > 980 mg/m3 : inhalation (dust/ : 4 Weeks : Based on data f	mist/fume) rom similar materials
Perm	ethrin (ISO):		
Speci NOAE Applic	es	: Rat : 0.2201 mg/l : Inhalation : 90 Days	
		: Rat : 175 mg/kg : Ingestion : 90 Days	
-	ration toxicity be fatal if swallowed ar	id enters airways.	
<u>Comp</u>	oonents:		

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.



VersionRevision Date:SDS Number:Date of last issue: 2024/04/065.02024/09/2810843967-00007Date of first issue: 2022/08/31	
--	--

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC: > 1.93 mg/l Exposure time: 10 min Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Permethrin (ISO):		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0001 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l Exposure time: 72 h
		EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox-	:	10,000
icity) Toxicity to fish (Chronic tox-	:	NOEC (Danio rerio (zebra fish)): 0.00041 mg/l





_			843967-00007	Date of first issue: 2022/08/31
icity)			Exposure time: 3 Method: OECD	35 d Test Guideline 210
	ty to daphnia and other c invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): 0.0047 μg/l 21 d Test Guideline 211
M-Fac toxicity	tor (Chronic aquatic	:	10,000	
	y to microorganisms	:	EC50: > 1,000 n Exposure time: 3	
Persis	stence and degradabili	ty		
<u>Comp</u>	onents:			
Distill	ates (petroleum), solve	ent-	dewaxed heavy	paraffinic:
Biode	gradability	:	Biodegradation: Exposure time: 2	
Perme	ethrin (ISO):			
Biode	gradability	:		ily biodegradable. Test Guideline 301F
Bioac	cumulative potential			
<u>Comp</u>	onents:			
Perme	ethrin (ISO):			
Bioaco	cumulation	:		is macrochirus (Bluegill sunfish) n factor (BCF): 570
	on coefficient: n- bl/water	:	log Pow: 4.67	
	i ty in soil ta available			
	dous to the ozone laye	er		
	adverse effects ta available			
No dat		S		

Waste from residues : Dispose of in accordance with local regulations.



Versi 5.0	ion	Revision Date: 2024/09/28		98 Number: 843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
	Contan	ninated packaging	:	dling site for recyc	should be taken to an approved waste han- cling or disposal. becified: Dispose of as unused product.
14. T	RANS	PORT INFORMATION			
	Interna	tional Regulations			
	-		:	UN 3082 ENVIRONMENTA N.O.S. (Permethrin (ISO	ALLY HAZARDOUS SUBSTANCE, LIQUID,
	Labels	g group nmentally hazardous	:	9 III 9 yes	
	IATA-E UN/ID I Proper	•••	:	UN 3082 Environmentally h (Permethrin (ISO	azardous substance, liquid, n.o.s.))
	Labels Packing aircraft Packing ger airc	g instruction (passen-	: : :	9 III Miscellaneous 964 964 yes	
IMDG-Code UN number : UN 3082 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBS N.O.S.					
	Labels EmS C	g group ode pollutant	:	(Permethrin (ISO) 9 III 9 F-A, S-F yes)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version 5.0	Revision Date: 2024/09/28	SDS Number: 10843967-0000	Date of last issue: 2 7 Date of first issue: 2	
ERG	Code	: 171		
15. REGU	LATORY INFORMAT	ION		
Relat	ed Regulations			
	Service Law o 4, Type 3 petroleum	s, Water insoluble li	quid, (2000 litre), Hazardo	ous rank III
Not a	nical Substance Con pplicable for Specified ssment Chemical Sub	Chemical Substan	ce, Monitoring Chemical S	Substance and Priority
Indus	strial Safety and Hea	Ith Law		
	ful Substances Prob	ibited from Manuf	acture	
	ful Substances Req i pplicable	uired Permission f	or Manufacture	
	tances Prevented Fr	om Impairment of	Health	
on Ex	lar concerning Infor kisting Chemicals ha pplicable		als having Mutagenicity	- Annex 2: Information
on No	otified Substances h		als having Mutagenicity Y	- Annex 1: Information
11	pplicable tances Subject to be	Notified Names		
	e 57-2 (Enforcement C			
Cher	nical name		Concentration (%)	Remarks
	ral oil		>=90 - <=100	-
	enoxybenzyl 3-(2,2-d limethylcyclopropaned		>=1 - <10	From April 1st, 2026
	tances Subject to be			
	e 57 (Enforcement Or nical name	der Article 18)		Remarks
	ral oil			-
m-ph	nenoxybenzyl 3-(2,2-d thylcyclopropanecarb			From April 1st, 2026
	and Eye Damage Su pplicable	bstances for PPE I	Requirements (ISHL MO	Art. 594-2)
tions	-	s (Article 577-2 of t	he Occupational Health a	and Safety Regula-
Ordir		of Hazards Due to	Specified Chemical Sub	ostances
		16 /	′ 19	





Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	10843967-00007	Date of first issue: 2022/08/31

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
3-Phenoxybenzyl 3-(2,2-dichlorovinyl)-	350	5.0
2,2-dimethylcyclopropanecarboxylate		

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined



Version 5.0	Revision Date: 2024/09/28	SDS Number: 10843967-00007	Date of last issue: 2024/04/06 Date of first issue: 2022/08/31
DSL		: not determined	
IECSC		: not determined	

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to : compile the Safety Data	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd
Full text of other abbreviatio	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-





Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	10843967-00007	Date of first issue: 2022/08/31

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN