

## Permethrin (65%) Formulation

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
Date of first issue: 05.02.2021

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Permethrin (65%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms : 

Signal Word : Warning

## Permethrin (65%) Formulation

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
 Date of first issue: 05.02.2021

Hazard Statements : H226 Flammable liquid and vapor.  
 H302 + H332 Harmful if swallowed or if inhaled.  
 H317 May cause an allergic skin reaction.  
 H336 May cause drowsiness or dizziness.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
 No smoking.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P391 Collect spillage.

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).  
 Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Permethrin (ISO)	52645-53-1	Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 4 Skin sensitization, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 50 -< 70
1-Methoxy-2-propanol	107-98-2	Flammable liquids, Category 3 Acute toxicity (Oral), Category 5 Acute toxicity (Inhalation), Category 5 Specific target organ toxicity - single exposure, Category 3	>= 30 -< 50

## Permethrin (65%) Formulation

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
 Date of first issue: 05.02.2021

2-Methoxypropanol	1589-47-5	Flammable liquids, Category 3 Reproductive toxicity, Category 1B Specific target organ toxicity - single expo- sure, Category 3	>= 0,1 -< 0,3
-------------------	-----------	---	---------------

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
May cause an allergic skin reaction.  
May cause drowsiness or dizziness.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

- Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Chlorine compounds  
Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equip-

## Permethrin (65%) Formulation

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
 Date of first issue: 05.02.2021

- Advice on safe handling : ment.  
 Do not get on skin or clothing.  
 Avoid breathing mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Non-sparking tools should be used.  
 Keep container tightly closed.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases  
 Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Permethrin (65%) Formulation

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
 Date of first issue: 05.02.2021

		(Form of exposure)	ters / Permissible concentration	
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
1-Methoxy-2-propanol	107-98-2	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.  
 Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : dark amber

Odor : strong

**Permethrin (65%) Formulation**

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
Date of first issue: 05.02.2021

---

Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	37,8 - 40 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	immiscible
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 722,46 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method

#### Components:

##### **Permethrin (ISO):**

Acute oral toxicity	:	LD50 (Rat): 480 - 554 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 2,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

##### **1-Methoxy-2-propanol:**

Acute oral toxicity	:	LD50 (Rat): 4.016 mg/kg
Acute inhalation toxicity	:	LC50 (Mouse): < 22,2 mg/l Exposure time: 6 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity



**Permethrin (65%) Formulation**

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
Date of first issue: 05.02.2021

---

**2-Methoxypropanol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**1-Methoxy-2-propanol:**

Species : Rabbit  
Result : No skin irritation

**2-Methoxypropanol:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Species : Rabbit  
Result : No eye irritation

**1-Methoxy-2-propanol:**

Species : Rabbit  
Result : No eye irritation

**2-Methoxypropanol:**

Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Permethrin (65%) Formulation**

Version 1.6      Revision Date: 30.09.2023      SDS Number: 7766186-00007      Date of last issue: 04.04.2023  
Date of first issue: 05.02.2021

---

**Components:****Permethrin (ISO):**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

**1-Methoxy-2-propanol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

**2-Methoxypropanol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### 1-Methoxy-2-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: equivocal

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OECD Test Guideline 482  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### 2-Methoxypropanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Remarks: Based on data from similar materials

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
 Result: equivocal  
 Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
 Method: OECD Test Guideline 482  
 Result: negative  
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Species : Rat  
 Result : negative

Species : Mouse  
 Result : negative

#### 1-Methoxy-2-propanol:

Species : Rat  
 Application Route : inhalation (vapor)  
 Exposure time : 2 Years  
 Method : OECD Test Guideline 453  
 Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Permethrin (ISO):

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

### 1-Methoxy-2-propanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 416  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### 2-Methoxypropanol:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Inhalation  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

May cause drowsiness or dizziness.

#### Components:

#### 1-Methoxy-2-propanol:

Assessment : May cause drowsiness or dizziness.

#### 2-Methoxypropanol:

Assessment : May cause respiratory irritation.  
Remarks : Based on national or regional regulation.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### Permethrin (ISO):

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

Species : Rat  
 NOAEL : 0,2201 mg/l  
 Application Route : Inhalation  
 Exposure time : 90 Days

Species : Rat  
 NOAEL : 175 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days

### 1-Methoxy-2-propanol:

Species : Rat  
 NOAEL : 919 mg/kg  
 Application Route : Ingestion  
 Exposure time : 35 Days

Species : Rat  
 NOAEL : 1,1 mg/l  
 Application Route : inhalation (vapor)  
 Exposure time : 2 y  
 Method : OECD Test Guideline 453

Species : Rabbit  
 NOAEL : 1.838 mg/kg  
 Application Route : Skin contact  
 Exposure time : 90 Days

### 2-Methoxypropanol:

Species : Rat  
 NOAEL : 10,5 mg/l  
 Application Route : inhalation (vapor)  
 Exposure time : 28 Days

Species : Rat  
 NOAEL : > 300 mg/l  
 Application Route : Ingestion  
 Number of exposures : 25 Days  
 Remarks : Based on data from similar materials

Species : Rabbit  
 NOAEL : > 200 mg/l  
 Application Route : Skin contact  
 Number of exposures : 90 Days  
 Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Permethrin (ISO):**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 0,00079 mg/l<br>Exposure time: 96 h                       |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 ( <i>Daphnia magna</i> (Water flea)): 0,0001 mg/l<br>Exposure time: 48 h                                    |
| Toxicity to algae/aquatic plants                                       | : | ErC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 1,13 mg/l<br>Exposure time: 72 h                |
|  |   | EC10 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 0,0023 mg/l<br>Exposure time: 72 h                 |
| M-Factor (Acute aquatic toxicity)                                      | : | 10.000   |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC ( <i>Danio rerio</i> (zebra fish)): 0,00041 mg/l<br>Exposure time: 35 d<br>Method: OECD Test Guideline 210  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC ( <i>Daphnia magna</i> (Water flea)): 0,0047 µg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211 |
| M-Factor (Chronic aquatic toxicity)                                    | : | 10.000   |
| Toxicity to microorganisms   | : | EC50: > 1.000 mg/l<br>Exposure time: 3 h   |

##### **1-Methoxy-2-propanol:**

- |   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 ( <i>Leuciscus idus</i> (Golden orfe)): 6.812 mg/l<br>Exposure time: 96 h<br>Method: DIN 38412          |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 ( <i>Daphnia magna</i> (Water flea)): 23.300 mg/l<br>Exposure time: 48 h                                |
| Toxicity to algae/aquatic plants                    | : | ErC50 ( <i>Skeletonema costatum</i> (marine diatom)): 6.745 mg/l<br>Exposure time: 72 h<br>Method: ISO 10253 |
| Toxicity to microorganisms                          | : | IC50: > 1.000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209                                  |

##### **2-Methoxypropanol:**

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
Exposure time: 72 h  
Method: ISO 10253  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10: > 1 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Permethrin (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F

##### **1-Methoxy-2-propanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 96 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

##### **2-Methoxypropanol:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Permethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4,67

##### **1-Methoxy-2-propanol:**



## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

Partition coefficient: n-octanol/water : log Pow: < 1

### 2-Methoxypropanol:

Partition coefficient: n-octanol/water : log Pow: -0,49  
Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3092  
Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 3092  
Proper shipping name : 1-Methoxy-2-propanol solution  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

#### IMDG-Code

UN number : UN 3092  
Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION  
(Permethrin (ISO))  
Class : 3

**Permethrin (65%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

Packing group	:	III
Labels	:	3
EmS Code	:	F-E, S-D
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ANTT**

UN number	:	UN 3092
Proper shipping name	:	1-METHOXY-2-PROPANOL, SOLUTION
Class	:	3
Packing group	:	III
Labels	:	3
Hazard Identification Number	:	30

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**

## Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.6	30.09.2023	7766186-00007	Date of first issue: 05.02.2021

---

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8