Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2024
4.1	28.09.2024	7776636-00012	Date of first issue: 05.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Permethrin (65%) Formulation
1.2	Relevant identified uses of the Use of the Sub-		ubstance or mixture and uses advised against Veterinary product
	stance/Mixture	•	
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the s	safe	ety data sheet
	Company	:	MSD
			Kilsheelan
			Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex-	H336: May cause drowsiness or dizziness.
posure, Category 3	
Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1	
Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting
egory 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Version 4.1	Revision Date: 28.09.2024	SDS Number: 7776636-000 ²	
Haz	ard pictograms		
Sigr	al word	: Warning	• •
Haz	ard statements	: H226 H302 + H3 H317 H336 H410	 Flammable liquid and vapour. 32 Harmful if swallowed or if inhaled. May cause an allergic skin reaction. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
Prec	cautionary statements	: Preventior	1:
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response	:
		P304 + P34	40 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P333 + P3 ⁻	
		P391	Collect spillage.

Hazardous components which must be listed on the label:

Permethrin (ISO) 1-Methoxy-2-propanol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.



Commission Regulation (EU) 2020/878

Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2024
4.1	28.09.2024	7776636-00012	Date of first issue: 05.02.2021

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Permethrin (ISO)	52645-53-1 258-067-9 613-058-00-2	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 2.3 mg/l	>= 50 - < 70
1-Methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3	Flam. Liq. 3; H226 STOT SE 3; H336	>= 30 - < 50
2-Methoxypropanol	1589-47-5 216-455-5 603-106-00-0	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 Repr. 1B; H360D STOT SE 3; H335	>= 0.1 - < 0.3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.



Permethrin (65%) Formulation

Version 4.1	Revision Date: 28.09.2024		DS Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021		
Prote	ection of first-aiders	:	and use the reco	ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).		
If inhaled		:	If not breathing, g If breathing is diff	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.		
In case of skin contact		:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.			
In ca	se of eye contact	:		vater as a precaution. htion if irritation develops and persists.		
lf swa	allowed	:	Get medical atter Rinse mouth thor	NOT induce vomiting. ntion. oughly with water. ing by mouth to an unconscious person.		
4.2 Most	important symptoms	and	effects, both acute	e and delayed		
Risks		:	Harmful if swallov May cause an all			
				ains a pyrethroid. hing should not be confused with carbamate ate poisoning.		
4.3 Indication of any immediate medical attention and special treatment needed						

Treatment	: Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Do not use a solid water stream as it may scatter and spread



Permethrin (65%) Formulation

Vers 4.1	sion	Revision Date: 28.09.2024		9S Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
fighting			fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to hea		
	Hazardous combustion prod- ucts		:	Chlorine compour Carbon oxides	nds
5.3	Advice	for firefighters			
	Special for firef	l protective equipment ighters	:		e, wear self-contained breathing apparatus. ective equipment.
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal	precautions	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material.
	Suppress (knock down) gases/vapours/mists with a water spray jet.
	For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
	Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable.



Permethrin (65%) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 09.07.2024
4.1		7776636-00012	Date of first issue: 05.02.2021

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
	Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
			Use explosion-proof electrical, ventilating and lighting equip- ment.
	Advice on safe handling	:	Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Non-sparking tools should be used.
			Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
	Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

		accordance with the particular national regulations. Keep away from heat and sources of ignition.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 09.07.2024
4.1		7776636-00012	Date of first issue: 05.02.2021
		Substances and flammable gase Explosives Gases	ds ds bstances and mixtures d mixtures, which in contact with water, emit

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

oooapational Exp						
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Permethrin (ISO) 52645-53-1		TWA	80 µg/m3 (OEB 3)	Internal		
		Wipe limit	800 µg/100 cm ²	Internal		
1-Methoxy-2-	107-98-2	STEL	150 ppm	2000/39/EC		
propanol			568 mg/m3			
	Further inform	Further information: Identifies the possibility of significant uptake through the				
	skin, Indicativ	e		-		
		TWA	100 ppm	2000/39/EC		
			375 mg/m3			
	Further inforn	nation: Identifies the	possibility of significant uptal	ke through the		
	skin, Indicativ	e		-		
		OELV - 8 hrs	100 ppm	IE OEL		
		(TWA)	375 mg/m3			
		OELV - 15 min	150 ppm	IE OEL		
		(STEL)	568 mg/m3			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
1-Methoxy-2-propanol	Workers	Inhalation	Long-term systemic effects	369 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	553.5 mg/m3
	Workers	Inhalation	Acute local effects	553.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	183 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43.9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	78 mg/kg bw/day



Permethrin (65%) Formulation

Versior 4.1	n Revision Date: 28.09.2024	SDS Num 7776636-		Date of last issue: 09.07 Date of first issue: 05.02	
		Consumers	Ingestion	Long-term syste effects	emic 33 mg/kg bw/day
Pr	edicted No Effect Co	oncentration (PN	NEC) accor	ding to Regulation (EC)	No. 1907/2006
Su	ubstance name	Envi	ronmental C	Compartment	Value
1-1	1-Methoxy-2-propanol		Fresh water		10 mg/l
		Mari	Marine water		1 mg/l
			hwater - inte	100 mg/l	
		Sew	age treatme	ent plant	100 mg/l
			h water sed	liment	52.3 mg/kg dry weight (d.w.)
		Mari	ne sedimen	t	5.2 mg/kg dry weight (d.w.)
		Soil			4.59 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.	
Hand protection			
Material	:	Chemical-resistant gloves	
Remarks	:	Consider double gloving. Take note that the product is flam- mable, which may impact the selection of hand protection.	
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.	
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 14387	
Filter type	:	Organic vapour type (A)	



Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2024
4.1	28.09.2024	7776636-00012	Date of first issue: 05.02.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	dark amber
Odour	:	strong
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	37.8 - 40 °C
Flash point Auto-ignition temperature	:	37.8 - 40 °C No data available
	:	
Auto-ignition temperature	:	No data available
Auto-ignition temperature Decomposition temperature	:	No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity	:	No data available No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies)	:	No data available No data available No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n-	:	No data available No data available No data available No data available immiscible
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water	:	No data available No data available No data available No data available immiscible Not applicable
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water Vapour pressure	:	No data available No data available No data available No data available immiscible Not applicable No data available



Permethrin (65%) Formulation

Vers 4.1	sion	Revision Date: 28.09.2024		S Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
	Relativ	e vapour density	:	No data availabl	e
		e characteristics ticle size	:	Not applicable	
9.2	Other ir Explos	nformation ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Evapoi	ration rate	:	No data available	e
	Molecu	ular weight	:	No data availabl	e

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
10.4 Conditions to avoid		

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity

: Acute toxicity estimate: 769.23 mg/kg



rsion I	Revision Date: 28.09.2024		S Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
			Method: Calcul	ation method
Acute	inhalation toxicity	:	Acute toxicity e Exposure time: Test atmosphe Method: Calcul	re: dust/mist
<u>Com</u>	oonents:			
Perm	ethrin (ISO):			
	oral toxicity	:	LD50 (Rat): 480	0 - 554 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 2.3 Exposure time: Test atmosphere	4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 2,000 mg/kg
1-Met	hoxy-2-propanol:			
	oral toxicity	:	LD50 (Rat): 4,0	16 mg/kg
Acute	inhalation toxicity	:	LC50 (Mouse): Exposure time: Test atmosphere	6 h
Acute	e dermal toxicity	:	LD50 (Rat): > 2 Assessment: Th toxicity	2,000 mg/kg he substance or mixture has no acute derma
2-Met	hoxypropanol:			
	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 6 Exposure time: Test atmosphere	4 h
-	corrosion/irritation lassified based on ava	ailable i	information.	
<u>Com</u>	oonents:			
Perm	ethrin (ISO):			
Speci Resul		:	Rabbit No skin irritatio	n
1-Met	hoxy-2-propanol:			
Speci			Rabbit	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



sion	Revision Date: 28.09.2024	SDS Number: 7776636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
2-Met	hoxypropanol:		
Resu		: Skin irritation	
Remarks			nal or regional regulation.
Serio	us eye damage/eye i	irritation	
Not cl	lassified based on ava	ailable information.	
Com	oonents:		
Perm	ethrin (ISO):		
Speci	es	: Rabbit	
Resul	lt	: No eye irritatior	1
1-Met	hoxy-2-propanol:		
Speci	es	: Rabbit	
Resul		: No eye irritatior	1
2-Met	hoxypropanol:		
Resu	lt	: Irreversible effe	ects on the eye
Rema	arks	: Based on nation	nal or regional regulation.
Skin	iratory or skin sensi sensitisation cause an allergic skin		
Skin s May c Resp Not cl	sensitisation cause an allergic skin iratory sensitisation lassified based on ava	reaction.	
Skin s May c Resp Not cl <u>Comp</u>	sensitisation cause an allergic skin iratory sensitisation lassified based on ava conents:	reaction.	
Skin s May o Resp Not cl <u>Comp</u> Perm	sensitisation cause an allergic skin iratory sensitisation lassified based on ava conents: ethrin (ISO):	reaction. ailable information.	
Skin s May o Resp Not cl <u>Comp</u> Perm Test	sensitisation cause an allergic skin iratory sensitisation lassified based on ava conents: ethrin (ISO): Гуре	reaction. ailable information. : Buehler Test	
Skin May c Resp Not cl Comp Perm Test Expos Speci	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es	reaction. ailable information.	
Skin May c Resp Not cl Comp Perm Test T Expos	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es	reaction. ailable information. : Buehler Test : Skin contact	
Skin May c Resp Not cl Comp Test Expos Speci Resul	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive	vidence of skin sensitisation in humar
Skin May of Resp Not of Comp Not of Comp Perm Test T Expos Speci Result Asses	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es lt	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive	vidence of skin sensitisation in humar
Skin May of Resp Not of Comp Not of Comp Perm Test T Expos Speci Result Asses	sensitisation cause an allergic skin iratory sensitisation lassified based on ava conents: ethrin (ISO): Type sure routes es lt ssment	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive	
Skin May o Resp Not cl Comp Test Expos Speci Resul Asses 1-Met Test Expos	sensitisation cause an allergic skin iratory sensitisation lassified based on ava conents: ethrin (ISO): Type sure routes es lt ssment thoxy-2-propanol: Type sure routes	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or ev : Maximisation T : Skin contact	
Skin May of Resp Not of Comp Perm Test T Expos Speci Result Asses 1-Met Test T Expos Speci	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es lt ssment thoxy-2-propanol: Type sure routes es	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or ev : Maximisation T : Skin contact : Guinea pig	
Skin May o Resp Not cl Comp Test Expos Speci Resul Asses 1-Met Test Expos	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es lt ssment thoxy-2-propanol: Type sure routes es	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or ev : Maximisation T : Skin contact	
Skin May o Resp Not cl Comp Perm Test Expos Speci Resul Asses 1-Met Test Expos Speci Resul	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es lt ssment thoxy-2-propanol: Type sure routes es	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or ev : Maximisation T : Skin contact : Guinea pig	
Skin May of Resp Not of Comp Not of Comp Perm Test T Expos Speci Resul Asses 1-Met Test T Expos Speci Resul 2-Met Test T	sensitisation cause an allergic skin iratory sensitisation lassified based on avain conents: ethrin (ISO): Type sure routes es it ssment thoxy-2-propanol: Type sure routes es it thoxypropanol: Type	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or er : Maximisation T : Skin contact : Guinea pig : negative : Maximisation T	est
Skin May of Resp Not of Comp Not of Comp Perm Test T Expos Speci Resul Asses 1-Met Test T Expos Speci Resul 2-Met Test T Expos	sensitisation cause an allergic skin iratory sensitisation lassified based on ava <u>conents:</u> ethrin (ISO): Type sure routes es it ssment thoxy-2-propanol: Type sure routes es it thoxypropanol: Type sure routes	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or e : Maximisation T : Skin contact : Guinea pig : negative : Maximisation T : Skin contact	est
Skin May of Resp Not of Comp Not of Comp Perm Test T Expos Speci Resul Asses 1-Met Test T Expos Speci Resul 2-Met Test T	sensitisation cause an allergic skin iratory sensitisation lassified based on avain conents: ethrin (ISO): Type sure routes es it ssment thoxy-2-propanol: Type sure routes es it thoxypropanol: Type sure routes es	reaction. ailable information. : Buehler Test : Skin contact : Guinea pig : positive : Probability or er : Maximisation T : Skin contact : Guinea pig : negative : Maximisation T	est

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 4.1	sion	Revision Date: 28.09.2024		DS Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
	Remar	ks	:	Based on data fro	om similar materials
		cell mutagenicity ssified based on availa	able	information.	
	Comp	onents:			
		thrin (ISO): oxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
				Test Type: In vitro Result: negative	o mammalian cell gene mutation test
				Test Type: Chron Result: negative	nosome aberration test in vitro
				Test Type: DNA o thesis in mammal Result: negative	damage and repair, unscheduled DNA syn- lian cells (in vitro)
				Test Type: Chron Result: positive	nosome aberration test in vitro
	Genotoxicity in vivo :		:	Test Type: Mamn cytogenetic assay Species: Mouse Result: negative	nalian erythrocyte micronucleus test (in vivo /)
					enicity (in vivo mammalian bone-marrow chromosomal analysis)
				Test Type: Roder Species: Mouse Result: negative	nt dominant lethal test (germ cell) (in vivo)
				cytogenetic assay Species: Rat	nalian erythrocyte micronucleus test (in vivo /) e: Intraperitoneal injection
					enicity (in vivo mammalian bone-marrow chromosomal analysis) e: Ingestion
	Germ o sessmo	cell mutagenicity- As- ent	:	Weight of evidend cell mutagen.	ce does not support classification as a germ

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 4.1	Revision Date: 28.09.2024	SDS Number: 7776636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
1-Me	thoxy-2-propanol:		
	otoxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) ive
		Test Type: Cl Result: negat	nromosome aberration test in vitro ive
		Test Type: In Result: negat	vitro mammalian cell gene mutation test ive
		Test Type: In malian cells Result: equive	vitro sister chromatid exchange assay in mam- ocal
		thesis in marr	NA damage and repair, unscheduled DNA syn- malian cells (in vitro) D Test Guideline 482 ive
Genc	otoxicity in vivo	cytogenetic a Species: Mou	se oute: Intraperitoneal injection
2-Me	thoxypropanol:		
Geno	ptoxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) ive
		Result: negat	nromosome aberration test in vitro ive sed on data from similar materials
		Result: negat	vitro mammalian cell gene mutation test ive sed on data from similar materials
		malian cells Result: equive	vitro sister chromatid exchange assay in mam- ocal sed on data from similar materials
		Test Type: DI thesis in mam Method: OEC Result: negat	NA damage and repair, unscheduled DNA syn- imalian cells (in vitro) D Test Guideline 482
Genc	otoxicity in vivo	cytogenetic a Species: Mou	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 4.1	Revision Date: 28.09.2024	-	9S Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021		
			Result: negative Remarks: Based	on data from similar materials		
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials				
	:inogenicity classified based on avail	able	information.			
<u>Com</u>	ponents:					
Perr	nethrin (ISO):					
Spec Resi		:	Rat negative			
Spec Resi		:	Mouse negative			
1-Me	ethoxy-2-propanol:					
	ication Route osure time ood	:	Rat inhalation (vapour 2 Years OECD Test Guide negative			
•	roductive toxicity classified based on avail	able	information.			
<u>Com</u>	ponents:					
Perr	nethrin (ISO):					
Effeo	cts on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion		
Effeo men	cts on foetal develop- t	:		ned repeated dose toxicity study with the lopmental toxicity screening test : Ingestion		
1-Me	ethoxy-2-propanol:					
	cts on fertility	:	Species: Rat	eneration reproduction toxicity study : inhalation (vapour) est Guideline 416		



/ersion I.1	Revision Date: 28.09.2024		0S Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021	
			Result: negative		
Effects ment	Effects on foetal develop- ment		Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative		
2-Met	hoxypropanol:				
Effects ment	s on foetal develop-	:	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Inhalation Result: positive		
Repro sessm	ductive toxicity - As- nent	:	Clear evidence of adverse effects on development, based or animal experiments.		
	- single exposure ause drowsiness or dia	zzine	SS.		
<u>Comp</u>	onents:				
	hoxy-2-propanol: sment	:	May cause drowsiness or dizziness.		
2-Met	hoxypropanol:				
Asses Rema	sment rks	:	May cause respiratory irritation. Based on national or regional regulation.		
	- repeated exposure assified based on avai		information.		
Repea	ated dose toxicity				
Comp	onents:				
Perme	ethrin (ISO):				
Specie NOAE		:	Rat		
Applic	ation Route	:	0.2201 mg/l Inhalation		
Expos	sure time	:	90 Days		
Specie		:	Rat		
NOAE Applic	L ation Route	:	175 mg/kg Ingestion		
	sure time	:	90 Days		
1-Met	hoxy-2-propanol:				
Specie	es	:	Rat		
NOAE	L ation Route	:	919 mg/kg Ingestion		
		•	ngoolon		
			16 / 25		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Version 4.1	Revision Date: 28.09.2024	SDS Number:Date of last issue7776636-00012Date of first issue	
Expos	sure time	: 35 Days	
	EL cation Route sure time	 Rat 1.1 mg/l inhalation (vapour) 2 yr OECD Test Guideline 453 	
		: Rabbit : 1,838 mg/kg : Skin contact : 90 Days	
2-Met	hoxypropanol:		
		: Rat : 10.5 mg/l : inhalation (vapour) : 28 Days	
	EL cation Route er of exposures	: Rat : > 300 mg/l : Ingestion : 25 Days : Based on data from similar materia	ls
	EL ation Route er of exposures	 Rabbit > 200 mg/l Skin contact 90 Days Based on data from similar materia 	ls

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Commission Regulation (EU) 2020/878

Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2024
4.1	28.09.2024	7776636-00012	Date of first issue: 05.02.2021

SECTION 12: Ecological information

12.1 Toxicity

Components:		
Permethrin (ISO): Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0001 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l Exposure time: 72 h
		EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox- icity)	:	10,000
Toxicity to microorganisms	:	EC50 : > 1,000 mg/l Exposure time: 3 h
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.00041 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.0047 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10,000
1-Methoxy-2-propanol:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 6,812 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 23,300 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 6,745 mg/l Exposure time: 72 h Method: ISO 10253
Toxicity to microorganisms	:	IC50 : > 1,000 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 4.1	sion	Revision Date: 28.09.2024		OS Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
				Exposure time: 3 Method: OECD T	
	2-Meth	oxypropanol:			
	Toxicity to fish		:	Exposure time: 96	idus (Golden orfe)): > 100 mg/l 5 h on data from similar materials
		to daphnia and other invertebrates	:	Exposure time: 48	nagna (Water flea)): > 100 mg/l 3 h on data from similar materials
	Toxicity plants	v to algae/aquatic	:	 ErC50 (Skeletonema costatum (marine diatom)): > 100 Exposure time: 72 h Method: ISO 10253 Remarks: Based on data from similar materials 	
	Toxicity	v to microorganisms	:	EC10 : > 1 mg/l Exposure time: 3 Method: OECD To Remarks: Based	
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	Exposure time: 2 ² Species: Daphnia Method: OECD T	magna (Water flea)
12.2	Persis	tence and degradabil	ity		
	Compo	onents:			
		t hrin (ISO): radability	:	Result: Not readil Method: OECD T	y biodegradable. est Guideline 301F
		oxy-2-propanol: radability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	96 %
		oxypropanol: radability	:	Result: Readily bi Remarks: Based	odegradable. on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Ver 4.1	sion	Revision Date: 28.09.2024		DS Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
12.3	3 Bioac	cumulative potential			
	<u>Comp</u>	onents:			
	Perme	ethrin (ISO):			
	Bioaccumulation		:		s macrochirus (Bluegill sunfish) factor (BCF): 570
		on coefficient: n- bl/water	:	log Pow: 4.67	
	1-Met	hoxy-2-propanol:			
		on coefficient: n- bl/water	:	log Pow: < 1	
		hoxypropanol:			
		on coefficient: n- bl/water	:	: log Pow: -0.49 Remarks: Calculation	
12.4	4 Mobil	ity in soil			
	No da	ta available			
12.	5 Resul	ts of PBT and vPvB a	ISSe	ssment	
	Produ	ict:			
	Asses	sment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6	6 Endo	crine disrupting prop	ertie	25	
	<u>Produ</u>	<u>ict:</u>			
	Asses	sment	:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.



Permethrin (65%) Formulation

Version Revision Data 4.1 28.09.2024	••••	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
Contaminated pack	dling site for Empty conta Do not pres pose such c of ignition. 1	ainers should be taken to an approved waste han- recycling or disposal. ainers retain residue and can be dangerous. surize, cut, weld, braze, solder, drill, grind, or ex- containers to heat, flame, sparks, or other sources They may explode and cause injury and/or death. <i>v</i> ise specified: Dispose of as unused product.

·

14.1 UN number or ID number

ADN	:	UN 3092	
ADR	:	UN 3092	
RID	:	UN 3092	
IMDG	:	UN 3092	
ΙΑΤΑ	:	UN 3092	
14.2 UN proper shipping name			
ADN	:	1-METHOXY-2-PRO	PANOL, SOLUTION
ADR	:	1-METHOXY-2-PRO	PANOL, SOLUTION
RID	:	1-METHOXY-2-PRO	PANOL, SOLUTION
IMDG	:	1-METHOXY-2-PRO (Permethrin (ISO))	PANOL, SOLUTION
ΙΑΤΑ	:	1-Methoxy-2-propand	ol, solution
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADN	:	3	
ADR	:	3	
RID	:	3	
IMDG	:	3	
ΙΑΤΑ	:	3	
14.4 Packing group			
ADN Packing group Classification Code Hazard Identification Number Labels ADR Packing group Classification Code Hazard Identification Number Labels		III F1 30 3 III F1 30 3	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Version 4.1	n Revision Date: 28.09.2024		DS Number: 776636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021
Т	unnel restriction code	:	(D/E)	
Pa Cl Ha	ID acking group lassification Code azard Identification N abels	umber :	III F1 30 3	
Pa La	IDG acking group abels mS Code	:	III 3 F-E, S-D	
Pa ai Pa Pa	ATA (Cargo) acking instruction (car rcraft) acking instruction (LC acking group abels	0	366 Y344 III Flammable Liqui	ds
Pa ge Pa Pa	ATA (Passenger) acking instruction (pa er aircraft) acking instruction (LC acking group abels		355 Y344 III Flammable Liqui	
14.5 E	nvironmental hazaro	ds		
E	DN nvironmentally hazaro DR	dous :	yes	
	nvironmentally hazard	dous :	yes	
	ID nvironmentally hazard	dous :	yes	
	IDG arine pollutant	:	yes	
Tł ba Sl	ased upon the propert	tion(s) proties of the classification	e unpackaged mate ions may vary by m	or informational purposes only, and solely rial as it is described within this Safety Data ode of transportation, package sizes, and var-

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, Conditions of restriction for the following entries should be considered:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin (65%) Formulation

Version 4.1	Revision Date: 28.09.2024	SDS Number: 7776636-00012		[:] last issue: 09.07.2 [:] first issue: 05.02.2	
mixtu	res and articles (Annex	x XVII)		Number on list 3	
				Number on list 75 use this product a contact your ven	as tattoo ink, please
				here according to in the regulation, use/purpose or the restriction. Please tions in correspond determine whether	mixture(s) are listed o their appearance irrespective of their ne conditions of the e refer to the condi- nding Regulation to er an entry is appli- ng on the market or
	CH - Candidate List of Service of Service CH - Candidate List of Service CH - CH	Substances of Very High	:	Not applicable	
Regu layer	lation (EC) on substand	ces that deplete the ozor	ie :	Not applicable	
Regu	lation (EU) 2019/1021 (recast)	on persistent organic pol	lu- :	Not applicable	
Regu ment	lation (ÉU) No 649/201	2 of the European Parlia rning the export and impo		Permethrin (ISO)	
REAC		subject to authorisation	:	Not applicable	
Seve	so III: Directive 2012/18	3/EU of the European Pa Iving dangerous substan		t and of the Counc	il on the control of
				Quantity 1	Quantity 2
E1		ENVIRONMENTA HAZARDS	L	100 t	200 t

Other regulations:

P5c

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

FLAMMABLE LIQUIDS

5,000 t

50,000 t


Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.





Permethrin (65%) Formulation

Versior 4.1	n Revision Date: 28.09.2024		DS Number: 76636-00012	Date of last issue: 09.07.2024 Date of first issue: 05.02.2021			
SECTI	ON 16: Other informati	on					
Ot	her information	:		nges have been made to the previous version the body of this document by two vertical			
Fu	Ill text of H-Statements						
На	226	:	Flammable liquid	and vapour			
	302	:	Harmful if swallow				
	315		Causes skin irrita				
	317			ergic skin reaction.			
H3	318	:	Causes serious e				
H3	332	:	Harmful if inhaled				
H3	335	:	May cause respire				
HB	336	:		siness or dizziness.			
-	360D	:	May damage the				
	100	:	Very toxic to aqua				
H4	110	:	Very toxic to aquatic life with long lasting effects.				
Fu	Ill text of other abbreviation	ons					
Ac	cute Tox.	:	Acute toxicity				
	juatic Acute	:	Short-term (acute				
	juatic Chronic	:		ic) aquatic hazard			
	ve Dam.	:	Serious eye dama				
	am. Liq.	•	Flammable liquid				
	epr.		Reproductive toxi	icity			
	tin Irrit.		Skin irritation				
	tin Sens.	÷	Skin sensitisation				
		•	Specific target or	gan toxicity - single exposure			
20	00/39/EC	•		sion Directive 2000/39/EC establishing a first			
IE	OEL	:	list of indicative occupational exposure limit values Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule				
20	00/39/EC / TWA		and 2 Limit Value - eigh	t hours			
	00/39/EC / STEL	:	Short term expos				
	OEL / OELV - 8 hrs (TWA)	:		osure limit value (8-hour reference period)			
	OEL / OELV - 15 min	:	Occupational exp	osure limit value (15-minute reference period)			
	TEL)	•	od)				
(0	/		- ~/				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car-



Permethrin (65%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2024
4.1	28.09.2024	7776636-00012	Date of first issue: 05.02.2021

rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification procedure:

Classification of the mixture:

		•
Flam. Liq. 3	H226	Based on product data or assessment
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN