according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Permethrin (65%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Highly flammable liquids

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitisation : Category 1

Specific target organ toxicity - :

single exposure

Category 3

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Hazard pictograms :







Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H302 + H332 Harmful if swallowed or if inhaled. H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.
P261 Avoid breathing mist or vapours.
P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or with adequate ventilation.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protective clothing/

tion/ face protection.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.

Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water.
P304 + P340 + P317 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Get medical help.

P333 + P317 If skin irritation or rash occurs: Get medical help. P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Chemical name	CAS-No.	Concentration (%
		w/w)
Permethrin (ISO)	52645-53-1	>= 50 - < 70
1-Methoxy-2-propanol	107-98-2	>= 30 - < 50
2-Methoxypropanol	1589-47-5	>= 0.1 - < 0.3

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

Harmful if swallowed or if inhaled.

May cause an allergic skin reaction. May cause drowsiness or dizziness. This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Hazardous combustion prod: :

ucts

Chlorine compounds

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emergency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Materials to avoid

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition. Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Permethrin (ISO)	52645-53-1	TWA	80 μg/m3 (OEB 3)	Internal
		Wipe limit	800 μg/100 cm ²	Internal
1-Methoxy-2-propanol	107-98-2	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-less

quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

the compound to uncontrolled areas (e.g., open-face contain-

ment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Organic vapour type

Material Chemical-resistant gloves

Remarks Consider double gloving. Take note that the product is flam-

mable, which may impact the selection of hand protection.

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Work uniform or laboratory coat. Skin and body protection

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Colour dark amber

Odour strong

Odour Threshold No data available

No data available pН

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 37.8 - 40 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : immiscible

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Possibility of hazardous reac-

tions

Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 722.46 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Components:

Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

1-Methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat): 4,016 mg/kg

Acute inhalation toxicity : LC50 (Mouse): < 22.2 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

2-Methoxypropanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Acute inhalation toxicity : LC50 (Rat): > 6 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Not classified based on available information.

Components:

Permethrin (ISO):

Species : Rabbit

Result : No skin irritation

1-Methoxy-2-propanol:

Species : Rabbit

Result : No skin irritation

2-Methoxypropanol:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Permethrin (ISO):

Species : Rabbit

Result : No eye irritation

1-Methoxy-2-propanol:

Species : Rabbit

Result : No eye irritation

2-Methoxypropanol:

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Permethrin (ISO):

Test Type : Buehler Test

according to the Globally Harmonized System



Permethrin (65%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.07.2024

 3.0
 28.09.2024
 7766192-00009
 Date of first issue: 05.02.2021

Exposure routes : Skin contact Species : Guinea pig Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

1-Methoxy-2-propanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

2-Methoxypropanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Permethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Species: Mouse Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

1-Methoxy-2-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: equivocal

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Method: OECD Test Guideline 482

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

2-Methoxypropanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: equivocal

Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Method: OECD Test Guideline 482

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Permethrin (ISO):

Species : Rat Result : negative

Species : Mouse Result : negative

1-Methoxy-2-propanol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Permethrin (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Result: negative

1-Methoxy-2-propanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

2-Methoxypropanol:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Inhalation

Result: positive

Reproductive toxicity - As-

sessment

: Clear evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

1-Methoxy-2-propanol:

Assessment : May cause drowsiness or dizziness.

2-Methoxypropanol:

Assessment : May cause respiratory irritation.

Remarks : Based on national or regional regulation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Permethrin (ISO):

Species : Rat

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: Date of last issue: 09.07.2024 SDS Number: 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

NOAEL 0.2201 mg/l Application Route Inhalation Exposure time 90 Days

Species Rat

NOAEL 175 mg/kg Application Route Ingestion 90 Days Exposure time

1-Methoxy-2-propanol:

Species Rat NOAEL 919 mg/kg Application Route Ingestion Exposure time 35 Days

Species NOAEL Application Route Exposure time Method Rat 1.1 mg/l

inhalation (vapour)

Method **OECD Test Guideline 453**

Species
NOAEL
Application Route Rabbit 1,838 mg/kg Skin contact Exposure time 90 Days

2-Methoxypropanol:

Species Rat NOAEL 10.5 mg/l

Application Route inhalation (vapour)

Exposure time 28 Days

Species Rat NOAEL > 300 mg/lNOAEL Application Route Ingestion Number of exposures 25 Days

Remarks Based on data from similar materials

Rabbit Species NOAEL Application Route > 200 mg/lSkin contact Number of exposures 90 Days

Remarks Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

according to the Globally Harmonized System



Permethrin (65%) Formulation

Revision Date: Version SDS Number: Date of last issue: 09.07.2024 28.09.2024 7766192-00009 Date of first issue: 05.02.2021 3.0

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Permethrin (ISO):

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0001 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): >

1.13 mg/l

Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)):

0.0023 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

10,000

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic tox-

icity)

: NOEC: 0.00041 mg/l

Exposure time: 35 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0047 µg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10,000

1-Methoxy-2-propanol:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): 6,812 mg/l

> Exposure time: 96 h Method: DIN 38412

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 23,300 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 6,745 mg/l

Exposure time: 72 h

Method: ISO 10253

Toxicity to microorganisms : IC50: > 1,000 mg/l

according to the Globally Harmonized System



Permethrin (65%) Formulation

Revision Date: Version SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Exposure time: 3 h

Method: OECD Test Guideline 209

2-Methoxypropanol:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h Method: ISO 10253

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: > 1 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Permethrin (ISO):

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

1-Methoxy-2-propanol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 96 % Exposure time: 28 d

Method: OECD Test Guideline 301E

2-Methoxypropanol:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Permethrin (ISO):

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 570

Partition coefficient: n-

octanol/water

: log Pow: 4.67

1-Methoxy-2-propanol:

Partition coefficient: n-

octanol/water

log Pow: < 1

2-Methoxypropanol:

Partition coefficient: n-

octanol/water

: log Pow: -0.49

Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3092

Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3092

Proper shipping name : 1-Methoxy-2-propanol solution

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo : 366

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

aircraft)

Packing instruction (passen: 355

ger aircraft)

IMDG-Code

UN number : UN 3092

Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION

(Permethrin (ISO))

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E.

EmS Code : F-E, S-D Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sheet

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

according to the Globally Harmonized System



Permethrin (65%) Formulation

Version Revision Date: SDS Number: Date of last issue: 09.07.2024 3.0 28.09.2024 7766192-00009 Date of first issue: 05.02.2021

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN