according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Permethrin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.
Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Germ cell mutagenicity, Category 1B H340: May cause genetic defects.

Carcinogenicity, Category 1B H350: May cause cancer.

Reproductive toxicity, Category 2 H361: Suspected of damaging fertility or the un-

born child.

H336: May cause drowsiness or dizziness.

longed or repeated exposure.

Specific target organ toxicity - single ex-

posure, Category 3

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

wavs.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn

child.

H373 May cause damage to organs through prolonged

or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Solvent naphtha (petroleum), light aromatic

Xylene

Permethrin (ISO)

4-Nonylphenol, branched, ethoxylated

Additional Labelling

Restricted to professional users.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6 265-199-0 649-356-00-4	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Muta. 1B; H340 Carc. 1B; H350 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	60 - 70
Xylene	1330-20-7 215-535-7 601-022-00-9	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 STOT RE 2; H373 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Acute toxicity estimate Acute inhalation toxicity (vapour): 11 mg/l Acute dermal toxicity: 1,100 mg/kg	6 - 16

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	28.09.2024	835387-00020	Date of first issue: 02.08.2016

Permethrin (ISO)	52645-53-1 258-067-9 613-058-00-2	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	11.76
		M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000	
		Acute toxicity estimate Acute oral toxicity: 500 mg/kg Acute inhalation tox-	
		icity (dust/mist): 2.3 mg/l	
4-Nonylphenol, branched, ethox- ylated	127087-87-0	Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	8.4
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	
Calcium bis(dodecylbenzenesulphonate), branched	70528-83-5 274-654-2	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	2.52
		Acute toxicity esti-	
		Acute oral toxicity: 500 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Chlorine compounds

Carbon oxides Sulphur oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

parriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep

away from heat and sources of ignition.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Xylene	1330-20-7	OELV - 8 hrs	50 ppm	IE OEL
		(TWA)	221 mg/m3	
			which have the capacity to pe	
	skin when the	skin when they come in contact with it, and be absorbed into the body		
		OELV - 15 min	100 ppm	IE OEL
		(STEL)	442 mg/m3	
	Further information: Substances which have the capacity to penetrate intact			
	skin when they come in contact with it, and be absorbed into the body			
		TWA	50 ppm	2000/39/EC
			221 mg/m3	
	Further information: Identifies the possibility of significant uptake through the			
	skin, Indicative			
		STEL	100 ppm	2000/39/EC
			442 mg/m3	
	Further information: Identifies the possibility of significant uptake through the			
	skin, Indicative			
Permethrin (ISO)	52645-53-1	TWA	80 µg/m3 (OEB 3)	Internal
		Wipe limit	800 μg/100 cm ²	Internal

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Xylene	Workers	Inhalation	Long-term systemic effects	221 mg/m3
	Workers	Inhalation	Acute systemic effects	442 mg/m3
	Workers	Inhalation	Long-term local ef- fects	221 mg/m3
	Workers	Inhalation	Acute local effects	442 mg/m3
	Workers	Skin contact	Long-term systemic effects	212 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	65.3 mg/m3
	Consumers	Inhalation	Acute systemic effects	260 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	65.3 mg/m3
	Consumers	Inhalation	Acute local effects	260 mg/m3
	Consumers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

		-
Substance name	Environmental Compartment	Value
Xylene	Fresh water	0.327 mg/l
	Intermittent use/release	0.327 mg/l
	Marine water	0.327 mg/l
	Sewage treatment plant	6.58 mg/l
	Fresh water sediment	12.46 mg/kg dry
		weight (d.w.)
	Marine sediment	12.46 mg/kg dry
		weight (d.w.)
	Soil	2.31 mg/kg dry weight (d.w.)
		weight (a.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to I.S. EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash

hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : clear

Odour : aromatic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 51.1 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6.69

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : emulsifiable

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : 15 mmHg (25 °C)

Relative density : 0.870 - 0.880 (25 °C)

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l

Exposure time: 4 h
Test atmosphere: vapour

. oot all noop not or tap out

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Xylene:

Acute oral toxicity : LD50 (Rat): 3,523 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Exposure time: 4 h
Test atmosphere: vapour

12/32

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

4-Nonylphenol, branched, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Calcium bis(dodecylbenzenesulphonate), branched:

Acute oral toxicity : LD50 (Rat): 404 - 1,980 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Xylene:

Species : Rabbit Result : Skin irritation

Permethrin (ISO):

Species : Rabbit

Result : No skin irritation

4-Nonylphenol, branched, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

Remarks : Based on data from similar materials

Calcium bis(dodecylbenzenesulphonate), branched:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Xylene:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Permethrin (ISO):

Species : Rabbit

Result : No eye irritation

4-Nonylphenol, branched, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

Calcium bis(dodecylbenzenesulphonate), branched:

Species : Rat

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light aromatic:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Xylene:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Permethrin (ISO):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

4-Nonylphenol, branched, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Calcium bis(dodecylbenzenesulphonate), branched:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermato-

gonia

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo heritable germ cell mutagenicity

tests in mammals

Xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Skin contact

Result: negative

Permethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

4-Nonylphenol, branched, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Calcium bis(dodecylbenzenesulphonate), branched:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

Carcinogenicity

May cause cancer.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments

Xylene:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Permethrin (ISO):

Species : Rat Result : negative

Species : Mouse Result : negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Xylene:

ment

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

Application Route: inhalation (vapour)

Result: negative

Permethrin (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Result: negative

4-Nonylphenol, branched, ethoxylated:

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

Calcium bis(dodecylbenzenesulphonate), branched:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

Xylene:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Components:

Xylene:

Exposure routes inhalation (vapour) Target Organs : Auditory system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.2 to 1 mg/l/6h/d.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Species

LOAEL 500 mg/kg Application Route Ingestion Exposure time 28 Days

Xylene:

Species Rat

LOAEL > 0.2 - 1 mg/lApplication Route Exposure time : inhalation (vapour)

13 Weeks

Remarks Based on data from similar materials

Species Rat LÖAEL 150 mg/kg Application Route Ingestion Exposure time 90 Days

Permethrin (ISO):

Species Rat

NOAEL 0.2201 mg/l Application Route Inhalation Exposure time 90 Days

Species Rat NOAEL 175 mg/kg Application Route Ingestion Exposure time 90 Days

4-Nonylphenol, branched, ethoxylated:

Species Rat

LOAEL 150 mg/kg Ingestion Application Route Exposure time 90 Days

Method OPPTS 870.3100

Remarks Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 4.5 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5

ma/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOELR: 2.6 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Xylene:

LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): 10 mg/l

Exposure time: 72 h

Toxicity to microorganisms NOEC: > 100 ma/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.1 - < 1 mg/l

Exposure time: 35 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

EL10: > 1 - 10 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Permethrin (ISO):

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0001 mg/l

Toxicity to algae/aquatic

plants

Exposure time: 48 h

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13

Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

10,000

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Toxicity to microorganisms : EC50 : > 1,000 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.00041 mg/l Exposure time: 35 d

Species: Danio rerio (zebra fish)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0047 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 10,000

4-Nonylphenol, branched, ethoxylated:

toxicity)

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.1 - 1 mg/l

Exposure time: 100 d

Species: Oryzias latipes (Japanese medaka) Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.001 - 0.01 mg/l

Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp) Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 10

Calcium bis(dodecylbenzenesulphonate), branched:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

Toxicity to fish LC50 : > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 62 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 -

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

Result: Inherently biodegradable. Biodegradability

> Biodegradation: 94 % Exposure time: 25 d

Xylene:

Biodegradability Result: Readily biodegradable.

> Biodegradation: > 70 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Permethrin (ISO):

Result: Not readily biodegradable. Biodegradability

Method: OECD Test Guideline 301F

4-Nonylphenol, branched, ethoxylated:

Biodegradability Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Calcium bis(dodecylbenzenesulphonate), branched:

: Result: Readily biodegradable. Biodegradability

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

12.3 Bioaccumulative potential

Components:

Xylene:

Partition coefficient: n- : log Pow: 3.16

octanol/water Remarks: Calculation

Permethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 570

Partition coefficient: n- : log Pow: 4.67

octanol/water

Calcium bis(dodecylbenzenesulphonate), branched:

Partition coefficient: n- : Remarks: Not applicable

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to

have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)

2017/2100.

Components:

4-Nonylphenol, branched, ethoxylated:

Assessment : The substance is considered to have endocrine disrupting

properties according to REACH Article 57(f) for the environ-

ment.

12.7 Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1993
ADR : UN 1993
RID : UN 1993
IMDG : UN 1993
IATA : UN 1993

14.2 UN proper shipping name

ADN : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Xylene)

ADR : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Xylene)

RID : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Xylene)

IMDG : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Xylene, Perme-

thrin (ISO))

IATA : Flammable liquid, n.o.s.

(Solvent naphtha (petroleum), light aromatic, Xylene)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 3
ADR : 3
RID : 3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

IMDG : 3
IATA : 3

14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III Labels : 3

EmS Code : F-E, <u>S-E</u>

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen- : 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 835387-00020 Date of first issue: 02.08.2016

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 28: Solvent naphtha (petroleum), light aromatic

Number on list 29: Solvent naphtha (petroleum), light aromatic

Number on list 46a.: 4-Nonylphenol, branched, ethoxylated

Number on list 46b: 4-Nonylphenol, branched, ethoxylated

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

4-Nonylphenol, branched, ethoxylat-

ed

Regulation (EC) on substances that deplete the ozone

layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Not applicable

Not applicable

28 / 32

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

: Permethrin (ISO)

4-Nonylphenol, branched, ethoxylat-

ed

REACH - List of substances subject to authorisation

(Annex XIV)

4-Nonylphenol, branched, ethoxylat-

ed

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS 5,000 t 50,000 t

E1 ENVIRONMENTAL 100 t 200 t HAZARDS

34 Petroleum products: (a) 2,500 t 25,000 t

gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

Full text of H-Statements

H226 : Flammable liquid and vapour.

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H312 : Harmful in contact with skin. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation. H336 : May cause drowsiness or dizziness.

H340 : May cause genetic defects.

H350 : May cause cancer.

H361 : Suspected of damaging fertility or the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
 H411 : Toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids

Muta. : Germ cell mutagenicity
Repr. : Reproductive toxicity
Skin Irrit. : Skin irritation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference period)

(STEL) od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 835387-00020 Date of first issue: 02.08.2016

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Flam. Liq. 3	226	Based on product data or assessment
Skin Irrit. 2	315	Calculation method
Eye Irrit. 2	319	Calculation method
Skin Sens. 1 H3	317	Calculation method
Muta. 1B H3	340	Calculation method
Carc. 1B H3	350	Calculation method
Repr. 2	361	Calculation method
STOT SE 3	336	Calculation method
STOT RE 2	373	Calculation method
Asp. Tox. 1	304	Calculation method
Aquatic Acute 1 H	400	Calculation method
Aquatic Chronic 1 H	410	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Permethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 835387-00020
 Date of first issue: 02.08.2016

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN