



Versi 1.3	ion	Revision Date: 06.04.2024		S Number: 331061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022	
	TION 1 Produc	: IDENTIFICATION t name	:	Permethrin Liquid	d Formulation	
	Manufa	acturer or supplier's o	detai	ils		
	Compa		:		Pty Limited (trading as MSD Animal Health)	
,	Address		:	91-105 Harpin Street Bendigo 3550, Victoria Austrailia		
	Teleph	one	:	1 800 033 461		
	Emerge	ency telephone numbe	er :	Poisons Informat	ion Centre: Phone 13 11 26	
	E-mail	address	:	EHSDATASTEW	/ARD@msd.com	
	Recom	mended use of the c mended use tions on use	-	ical and restrictic Veterinary produ Not applicable		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		Ostanov 2
Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Skin sensitisation	:	Category 1
Germ cell mutagenicity	:	Category 1B
Carcinogenicity	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 3
Aspiration hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H302 Harmful if swallowed.





ersion 3	Revision Date: 06.04.2024	SDS Number: 10831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
		H317 May caus H336 May caus	atal if swallowed and enters airways. se an allergic skin reaction. se drowsiness or dizziness. se genetic defects. se cancer.
Preca	utionary statements	P202 Do not ha and understood P210 Keep awa and other ignitio P233 Keep con P241 Use explo ment. P242 Use non- P243 Take acti P261 Avoid bre P264 Wash ski P270 Do not ea P271 Use only P272 Contamin the workplace.	ay from heat, hot surfaces, sparks, open flam on sources. No smoking. Intainer tightly closed. osion-proof electrical/ ventilating/ lighting equ sparking tools. on to prevent static discharges. eathing mist or vapours. In thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. hated work clothing should not be allowed out tective gloves/ protective clothing/ eye protect
		CENTER/ doctor P303 + P361 + Iy all contamina P304 + P340 + and keep comfor doctor if you fee P308 + P313 IF attention. P331 Do NOT it	P353 IF ON SKIN (or hair): Take off immedia ated clothing. Rinse skin with water. P312 IF INHALED: Remove person to fresh ortable for breathing. Call a POISON CENTE
		Storage: P403 + P235 S P405 Store loci	tore in a well-ventilated place. Keep cool. ked up.
		Disposal:	of contents/ container to an approved waste

er, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.





Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 30 -< 60
Permethrin (ISO)	52645-53-1	>= 10 -< 30
Hydrocarbons, C10, aromatics, <1% naphtha-	64742-94-5	>= 10 -< 20
lene		
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 1 -< 10

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution.
If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting.
		If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water.
		Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and	:	Harmful if swallowed. May be fatal if swallowed and enters airways.
delayed		May cause an allergic skin reaction.
		May cause drowsiness or dizziness.
		May cause genetic defects.
		May cause cancer.
		This product contains a pyrethroid.
		Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
	•	and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)





Version 1.3	Revision Date: 06.04.2024		DS Number: 831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
Unsu media	itable extinguishing	:	Dry chemical High volume wate	er jet
	ific hazards during fire-	:	fire. Flash back possil Vapours may forr	d water stream as it may scatter and spread ble over considerable distance. m explosive mixtures with air. bustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	:	Chlorine compou Carbon oxides	nds
Speci ods	ific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to d
for fire	ial protective equipment efighters hem Code	:		e, wear self-contained breathing apparatus. tective equipment.
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Follow safe hand	es of ignition. tective equipment. ling advice (see section 7) and personal pro- t recommendations (see section 8).
Envir	onmental precautions	:	Prevent spreadin barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or o se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	Soak up with iner Suppress (knock spray jet. For large spills, p ment to keep mat be pumped, store Clean up remaini bent. Local or national posal of this mate employed in the o mine which regula	Is should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- terial from spreading. If dyked material can a recovered material in appropriate container ng materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding

certain local or national requirements.



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE
Local/Total ventilation	:	CONTROLS/PERSONAL PROTECTION section. If sufficient ventilation is unavailable, use with local exhaust ventilation.
		Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	:	Do not get on skin or clothing. Avoid breathing mist or vapours.
		Do not swallow.
		Avoid contact with eyes. Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure as- sessment
		Non-sparking tools should be used. Keep container tightly closed.
		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		Take precautionary measures against static discharges.
		Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
		environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working
		place. When using do not eat, drink or smoke.
		Contaminated work clothing should not be allowed out of the workplace.
		Wash contaminated clothing before re-use.
		The effective operation of a facility should include review of engineering controls, proper personal protective equipment,
		appropriate degowning and decontamination procedures,
		industrial hygiene monitoring, medical surveillance and the
Conditions for safe storage		use of administrative controls. Keep in properly labelled containers.
Contaitions for bare storage	•	Store locked up.
		Keep tightly closed.
		Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
		Keep away from heat and sources of ignition.
Materials to avoid	:	Do not store with the following product types: Self-reactive substances and mixtures
		Organic peroxides
		Oxidizing agents
		Flammable gases Pyrophoric liquids
		Pyrophoric solids
		Self-heating substances and mixtures
		Poisonous gases





Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022

Explosives

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	AU OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 µg/m3 (OEB 3)	Internal
		Wipe limit	800 µg/100 cm ²	Internal
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Mist)	5 mg/m3	AU OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	900 mg/m3	AU OEL
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Engineering measures	:	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
		Use explosion-proof electrical, ventilating and lighting equip- ment.
Personal protective equipm	ent	
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type Hand protection	:	Combined particulates and organic vapour type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving. Take note that the product is flam-



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022
	rotection and body protection	 Wear safety glas If the work environmists or aerosols Wear a faceshie potential for dire aerosols. Work uniform or Additional body task being perfo posable suits) to 	garments should be used based upon the rmed (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. degowning techniques to remove potentially

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	amber
Odour	:	aromatic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	46 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available





Version 1.3	Revision Date: 06.04.2024		S Number: 331061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
Solut	bility(ies)			
W	ater solubility	:	No data availabl	e
	tion coefficient: n- nol/water	:	Not applicable	
00101	-ignition temperature	:	No data available	e
Deco	mposition temperature	:	No data availabl	9
Visco Vi	osity iscosity, kinematic	:	No data available	9
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance c	r mixture is not classified as oxidizing.
Mole	cular weight	:	No data available	e
	cle characteristics cle size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 1,965 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l





ersion 3	Revision Date: 06.04.2024		S Number: 31061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
			Exposure time:	
			Test atmosphere Method: Calcula	
<u>Comp</u>	oonents:			
White	mineral oil (petrole	eum):		
Acute	oral toxicity	:	LD50 (Rat): > 5,	000 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5	
			Exposure time: Test atmosphere	
				e substance or mixture has no acute inhala-
			tion toxicity	
Acute	dermal toxicity	:	LD50 (Rabbit): >	> 2,000 mg/kg
			Assessment: Th toxicity	e substance or mixture has no acute derma
			lovicity	
Perme	ethrin (ISO):			
Acute	oral toxicity	:	LD50 (Rat): 480	- 554 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 2.3	
			Exposure time:	
			Test atmosphere	e: dust/mist
Acute	dermal toxicity	:	LD50 (Rabbit): >	> 2,000 mg/kg
Hydro	ocarbons, C10, aron	natics,	<1% naphthaler	ne:
Acute	oral toxicity	:	LD50 (Rat): > 5,	
				Test Guideline 420
			Remarks: Based	d on data from similar materials
Acute	inhalation toxicity	:	LC50 (Rat): > 4.	
			Exposure time: Test atmosphere	
				Test Guideline 403
			Remarks: Based	d on data from similar materials
Acute	dermal toxicity	:	LD50 (Rabbit): >	> 2,000 mg/kg
				Test Guideline 402
			Assessment: Th toxicity	e substance or mixture has no acute derma
				d on data from similar materials
Salva	nt nanhtha (natrala	um) lie	ht aromatic.	
	nt naphtha (petrole oral toxicity		LD50 (Rat): > 5 ,	000 ma/ka
	·			
Acute	inhalation toxicity	:	LC50 (Rat): > 5.	61 mg/l





sion	Revision Date: 06.04.2024	-)S Number: 831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
			Test atmosphere	: vapour
Acute	e dermal toxicity	:	LD50 (Rabbit): >	2,000 mg/kg
Skin	corrosion/irritation			
Not cl	lassified based on ava	ilable	information.	
	oonents:			
White	e mineral oil (petrole	um):		
Speci		΄.	Rabbit	
Resul		:	No skin irritation	
Perm	ethrin (ISO):			
Speci	. ,		Rabbit	
Resul		•	No skin irritation	
	-	•		
-	ocarbons, C10, arom	atics,	-	
Asses	ssment	:	Repeated exposi	ure may cause skin dryness or crackir
Solve	ent naphtha (petroleu	ım), li	ght aromatic:	
Speci	es		Rabbit	
Metho	bd	:	OECD Test Guid	eline 404
Resul	lt	:	Skin irritation	
Serio	us eye damage/eye i	rritati	on	
Not cl	lassified based on ava	ilable	information.	
Com	oonents:			
White	e mineral oil (petrole	um):		
White Speci		u m): :	Rabbit	
	es	u m): : :	Rabbit No eye irritation	
Speci Resul	es	um): : :		
Speci Resul Perm	ethrin (ISO):	um): : :		
Speci Resul	es ethrin (ISO): les	um): : :	No eye irritation	
Speci Resul Perm Speci Resul	ies ethrin (ISO): ies It	:	No eye irritation Rabbit No eye irritation	e:
Speci Resul Perm Speci Resul	es It ethrin (ISO): es It ocarbons, C10, arom	:	No eye irritation Rabbit No eye irritation	e:
Speci Resul Perm Speci Resul	es It ethrin (ISO): es It ocarbons, C10, arom	:	No eye irritation Rabbit No eye irritation <1% naphthalen Rabbit No eye irritation	
Speci Resul Perm Speci Resul Hydro Speci	es It ethrin (ISO): es It ocarbons, C10, arom es It	:	No eye irritation Rabbit No eye irritation <1% naphthalen Rabbit No eye irritation	e: om similar materials
Speci Resul Speci Resul Hydro Speci Resul Rema	es It ethrin (ISO): es It ocarbons, C10, arom ies It arks	atics,	No eye irritation Rabbit No eye irritation <1% naphthalen Rabbit No eye irritation Based on data fro	
Speci Resul Speci Resul Resul Rema Solve	es lt ethrin (ISO): les lt ocarbons, C10, arom les lt arks ent naphtha (petroleu	atics,	No eye irritation Rabbit No eye irritation <1% naphthalen Rabbit No eye irritation Based on data fro	
Speci Resul Speci Resul Hydro Speci Resul Rema	es lt ethrin (ISO): les lt ocarbons, C10, arom les lt arks ent naphtha (petroleu	atics,	No eye irritation Rabbit No eye irritation <1% naphthalen Rabbit No eye irritation Based on data fro ght aromatic:	



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Permethrin (ISO):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: positive
Assessment	: Probability or evidence of skin sensitisation in humans

Hydrocarbons, C10, aromatics, <1% naphthalene:

Maximisation Test Skin contact Guinea pig negative Based on data from similar materials
Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Chronic toxicity

Germ cell mutagenicity

May cause genetic defects.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo





Version 1.3	Revision Date: 06.04.2024	SDS Number: 10831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
		Method: OECD Result: negative	e ite: Intraperitoneal injection Test Guideline 474
	methrin (ISO): notoxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES) e
		Test Type: In vi Result: negative	tro mammalian cell gene mutation test e
		Test Type: Chro Result: negative	omosome aberration test in vitro
			A damage and repair, unscheduled DNA syn- nalian cells (in vitro) e
		Test Type: Chro Result: positive	omosome aberration test in vitro
Ger	notoxicity in vivo	: Test Type: Mar cytogenetic ass Species: Mouse Result: negative	9
		Test Type: Rod Species: Mouse Result: negative	
		cytogenetic ass Species: Rat	ite: Intraperitoneal injection
			ite: Ingestion
	m cell mutagenicity - essment	: Weight of evide cell mutagen.	nce does not support classification as a germ





rsion	Revision Date: 06.04.2024	SDS Number: 10831061-0000	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
Hvdro	ocarbons, C10, aron	natics. <1% naphth	alene:
•	toxicity in vitro	: Test Type: In malian cells Result: nega	n vitro sister chromatid exchange assay in mam
Geno	toxicity in vivo	cytogenetic Species: Ra Application I Result: nega	Route: inhalation (vapour)
Solve	ent naphtha (petrole	um), light aromatic	:
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: I Result: posit	n vitro mammalian cell gene mutation test ive
Geno	toxicity in vivo	gonia Species: Mo	Route: Intraperitoneal injection
	cell mutagenicity - ssment	: Positive resu tests in man	ult(s) from in vivo heritable germ cell mutagenici nmals
	nogenicity cause cancer.		
Comp	oonents:		
White	e mineral oil (petrole	um):	
	cation Route sure time	: Rat : Ingestion : 24 Months : negative	
Perm	ethrin (ISO):		
Speci Resul	es	: Rat : negative	
Speci Resul		: Mouse : negative	





Vers 1.3	ion	Revision Date: 06.04.2024	-	DS Number: 831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
	Specie Applica	it naphtha (petroleu i s ition Route ire time	m), li : : :	ght aromatic: Mouse Skin contact 2 Years positive	
	Carcino ment	ogenicity - Assess-	:	Sufficient evidend	ce of carcinogenicity in animal experiments
	-	ductive toxicity ssified based on avai	lable	information.	
	Compo	onents:			
	White	mineral oil (petroleu	m):		
	Effects	on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	generation reproduction toxicity study e: Skin contact
	Effects ment	on foetal develop-	:	Test Type: Embr Species: Rat Application Route Result: negative	yo-foetal development e: Ingestion
	Perme	thrin (ISO):			
	Effects	on fertility	:	Test Type: Two- Species: Rat Application Route Result: negative	generation reproduction toxicity study e: Ingestion
	Effects ment	on foetal develop-	:		vined repeated dose toxicity study with the elopmental toxicity screening test e: Ingestion
	Hvdro	carbons, C10, aroma	itics.	<1% naphthalen	e:
	•	on fertility	:	Test Type: Three Species: Rat Application Route Result: negative	e-generation reproduction toxicity study e: inhalation (vapour) on data from similar materials
	Effects ment	on foetal develop-	:	Species: Rat Application Route Result: negative	yo-foetal development e: Ingestion on data from similar materials

Solvent naphtha (petroleum), light aromatic:

SAFETY DATA SHEET



Version 1.3	Revision Date: 06.04.2024	SDS Number: 10831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
Effect	ts on fertility	test Species: Rat	roduction/Developmental toxicity screening nte: inhalation (vapour)
Effect ment	ts on foetal develop-	Species: Rat	pryo-foetal development ite: inhalation (vapour) e
	Γ - single exposure cause drowsiness or di	izziness.	
Com	ponents:		
Hydro	ocarbons, C10, arom	atics, <1% naphthale	ne:
Asses Rema	ssment arks		vsiness or dizziness. from similar materials
	ent naphtha (petroleu ssment		vsiness or dizziness.
Not c	Γ - repeated exposure lassified based on ava pated dose toxicity		
-	ponents:		
	e mineral oil (petroleu	um):	
Speci LOAE Applie	ies	: Rat : 160 mg/kg : Ingestion : 90 Days	
	EL cation Route sure time	: Rat : >= 1 mg/l : inhalation (dust : 4 Weeks : OECD Test Gu	
Perm	ethrin (ISO):		
Speci NOAI Applie	ies	: Rat : 0.2201 mg/l : Inhalation : 90 Days	
Speci NOAI		: Rat : 175 mg/kg	





1.5 06.04.2024 10631061-00004 Date of first issue. 15.06.2022	Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
	1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022

Application Route	:	Ingestion
Exposure time	:	90 Days

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species :	Rat
NOAEL :	300 mg/kg
Application Route :	Ingestion
Exposure time :	13 Weeks
Remarks :	Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Species	:	Rat
LÕAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



ersion 3	Revision Date: 06.04.2024		9S Number: 831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
Toxici icity)	ity to fish (Chronic tox-	:	NOEC (Oncorhyr Exposure time: 28	nchus mykiss (rainbow trout)): 1,000 mg/l 8 d
	ity to daphnia and other ic invertebrates (Chron- icity)	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 1,000 mg/l 1 d
	ethrin (ISO): ity to fish	:	LC50 (Lepomis m	nacrochirus (Bluegill sunfish)): 0.00079 mg/l
i ontoi			Exposure time: 90	
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 4	nagna (Water flea)): 0.0001 mg/l 8 h
Toxici plants	ity to algae/aquatic	:	ErC50 (Pseudoki mg/l Exposure time: 72	rchneriella subcapitata (green algae)): > 1.13 2 h
			EC10 (Pseudokin mg/l Exposure time: 72	chneriella subcapitata (green algae)): 0.0023 2 h
Toxici icity)	ity to fish (Chronic tox-	:	Exposure time: 3	io (zebra fish)): 0.00041 mg/l 5 d rest Guideline 210
	ity to daphnia and other ic invertebrates (Chron-	:	Exposure time: 2	magna (Water flea)): 0.0047 µg/l 1 d est Guideline 211
Toxici	ity to microorganisms	:	EC50: > 1,000 m Exposure time: 3	
Hydro	ocarbons, C10, aromati	ics,	<1% naphthalene	9:
Toxici	ity to fish	:	Exposure time: 96 Test substance: V Method: OECD T	hus mykiss (rainbow trout)): 2 - 5 mg/l 6 h Nater Accommodated Fraction est Guideline 203 on data from similar materials
	ity to daphnia and other ic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials	
Toxici plants	ity to algae/aquatic	:	mg/l Exposure time: 72 Test substance: V Method: OECD T	chneriella subcapitata (green algae)): > 1 - 3 2 h Nater Accommodated Fraction est Guideline 201 on data from similar materials





rsion 3	Revision Date: 06.04.2024	-	0S Number: 831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
Solve	ent naphtha (petroleum	n), li	ght aromatic:	
Toxici	ity to fish	:	Exposure time: 9	es promelas (fathead minnow)): 8.2 mg/l 6 h Water Accommodated Fraction
Toxici	ity to daphnia and other		EL50 (Daphnia n	nagna (Water flea)): 4.5 mg/l
	ic invertebrates	•	Exposure time: 4 Test substance:	
Toxici	ity to algae/aquatic	:	EL50 (Pseudokir	chneriella subcapitata (microalgae)): 3.1 m
plants			Exposure time: 9 Test substance:	
			NOELR (Pseudo mg/l Exposure time: 9	kirchneriella subcapitata (microalgae)): 0.5
			Test substance:	Water Accommodated Fraction
	ity to daphnia and other ic invertebrates (Chron- icity)		Exposure time: 2 Test substance:	a magna (Water flea)): 2.6 mg/l 1 d Water Accommodated Fraction Fest Guideline 211
Persi	stence and degradabil	ity		
	oonents:			
	e mineral oil (petroleur gradability	n): :	Result: Not read Biodegradation: Exposure time: 2	
Perm	ethrin (ISO):			
	gradability	:	Result: Not readi Method: OECD	ly biodegradable. Fest Guideline 301F
Hydro	ocarbons, C10, aromat	ics,	<1% naphthalen	e:
-	gradability	:	Result: Not read Biodegradation: Exposure time: 2	ly biodegradable. 49.56 %
Solve	ent naphtha (petroleum	ı). li	aht aromatic:	
	gradability	:	Result: Inherentl Biodegradation:	





Version 1.3	Revision Date: 06.04.2024		S Number: 31061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
			Exposure time: 2	5 d
Bioac	cumulative potential			
<u>Comp</u>	oonents:			
Perm	ethrin (ISO):			
Bioac	cumulation			s macrochirus (Bluegill sunfish) factor (BCF): 570
	on coefficient: n- ol/water	:	log Pow: 4.67	
Mobil	ity in soil			
No da	ta available			
Other	adverse effects			
No da	ta available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aromatic)
Class	:	3
Packing group	:	III
Labels	:	3
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s.
		(Solvent naphtha (petroleum), light aromatic)
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids





	Version 1.3	Revision Date: 06.04.2024		DS Number: 831061-00004	Date of last issue: 30.09.2023 Date of first issue: 15.08.2022
		ng instruction (cargo	:	366	
	Packir	aircraft) Packing instruction (passen- ger aircraft)		355	
	UN nu	IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant		UN 1993 FLAMMABLE LIC (Solvent naphtha (ISO))	QUID, N.O.S. (petroleum), light aromatic, Permethrin
	Packir Labels EmS (3 III 3 F-E, <u>S-E</u> yes	
Transport in bulk according to Annex II of MARPOI Not applicable for product as supplied.					OL 73/78 and the IBC Code
	Natio	nal Regulations			
	ADG UN nu	Imber	:	UN 1993	

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S.
		(Solvent naphtha (petroleum), light aromatic)
Class	:	3
Packing group	:	III
Labels	:	3
Hazchem Code	:	•3Y
Environmentally hazardous	:	no
•		

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix- ture				
Therapeutic Goods (Poisons : Standard) Instrument		se the original publication to check for conditions or threshold limits that might I)		
Prohibition/Licensing Requireme	ents	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.		
The components of this produ	ict are reported in the	ollowing inventories:		

AICS : not determined

AU OEL / TWA



Permethrin Liquid Formulation

Versio			DS Number:	Date of last issue: 30.09.2023					
1.3	06.04.2024	10	831061-00004	Date of first issue: 15.08.2022					
D	SL	:	not determined						
	-000		(.] . (
IE	ECSC		not determined						
SECT	SECTION 16: ANY OTHER RELEVANT INFORMATION								
Further information									
R	evision Date	:	06.04.2024						
	Sources of key data used to			data, data from raw material SDSs, OECD					
	compile the Safety Data			arch results and European Chemicals Agen-					
S	heet		cy, http://echa.eu	iropa.eu/					
D	ate format	•	dd.mm.yyyy						
Full text of other abbreviations									
	CGIH	:		eshold Limit Values (TLV)					
A	U OEL	:	Australia. Workpl taminants.	ace Exposure Standards for Airborne Con-					
			tammants.						
А	CGIH / TWA	:	8-hour, time-weig	hted average					
•									

:

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

Exposure standard - time weighted average





Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.3	06.04.2024	10831061-00004	Date of first issue: 15.08.2022

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN