

## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Permethrin Liquid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Highly flammable liquids

##### GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Skin corrosion/irritation : Category 3

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity -  
single exposure : Category 3

Aspiration hazard : Category 1

Short-term (acute) aquatic  
hazard : Category 1

## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H316 Causes mild skin irritation.  
H317 May cause an allergic skin reaction.  
H333 May be harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

#### **Prevention:**

P203 Obtain, read and follow all safety instructions before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P301 + P316 + P330 IF SWALLOWED: Get emergency medical help immediately. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water.  
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.  
P318 IF exposed or concerned, get medical advice.  
P331 Do NOT induce vomiting.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

#### **Storage:**

P405 Store locked up.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).  
Vapours may form explosive mixture with air.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	$\geq 50 - < 70$
Permethrin (ISO)	52645-53-1	$\geq 25 - < 30$
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	$\geq 10 - < 20$
Solvent naphtha (petroleum), light aromatic	64742-95-6	$\geq 5 - < 10$

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
Causes mild skin irritation.  
May cause an allergic skin reaction.  
May be harmful if inhaled.  
May cause drowsiness or dizziness.  
May cause genetic defects.  
May cause cancer.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Unsuitable extinguishing media : High volume water jet  
Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.  
Hazardous combustion products : Chlorine compounds  
Carbon oxides  
Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  
Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.

## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

		(Form of exposure)	ters / Permissible concentration	
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	IN OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	IN OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Mist)	5 mg/m <sup>3</sup>	IN OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	IN OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	300 ppm 900 mg/m <sup>3</sup>	IN OEL
		STEL	500 ppm 1,500 mg/m <sup>3</sup>	IN OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH

- Engineering measures** :
- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
  - All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
  - Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
  - Minimize open handling.
  - Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

- Respiratory protection :
- If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type :
- Combined particulates and organic vapour type
- Hand protection
- Material :
- Chemical-resistant gloves
- Remarks :
- Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
- Eye protection :
- Wear safety glasses with side shields or goggles.
  - If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
  - Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10831068-00003	Date of first issue: 15.08.2022

Skin and body protection : aerosols.  
: Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : aromatic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 46 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### **Acute toxicity**

Harmful if swallowed.  
May be harmful if inhaled.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: 1,965 mg/kg  
Method: Calculation method



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Acute inhalation toxicity : Acute toxicity estimate: 9.04 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### **Components:**

#### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Permethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.778 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

#### **Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### Skin corrosion/irritation

Causes mild skin irritation.

### Components:

#### White mineral oil (petroleum):

Species : Rabbit  
Result : No skin irritation

#### Permethrin (ISO):

Species : Rabbit  
Result : No skin irritation

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

#### Solvent naphtha (petroleum), light aromatic:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

Species : Rabbit  
Result : No eye irritation

#### Permethrin (ISO):

Species : Rabbit  
Result : No eye irritation

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### Solvent naphtha (petroleum), light aromatic:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### White mineral oil (petroleum):

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

##### Permethrin (ISO):

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

##### Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

##### Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### Germ cell mutagenicity

May cause genetic defects.

#### Components:

##### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474

## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Result: negative  
Remarks: Based on data from similar materials

### **Permethrin (ISO):**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity - Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Genotoxicity in vitro

: Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

### **Solvent naphtha (petroleum), light aromatic:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermatogonia  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

### **Carcinogenicity**

May cause cancer.

### **Components:**

#### **White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **Permethrin (ISO):**

Species : Rat  
Result : negative

Species : Mouse  
Result : negative

#### **Solvent naphtha (petroleum), light aromatic:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Permethrin (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

#### **Solvent naphtha (petroleum), light aromatic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

### STOT - single exposure

May cause drowsiness or dizziness.

#### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.  
Remarks : Based on data from similar materials

#### Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### White mineral oil (petroleum):

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL :  $\geq 1$  mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

#### Permethrin (ISO):

Species : Rat  
NOAEL : 0.2201 mg/l  
Application Route : Inhalation  
Exposure time : 90 Days

Species : Rat  
NOAEL : 175 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rat  
NOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

#### Solvent naphtha (petroleum), light aromatic:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10831068-00003	Date of first issue: 15.08.2022

Species	:	Rat
LOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Solvent naphtha (petroleum), light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **White mineral oil (petroleum):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC ( Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC: 1,000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 1,000 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

#### **Permethrin (ISO):**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 0.0001 mg/l



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version: 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l Exposure time: 72 h  EC10 ( Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10,000
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h
Toxicity to fish (Chronic toxicity)	: NOEC: 0.00041 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.0047 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 10,000

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 ( Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

### Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
------------------	---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 ( Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOELR ( Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2.6 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

##### **Permethrin (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 49.56 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Solvent naphtha (petroleum), light aromatic:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 94 %  
Exposure time: 25 d

### Bioaccumulative potential

#### Components:

##### **Permethrin (ISO):**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4.67

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha (petroleum), light aromatic)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(Solvent naphtha (petroleum), light aromatic)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

#### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha (petroleum), light aromatic, Permethrin)

---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10831068-00003      Date of last issue: 04.04.2023  
Date of first issue: 15.08.2022

---

Class : 3 (ISO))  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 30.09.2023

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average  
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)  
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Permethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10831068-00003	Date of first issue: 15.08.2022

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN