

Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Section 1: Identification

Product name : Permethrin Liquid Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800

CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irri-

tation

Category 2

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1

Carcinogenicity : Category 1

Specific target organ toxicity - :

single exposure

Category 2

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 2



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Aspiration hazard : Category 1

Hazardous to the aquatic environment - acute hazard

Category 1

Hazardous to the aquatic environment - chronic hazard

Category 1

GHS label elements

Hazard pictograms









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H371 May cause damage to organs.

H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

P284 Wear respiratory protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 50 -< 70
Permethrin (ISO)	52645-53-1	>= 25 -< 30
Hydrocarbons, C10, aromatics, <1% naphtha-	64742-94-5	>= 10 -< 20
lene		
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 2.5 -< 10

Section 4: First-aid measures



Permethrin Liquid Formulation

Date of last issue: 30.09.2023 Version Revision Date: SDS Number: 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.

May be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

May cause damage to organs.

May cause damage to organs through prolonged or repeated

exposure.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: : Chlorine compounds



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

ucts Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : 3Y

Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapours.

Do not swallow.

Avoid contact with eves.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases Explosives

Section 8: Exposure controls/personal protection

Components with workplace control parameters

	<u> </u>			
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	



Permethrin Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 10831056-00004 3.0 06.04.2024 Date of first issue: 15.08.2022

White mineral oil (petroleum)	8042-47-5	WES-TWA (Mist)	5 mg/m3	NZ OEL
		WES-STEL (Mist)	10 mg/m3	NZ OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 μg/m3 (OEB 3)	Internal
		Wipe limit	800 μg/100 cm ²	Internal
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	WES-TWA (Mist)	5 mg/m3	NZ OEL
		WES-STEL (Mist)	10 mg/m3	NZ OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	WES-TWA	300 ppm 890 mg/m3	NZ OEL
		WES-STEL	500 ppm 1,480 mg/m3	NZ OEL
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material Chemical-resistant gloves

Consider double gloving. Take note that the product is flam-Remarks

mable, which may impact the selection of hand protection.

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : amber

Odour : aromatic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 46 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available



Permethrin Liquid Formulation

Revision Date: SDS Number: Date of last issue: 30.09.2023 Version 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity

Viscosity, kinematic

No data available

Explosive properties

Not explosive

Oxidizing properties

The substance or mixture is not classified as oxidizing.

Molecular weight

No data available

Particle characteristics

Particle size

Not applicable

Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

tions

Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute toxicity estimate: 392.93 mg/kg Acute oral toxicity

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Permethrin (ISO):

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 420

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.778 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l

Exposure time: 4 h
Test atmosphere: vapour



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit

Result : No skin irritation

Permethrin (ISO):

Species : Rabbit

Result : No skin irritation

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

White mineral oil (petroleum):

Species : Rabbit

Result : No eye irritation

Permethrin (ISO):

Result : Irritation to eyes, reversing within 21 days Remarks : Based on national or regional regulation.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

White mineral oil (petroleum):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Permethrin (ISO):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Assessment : May cause sensitisation by inhalation.

Remarks : Based on national or regional regulation.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Chronic toxicity

Germ cell mutagenicity

May cause genetic defects.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Permethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Assessment cell mutagen.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermato-

gonia

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

: Positive result(s) from in vivo heritable germ cell mutagenicity

tests in mammals

Carcinogenicity

May cause cancer.

Components:

White mineral oil (petroleum):

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Permethrin (ISO):

Species : Rat Result : negative

Species : Mouse Result : negative



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Permethrin (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Result: negative

Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Effects on fertility: Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

STOT - single exposure

May cause drowsiness or dizziness. May cause damage to organs.

Components:

Permethrin (ISO):

Assessment : May cause damage to organs.

Remarks : Based on national or regional regulation.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Permethrin (ISO):

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on national or regional regulation.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

 Species
 : Rat

 LOAEL
 : >= 1 mg/l



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Method : OECD Test Guideline 412

Permethrin (ISO):

Species : Rat

NOAEL : 0.2201 mg/l Application Route : Inhalation Exposure time : 90 Days

Species : Rat

NOAEL : 175 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rat

NOAEL : 300 mg/kg

Application Route : Ingestion

Exposure time : 13 Weeks

Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Species : Rat

LOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Section 12: Ecological information

Ecotoxicity

Components:

White mineral oil (petroleum):



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1,000 mg/l

Exposure time: 21 d

Permethrin (ISO):

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0001 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13

Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023

Exposure time: 72 h

M-Factor (Acute aquatic tox-

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): 0.00041 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0047 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 10.000

Toxicity to microorganisms

EC50: > 1,000 mg/lExposure time: 3 h

Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l



Permethrin Liquid Formulation

Version Revision Date: Date of last issue: 30.09.2023 SDS Number: 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 4.5 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chronic toxicity)

NOELR (Daphnia magna (Water flea)): 2.6 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability Result: Not readily biodegradable.

Biodegradation: 31 %



Permethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 06.04.2024
 10831056-00004
 Date of first issue: 15.08.2022

Exposure time: 28 d

Permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 49.56 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.

Biodegradation: 94 % Exposure time: 25 d

Bioaccumulative potential

Components:

Permethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 570

Partition coefficient: n-

octanol/water

: log Pow: 4.67

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(Solvent naphtha (petroleum), light aromatic)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

Packing instruction (passen: 355

ger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Permethrin

(ISO))

366

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic)

Class : 3
Packing group : III
Labels : 3
Hazchem Code : 3Y
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Permethrin Liquid Formulation

Date of last issue: 30.09.2023 Version Revision Date: SDS Number: 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mix-

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

	Chemical name	Environmental compartment	Reference concentration
П	permethrin	Water	0.0001 mg/l

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

Section 16: Other information

Revision Date 06.04.2024

Further information

Sources of key data used to compile the Safety Data

eChem Portal search results and European Chemicals Agen-

Internal technical data, data from raw material SDSs, OECD

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

NZ OEL New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA 8-hour, time-weighted average

NZ OEL / WES-TWA Workplace Exposure Standard - Time Weighted average



Permethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10831056-00004 Date of first issue: 15.08.2022

NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN