

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
Date of first issue: 16.05.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Permethrin / Piperonyl Butoxide Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Skin sensitization : Category 1

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves.

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
Date of first issue: 16.05.2016

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P391 Collect spillage.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	Aspiration hazard, Category 1	>= 70 -< 90
Permethrin (ISO)	52645-53-1	Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 4 Skin sensitization, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 5 -< 10
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	Eye irritation, Category 2A Specific target organ toxicity - single exposure, Category 3 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 5 -< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
May cause an allergic skin reaction.
This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Chlorine compounds
Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.

Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	677249-00018	Date of first issue: 16.05.2016

Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapors.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 µg/m ³ (OEB 3)	Internal
		Wipe limit	800 µg/100 cm ²	Internal
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m ³ (OEB 1)	Internal

Engineering measures : Ensure adequate ventilation, especially in confined areas.
 Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type
 Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
 For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
 Color : amber
 Odor : odorless
 Odor Threshold : No data available
 pH : No data available
 Melting point/freezing point : No data available
 Initial boiling point and boiling range : No data available

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
Date of first issue: 16.05.2016

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	< 2 mmHg (25 °C)
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0,885 g/cm ³
Solubility(ies) Water solubility	:	negligible
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	40 mPa.s
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.

Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	677249-00018	Date of first issue: 16.05.2016

Incompatible materials : Oxidizing agents
 Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
 Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: Calculation method

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
 Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
 Method: OECD Test Guideline 402

Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,3 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
 Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l
 Exposure time: 4 h

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
Date of first issue: 16.05.2016

Acute dermal toxicity : Test atmosphere: dust/mist
Method: OECD Test Guideline 403
: LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:**Distillates (petroleum), solvent-refined light paraffinic:**

Species : Rabbit
Result : No skin irritation

Permethrin (ISO):

Species : Rabbit
Result : No skin irritation

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Distillates (petroleum), solvent-refined light paraffinic:**

Species : Rabbit
Result : No eye irritation

Permethrin (ISO):

Species : Rabbit
Result : No eye irritation

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Permethrin (ISO):

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	positive

Assessment	:	Probability or evidence of skin sensitization in humans
------------	---	---

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Permethrin (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

		Result: negative
		Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative
		Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: positive
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Species	:	Mouse, female
Application Route	:	Skin contact
Exposure time	:	18 Months
Method	:	OECD Test Guideline 451
Result	:	negative

Permethrin (ISO):

Species	:	Rat
Result	:	negative

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

Species : Mouse
 Result : negative

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat
 Application Route : Ingestion
 Exposure time : 107 weeks
 Method : OECD Test Guideline 451
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Permethrin (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Result: negative

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

STOT-single exposure

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
Date of first issue: 16.05.2016

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Distillates (petroleum), solvent-refined light paraffinic:**

Species	: Rabbit
NOAEL	: 1.000 mg/kg
Application Route	: Skin contact
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 410
Remarks	: Based on data from similar materials

Species	: Rat
NOAEL	: > 980 mg/m ³
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 4 Weeks
Remarks	: Based on data from similar materials

Permethrin (ISO):

Species	: Rat
NOAEL	: 0,2201 mg/l
Application Route	: Inhalation
Exposure time	: 90 Days

Species	: Rat
NOAEL	: 175 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	: Rat
NOAEL	: 1.323 mg/kg
Application Route	: Ingestion
Exposure time	: 7 Weeks

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:**Distillates (petroleum), solvent-refined light paraffinic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 10 mg/l

Permethrin (ISO):

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00079 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,0001 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,13 mg/l Exposure time: 72 h EC10 (Pseudokirchneriella subcapitata (green algae)): 0,0023 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10.000
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): 0,00041 mg/l Exposure time: 35 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,0047 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10.000
Toxicity to microorganisms	:	EC50: > 1.000 mg/l Exposure time: 3 h

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

||

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 3,94 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,51 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 3,89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,824 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,18 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,03 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 4 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	--

Permethrin (ISO):

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301F
------------------	---	--

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 %
------------------	---	---

Permethrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 30.09.2023 SDS Number: 677249-00018 Date of last issue: 04.04.2023
 Date of first issue: 16.05.2016

Exposure time: 28 d
 Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Permethrin (ISO):

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
 Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4,67

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-octanol/water : log Pow: 5

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
 Dispose of in accordance with local regulations.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether)
 Class : 9
 Packing group : III
 Labels : 9
 Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
 (Permethrin (ISO), 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether)
 Class : 9
 Packing group : III

Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	677249-00018	Date of first issue: 16.05.2016

Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Permethrin (ISO), 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether)
 Class : 9
 Packing group : III
 Labels : 9
 Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	677249-00018	Date of first issue: 16.05.2016

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	: 30.09.2023
Date format	: dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.0	30.09.2023	677249-00018	Date of first issue: 16.05.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8