

Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Section 1: Identification

Product identifier : Permethrin / Piperonyl Butoxide Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Skin sensitisation : Category 1

Aspiration hazard : Category 1

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	>= 70 -< 90
Permethrin (ISO)	52645-53-1	>= 2.5 -< 10
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 2.5 -< 10

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

In case of eye contact



Permethrin / Piperonyl Butoxide Formulation

SDS Number: Date of last issue: 30.09.2023 Version Revision Date: 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

> Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks May be fatal if swallowed and enters airways.

> May cause an allergic skin reaction. This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-Exposure to combustion products may be a hazard to health.

fighting

Hazardous combustion prod-Chlorine compounds ucts Carbon oxides

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

In the event of fire, wear self-contained breathing apparatus.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Conditions for safe storage, including any incompatibilities

Conditions for safe storage Keep in properly labelled containers.

> Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent- refined light paraffinic	64741-89-5	PEL (long term) (Mist)	5 mg/m3	SG OEL
		PEL (short term) (Mist)	10 mg/m3	SG OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 μg/m3 (OEB 3)	Internal
		Wipe limit	800 μg/100 cm ²	Internal
2-(2-butoxyethoxy)ethyl 6-	51-03-6	TWA	4 mg/m3 (OEB 1)	Internal

Appropriate engineering

control measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear the following personal protective equipment:

Safety glasses

Skin protection Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Combined particulates and organic vapour type

Hand protection

Material Chemical-resistant gloves

Choose gloves to protect hands against chemicals depending Remarks

on the concentration and quantity of the hazardous sub-



Permethrin / Piperonyl Butoxide Formulation

Version 3.1

Revision Date: 06.04.2024

SDS Number: 677264-00019

Date of last issue: 30.09.2023 Date of first issue: 16.05.2016

stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : amber

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 2 mmHg (25 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 0.885 g/cm³

Solubility(ies)

Water solubility : negligible

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature

: No data available



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 40 mPa.s

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of : Inhalation

exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

Permethrin (ISO):

Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Species : Rabbit

Result : No skin irritation

Permethrin (ISO):

Species : Rabbit

Result : No skin irritation

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit

Method : OECD Test Guideline 404



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Species : Rabbit

Result : No eye irritation

Permethrin (ISO):

Species : Rabbit

Result : No eye irritation

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Permethrin (ISO):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type : Maximisation Test



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Permethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Species : Mouse, female Application Route : Skin contact Exposure time : 18 Months

Method : OECD Test Guideline 451

Result : negative

Permethrin (ISO):

Species : Rat Result : negative

Species : Mouse Result : negative

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Not classified based on available information.



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Permethrin (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Result: negative

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Species : Rabbit
NOAEL : 1,000 mg/kg
Application Route : Skin contact



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Exposure time : 4 Weeks

Method : OECD Test Guideline 410

Remarks : Based on data from similar materials

Species : Rat

NOAEL : > 980 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Remarks : Based on data from similar materials

Permethrin (ISO):

Species : Rat

NOAEL : 0.2201 mg/l Application Route : Inhalation Exposure time : 90 Days

Species : Rat
NOAEL : 175 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat

NOAEL : 1,323 mg/kg
Application Route : Ingestion
Exposure time : 7 Weeks

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Distillates (petroleum), solvent-refined light paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Section 12: Ecological information

Toxicity

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h



Permethrin / Piperonyl Butoxide Formulation

Version SDS Number: Date of last issue: 30.09.2023 **Revision Date:** 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LL50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Permethrin (ISO):

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0001 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13

mg/l

Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): 0.00041 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0047 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10,000

Toxicity to microorganisms EC50: > 1,000 mg/lExposure time: 3 h

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94

Exposure time: 96 h

Method: OECD Test Guideline 203



Permethrin / Piperonyl Butoxide Formulation

Version SDS Number: Date of last issue: 30.09.2023 **Revision Date:** 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.51 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l

NOEC (Daphnia magna (Water flea)): 0.03 mg/l

Exposure time: 35 d

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

EC50: > 1,000 mg/lToxicity to microorganisms Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Distillates (petroleum), solvent-refined light paraffinic:

Biodegradability Result: Not readily biodegradable.

1

Biodegradation: 4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Permethrin (ISO):

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Result: Not readily biodegradable. Biodegradability

> Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301D



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Bioaccumulative potential

Components:

Permethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 570

Partition coefficient: n-

octanol/water

log Pow: 4.67

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-

octanol/water

: log Pow: 5

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl

ether)

9

Transport hazard class(es)

Packing group : III Labels : 9 Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 3082

UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl

ether)

9

Transport hazard class(es)

Packing group : III

Labels : Miscellaneous



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl

ether)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Pyrethroid compounds used as pes-

ticides

Fire Safety (Petroleum and Flammable Materials)

Regulations

: Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only



Permethrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.1 06.04.2024 677264-00019 Date of first issue: 16.05.2016

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN