

## Permethrin / Piperonyl Butoxide Formulation

Version 3.0      Revision Date: 30.09.2023      SDS Number: 677264-00018      Date of last issue: 04.04.2023  
Date of first issue: 16.05.2016

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Permethrin / Piperonyl Butoxide Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**


Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Skin sensitisation : Category 1  
Aspiration hazard : Category 1  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

---

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

P261 Avoid breathing mist or vapours.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P331 Do NOT induce vomiting.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	>= 70 -< 90
Permethrin (ISO)	52645-53-1	>= 2.5 -< 10
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 2.5 -< 10

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

- Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.  
May cause an allergic skin reaction.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Chlorine compounds  
Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	PEL (long term) (Mist)	5 mg/m <sup>3</sup>	SG OEL
		PEL (short term) (Mist)	10 mg/m <sup>3</sup>	SG OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal

## Permethrin / Piperonyl Butoxide Formulation

Version 3.0      Revision Date: 30.09.2023      SDS Number: 677264-00018      Date of last issue: 04.04.2023  
 Date of first issue: 16.05.2016

		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m <sup>3</sup> (OEB 1)	Internal

**Engineering measures** : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type  
 Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
 Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid  
 Colour : amber  
 Odour : odourless  
 Odour Threshold : No data available  
 pH : No data available  
 Melting point/freezing point : No data available

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 2 mmHg (25 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 0.885 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : negligible

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 40 mPa.s  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**10. STABILITY AND REACTIVITY**

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

**Components:****Distillates (petroleum), solvent-refined light paraffinic:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402

**Permethrin (ISO):**

Acute oral toxicity	:	LD50 (Rat): 480 - 554 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 2.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

## Permethrin / Piperonyl Butoxide Formulation

Version 3.0      Revision Date: 30.09.2023      SDS Number: 677264-00018      Date of last issue: 04.04.2023  
Date of first issue: 16.05.2016

---

||

**2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Distillates (petroleum), solvent-refined light paraffinic:**

Species : Rabbit  
Result : No skin irritation

**Permethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Distillates (petroleum), solvent-refined light paraffinic:**

Species : Rabbit  
Result : No eye irritation

**Permethrin (ISO):**

Species : Rabbit  
Result : No eye irritation

**2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rabbit



## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Distillates (petroleum), solvent-refined light paraffinic:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

##### Permethrin (ISO):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of skin sensitisation in humans
------------	---

##### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Distillates (petroleum), solvent-refined light paraffinic:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

### Permethrin (ISO):

Genotoxicity in vitro	:	<p>Test Type: Bacterial reverse mutation assay (AMES) Result: negative</p> <p>Test Type: In vitro mammalian cell gene mutation test Result: negative</p> <p>Test Type: Chromosome aberration test in vitro Result: negative</p> <p>Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative</p> <p>Test Type: Chromosome aberration test in vitro Result: positive</p>
Genotoxicity in vivo	:	<p>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative</p> <p>Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Result: negative</p> <p>Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative</p> <p>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative</p> <p>Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: positive</p>
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro	:	<p>Test Type: Bacterial reverse mutation assay (AMES) Result: negative</p>
-----------------------	---	--

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

### Carcinogenicity

Not classified based on available information.

### Components:

#### Distillates (petroleum), solvent-refined light paraffinic:

Species	:	Mouse, female
Application Route	:	Skin contact
Exposure time	:	18 Months
Method	:	OECD Test Guideline 451
Result	:	negative

#### Permethrin (ISO):

Species	:	Rat
Result	:	negative

Species	:	Mouse
Result	:	negative

#### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	107 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Distillates (petroleum), solvent-refined light paraffinic:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

#### Permethrin (ISO):

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

#### STOT - single exposure

Not classified based on available information.

#### Components:

### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### Components:

### Distillates (petroleum), solvent-refined light paraffinic:

Species	:	Rabbit
NOAEL	:	1,000 mg/kg
Application Route	:	Skin contact
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 410
Remarks	:	Based on data from similar materials

Species	:	Rat
NOAEL	:	> 980 mg/m <sup>3</sup>
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Remarks	:	Based on data from similar materials

### Permethrin (ISO):

Species	:	Rat
NOAEL	:	0.2201 mg/l
Application Route	:	Inhalation
Exposure time	:	90 Days

Species	:	Rat
NOAEL	:	175 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	: Rat
NOAEL	: 1,323 mg/kg
Application Route	: Ingestion
Exposure time	: 7 Weeks

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Components:

#### Distillates (petroleum), solvent-refined light paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Distillates (petroleum), solvent-refined light paraffinic:

Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: LL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 10 mg/l

#### Permethrin (ISO):

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l Exposure time: 96 h
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): 0.0001 mg/l

## Permethrin / Piperonyl Butoxide Formulation

Version 3.0      Revision Date: 30.09.2023      SDS Number: 677264-00018      Date of last issue: 04.04.2023  
 Date of first issue: 16.05.2016

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l Exposure time: 72 h  EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10,000
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 0.00041 mg/l Exposure time: 35 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0047 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 10,000
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h

**2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.51 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.03 mg/l Exposure time: 21 d

## Permethrin / Piperonyl Butoxide Formulation

Version 3.0      Revision Date: 30.09.2023      SDS Number: 677264-00018      Date of last issue: 04.04.2023  
Date of first issue: 16.05.2016

---

Acute toxicity)  
M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Distillates (petroleum), solvent-refined light paraffinic:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Permethrin (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F

**2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Bioaccumulative potential****Components:****Permethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4.67

**2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Partition coefficient: n-octanol/water : log Pow: 5

**Mobility in soil**

No data available

**Other adverse effects**

No data available

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- |                        |   |   |
|------------------------|---|---|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Dispose of in accordance with local regulations.   |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- |                           |   |  |
|---------------------------|---|--|
| UN number                 | : | UN 3082  |
| Proper shipping name      | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether) |
| Class                     | : | 9  |
| Packing group             | : | III  |
| Labels                    | : | 9  |
| Environmentally hazardous | : | yes  |

##### IATA-DGR

- |  |   |  |
|--|---|--|
| UN/ID No.                                | : | UN 3082  |
| Proper shipping name                     | : | Environmentally hazardous substance, liquid, n.o.s.<br>(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether) |
| Class                                    | : | 9  |
| Packing group                            | : | III  |
| Labels                                   | : | Miscellaneous  |
| Packing instruction (cargo aircraft)     | : | 964  |
| Packing instruction (passenger aircraft) | : | 964  |
| Environmentally hazardous                | : | yes  |

##### IMDG-Code

- |                      |   |  |
|----------------------|---|--|
| UN number            | : | UN 3082  |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether) |
| Class                | : | 9  |
| Packing group        | : | III  |
| Labels               | : | 9  |
| EmS Code             | : | F-A, S-F   |
| Marine pollutant     | : | yes  |

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



## Permethrin / Piperonyl Butoxide Formulation

Version 3.0      Revision Date: 30.09.2023      SDS Number: 677264-00018      Date of last issue: 04.04.2023  
Date of first issue: 16.05.2016

---

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Pyrethroid compounds used as pesticides

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

Revision Date : 30.09.2023

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

---

## Permethrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	677264-00018	Date of first issue: 16.05.2016

---

SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN