

Pirimiphos-Methyl Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 1356597-00019 Date of first issue: 24.02.2017 6.0

SECTION 1. IDENTIFICATION

Product identifier Pirimiphos-Methyl Formulation

Manufacturer or supplier's details

Company MSD

Rua Coronel Bento Soares, 530 Address

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone 908-740-4000

Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product : Not applicable Restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Skin irritation Category 2

Eye irritation Category 2B

single exposure

Specific target organ toxicity - : Category 1 (Central nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms







Signal Word Danger

Hazard Statements H315 + H320 Causes skin and eye irritation.

H370 Causes damage to organs (Central nervous system). H410 Very toxic to aquatic life with long lasting effects.



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P362 + P364 Take off contaminated clothing and wash it before

euse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Polyvinyl chloride	9002-86-2		>= 70 -< 90
Pirimiphos-methyl (ISO)	29232-93-7	Acute Tox. (Oral), 4 Acute Tox. (Inhalation), 5 Acute Tox. (Dermal), 4 Skin Irrit., 2 Eye Irrit., 2B STOT SE, (Central nervous system), 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 20 -< 25
Titanium dioxide	13463-67-7	Carc. (Inhalation), 2	>= 0,1 -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

advice.

In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delaved

Causes skin and eye irritation.
Causes damage to organs.

Protection of first-aiders : First

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Pirimiphos-Methyl Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 1356597-00019
 Date of first issue: 24.02.2017

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air. Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Advice on safe handling

Use only with adequate ventilation.

Do not get on skin or clothing.

Do not breathe dust, fume, gas, mist, vapors or spray.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m³	ACGIH	
Pirimiphos-methyl (ISO)	29232-93-7	TWA	60 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	600 µg/100 cm ²	Internal	

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Color : yellow

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive



Pirimiphos-Methyl Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 1356597-00019 Date of first issue: 24.02.2017 6.0

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of: Skin contact

exposure Inaestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Acute toxicity estimate: > 10 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

Pirimiphos-methyl (ISO):

Acute oral toxicity LD50 (Rat): 1.180 mg/kg

LD50 (Rat): 2.400 - 5.976 mg/kg

LD50 (Mouse): > 575 mg/kg

LD50 (Dog): > 1.500 mg/kg

LC50 (Rat): > 5,04 mg/l Acute inhalation toxicity

Exposure time: 4 h



Pirimiphos-Methyl Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 1356597-00019 Date of first issue: 24.02.2017 6.0

Acute dermal toxicity LD50 (Rabbit): 2.000 mg/kg

LD50 (Rat): > 4.592 mg/kg

Titanium dioxide:

Acute oral toxicity LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Pirimiphos-methyl (ISO):

Species Rabbit Result irritating

Titanium dioxide:

Species Rabbit

Result No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Pirimiphos-methyl (ISO):

: Rabbit Species

Result Mild eye irritation

Titanium dioxide:

Species Result Rabbit

No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Test Type Maximization Test



Pirimiphos-Methyl Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 1356597-00019
 Date of first issue: 24.02.2017

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: equivocal

Test Type: sister chromatid exchange assay

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 80 weeks
Result : negative



Pirimiphos-Methyl Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 1356597-00019
 Date of first issue: 24.02.2017

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in inhalation studies with

animals.

Reproductive toxicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 15,4 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 150 mg/kg body weight Result: No effects on early embryonic development.

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 48 mg/kg body weight Result: No effects on early embryonic development.

Remarks: Maternal toxicity observed.

STOT-single exposure

Causes damage to organs (Central nervous system).

Components:

Pirimiphos-methyl (ISO):

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

Components:

Pirimiphos-methyl (ISO):

Remarks : Not classified due to inconclusive data.

Repeated dose toxicity

Components:

Pirimiphos-methyl (ISO):

Species : Rat

NOAEL : 0,5 mg/kg

LOAEL : 2,5 mg/kg

Application Route : Oral

Exposure time : 28 d

Target Organs : Central nervous system Symptoms : cholinesterase inhibition

Species : Dog
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Target Organs : Central nervous system Symptoms : cholinesterase inhibition

Species : Rat

NOAEL : 25 mg/kg

Application Route : Oral

Exposure time : 90 d

Target Organs : Central nervous system Symptoms : cholinesterase inhibition

Remarks : No significant adverse effects were reported

Species : Dog
LOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 2 y

Target Organs : Central nervous system Symptoms : cholinesterase inhibition

Species : Rat
LOAEL : 2,1 mg/kg
Application Route : Oral
Exposure time : 2 y

Target Organs : Central nervous system Symptoms : cholinesterase inhibition

Titanium dioxide:

Species : Rat

NOAEL : 24.000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

NOAEL : 10 mg/m³

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Pirimiphos-methyl (ISO):

Ingestion : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-

ache, Weakness, stomach discomfort, Blurred vision, muscle

twitching

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Pirimiphos-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,00021 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1.000

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,13 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,00011 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

100

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l

plants Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Pirimiphos-methyl (ISO):

Stability in water : Hydrolysis: 50 %(117 d)

Bioaccumulative potential

Components:

Pirimiphos-methyl (ISO):

Partition coefficient: n-

octanol/water

: log Pow: 4,2

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Pirimiphos-methyl (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Pirimiphos-methyl (ISO))

Class : 9 Packing group : III

Packing group : III
Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Pirimiphos-methyl (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Pirimiphos-methyl (ISO))

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

Brazil. List of chemicals controlled by the Federal : Not applicable

Police

The ingredients of this product are reported in the following inventories:



Pirimiphos-Methyl Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 1356597-00019
 Date of first issue: 24.02.2017

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Data Sheet cy, http://echa.europa.eu/

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 1356597-00019 Date of first issue: 24.02.2017

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8