according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

**Revision Date:** Date of last issue: 06.07.2024 Version SDS Number: 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Pirimiphos-Methyl Formulation

Manufacturer or supplier's details

Company MSD

Address Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

+1-908-740-4000 Telephone

Emergency telephone number: +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Veterinary product Recommended use Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

#### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

**GHS Classification** 

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 2B

single exposure

Specific target organ toxicity - : Category 1 (Central nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

**GHS** label elements

Hazard pictograms







according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Signal word : Danger

Hazard statements : H315 + H320 Causes skin and eye irritation.

H370 Causes damage to organs (Central nervous system). H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P332 + P317 If skin irritation occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyvinyl chloride	9002-86-2	>= 70 - < 90
Pirimiphos-methyl (ISO)	29232-93-7	>= 20 - < 25
Titanium dioxide	13463-67-7	>= 0.1 - < 1

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

In the case of accident or if you feel unwell, seek medical ad-

according to the Globally Harmonized System



## Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Causes skin and eye irritation. Causes damage to organs.

Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

Carbon oxides

Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.

Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not get on skin or clothing.

Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

according to the Globally Harmonized System



## Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m3	ACGIH	
Pirimiphos-methyl (ISO)	29232-93-7	TWA	60 μg/m3 (OEB 3)	Internal	
	Further inform	Further information: Skin			
		Wipe limit	600 µg/100 cm <sup>2</sup>	Internal	

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain-

ment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 1357432-00019
 Date of first issue: 24.02.2017

Appearance : solid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Date of last issue: 06.07.2024 Version **Revision Date:** SDS Number: 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Molecular weight No data available

Particle characteristics

Particle size No data available

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Can react with strong oxidizing agents.

tions

None known. Conditions to avoid Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Skin contact Ingestion

Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Acute toxicity estimate: > 10 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Pirimiphos-methyl (ISO):

Acute oral toxicity : LD50 (Rat): 1,180 mg/kg

LD50 (Rat): 2,400 - 5,976 mg/kg

LD50 (Mouse): > 575 mg/kg

LD50 (Dog): > 1,500 mg/kg

LC50 (Rat): > 5.04 mg/l Acute inhalation toxicity

Exposure time: 4 h

Acute dermal toxicity LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 4,592 mg/kg

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

П

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Pirimiphos-methyl (ISO):

Species : Rabbit Result : irritating

Titanium dioxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

**Components:** 

Pirimiphos-methyl (ISO):

Species : Rabbit

Result : Mild eye irritation

Titanium dioxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Pirimiphos-methyl (ISO):

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Pirimiphos-methyl (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: equivocal

Test Type: sister chromatid exchange assay

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Pirimiphos-methyl (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species: MouseApplication Route: OralExposure time: 80 weeksResult: negative

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects.

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

#### ment

#### Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in inhalation studies with

animals.

#### Reproductive toxicity

Not classified based on available information.

#### Components:

### Pirimiphos-methyl (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 15.4 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 150 mg/kg body weight Result: No effects on early embryonic development

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 48 mg/kg body weight Result: No effects on early embryonic development

Remarks: Maternal toxicity observed.

#### STOT - single exposure

Causes damage to organs (Central nervous system).

#### **Components:**

#### Pirimiphos-methyl (ISO):

Target Organs : Central nervous system
Assessment : Causes damage to organs.

#### STOT - repeated exposure

Not classified based on available information.

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Revision Date: Date of last issue: 06.07.2024 Version SDS Number: 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

#### **Components:**

Pirimiphos-methyl (ISO):

Remarks : Not classified due to inconclusive data.

#### Repeated dose toxicity

#### **Components:**

#### Pirimiphos-methyl (ISO):

**Species** Rat NOAEL 0.5 mg/kg LOAEL 2.5 mg/kg Application Route Oral Exposure time 28 d

Target Organs Central nervous system Symptoms cholinesterase inhibition

Dog Species LÖAEL 2 mg/kg Application Route Oral Exposure time 13 Weeks

Target Organs Central nervous system Symptoms cholinesterase inhibition

Species Rat NOAEL
Application Route
Exposure time
Target Organs NOAEL 25 mg/kg Oral 90 d

Central nervous system cholinesterase inhibition

Remarks. No significant adverse effects were reported

Species Dog 0.5 mg/kg LOAEL Application Route LOAEL Oral Exposure time 2 yr

Target Organs Central nervous system Symptoms cholinesterase inhibition

Species Rat LOAEL 2.1 mg/kg Application Route Oral Exposure time 2 yr

Target Organs Central nervous system Symptoms cholinesterase inhibition

#### Titanium dioxide:

Species Rat

NOAEL : 24,000 mg/kg Application Route : Ingestion Exposure time 28 Days

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

**Revision Date:** Version SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Species Rat NOAEL 10 mg/m3

Application Route inhalation (dust/mist/fume)

Exposure time

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Pirimiphos-methyl (ISO):

Ingestion Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-

ache, Weakness, stomach discomfort, Blurred vision, muscle

twitching

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Components:** 

Pirimiphos-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.00021 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

1,000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.13 mg/l

Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00011 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 100

Titanium dioxide:

12/16

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

**Revision Date:** Version SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): > 10,000

mg/l

Exposure time: 72 h

Toxicity to microorganisms EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

**Components:** 

Pirimiphos-methyl (ISO):

Stability in water : Hydrolysis: 50 %(117 d)

Bioaccumulative potential

**Components:** 

Pirimiphos-methyl (ISO):

Partition coefficient: n-

octanol/water

: log Pow: 4.2

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

**UNRTDG** 

**UN** number **UN 3077** 

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

according to the Globally Harmonized System



## Pirimiphos-Methyl Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

N.O.S.

(Pirimiphos-methyl (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Pirimiphos-methyl (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Pirimiphos-methyl (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### **16. OTHER INFORMATION**

according to the Globally Harmonized System



## **Pirimiphos-Methyl Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 1357432-00019 Date of first issue: 24.02.2017

Revision Date : 28.09.2024

**Further information** 

Sources of key data used to compile the Safety Data

Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to the Globally Harmonized System



# **Pirimiphos-Methyl Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 1357432-00019
 Date of first issue: 24.02.2017

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN