

Version 8.0	Revision Date: 28.09.2024	SDS Number: 1204406-0002	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017					
SECTION	SECTION 1. IDENTIFICATION							
Prod	uct identifier	: Pirimiphos	: Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation					
	ufacturer or supplier's pany	s details : MSD						
Address			Rua Coronel Bento Soares, 530 Cruzeiro - Sao Paulo - Brazil CEP 12730-340					
Tele	Telephone		908-740-4000					
Eme	Emergency telephone		1-908-423-6000					
E-ma	ail address	: EHSDATA	STEWARD@msd.com					
Reco	ommended use of the	chemical and res	strictions on use					
	ommended use rictions on use	: Veterinary : Not applic						

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification in accordance with ABNT NBR 14725 StandardAcute toxicity (Oral): Category 4						
Acute toxicity (Inhalation)	:	Category 3				
Acute toxicity (Dermal)	:	Category 5				
Skin irritation	:	Category 2				
Eye irritation	:	Category 2B				
Specific target organ toxicity - single exposure	:	Category 1 (Central nervous system)				
Specific target organ toxicity - single exposure	:	Category 2 (Nervous system)				
Short-term (acute) aquatic hazard	:	Category 1				
Long-term (chronic) aquatic hazard	:	Category 1				

### GHS label elements in accordance with ABNT NBR 14725 Standard



rsion )	Revision Date: 28.09.2024	SDS Number: 1204406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
Hazaı	rd pictograms		
Signa	l Word	: Danger	
Hazaı	rd Statements	H315 + H320 C H331 Toxic if ir H370 Causes c H371 May caus	armful in contact with skin. Causes skin and eye irritation.
Precautionary Statements		P271 Use only	at, drink or smoke when using this product. outdoors or in a well-ventilated area. ease to the environment. tective gloves.
		CENTER/ doct P302 + P312 IF you feel unwell P302 + P352 IF P304 + P340 + and keep comf doctor. P305 + P351 + for several min easy to do. Con P308 + P311 IF CENTER/ doct P332 + P313 If tion. P337 + P313 If tention.	<ul> <li>ON SKIN: Wash with plenty of water.</li> <li>P311 IF INHALED: Remove person to fresh ortable for breathing. Call a POISON CENTE</li> <li>P338 IF IN EYES: Rinse cautiously with wateutes. Remove contact lenses, if present and ntinue rinsing.</li> <li>Exposed or concerned: Call a POISON or.</li> <li>skin irritation occurs: Get medical advice/ at eye irritation persists: Get medical advice/ a ake off contaminated clothing and wash it be</li> </ul>
		Storage:	
		P405 Store loc	ked up.

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
8.0	28.09.2024	1204406-00020	Date of first issue: 09.01.2017

#### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Polyvinyl chloride	9002-86-2		>= 70 -< 90
Pirimiphos-methyl (ISO)	29232-93-7	Acute Tox. (Oral), 4 Acute Tox. (Inhala- tion), 5 Acute Tox. (Dermal), 4 Skin Irrit., 2 Eye Irrit., 2B STOT SE, (Central nervous system), 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 -< 20
lambda-cyhalothrin (ISO)	91465-08-6	Acute Tox. (Oral), 3 Acute Tox. (Inhala- tion), 2 Acute Tox. (Dermal), 3 Eye Irrit., 2B STOT SE, (Nervous system), 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 5 -< 10
Titanium dioxide	13463-67-7	Carc. (Inhalation), 2	>= 0,1 -< 1

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	
If swallowed	:	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.



Versi 8.0	ion	Revision Date: 28.09.2024		9S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
Most important symptoms and effects, both acute and delayed Protection of first-aiders Notes to physician		:	<ul> <li>Harmful if swallowed.</li> <li>May be harmful in contact with skin.</li> <li>Causes skin and eye irritation.</li> <li>Toxic if inhaled.</li> <li>Causes damage to organs.</li> <li>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</li> <li>Treat symptomatically and supportively.</li> </ul>		
SEC	TION 5.	. FIRE-FIGHTING ME	ASU	IRES	
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuita media	ble extinguishing	:	None known.	
	Specific fighting	hazards during fire	: Exposure to combustion products may be a hazard to		pustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (I Chlorine compour Fluorine compour	nds
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

so. Evacuate area.

#### Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for fire-fighters Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air.



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
8.0		1204406-00020	Date of first issue: 09.01.2017
		Soak up with in Clean up remain absorbent. Local or nationa disposal of this employed in the determine which Sections 13 and	tid to allow the material to enter into solution. ert absorbent material. ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe dust, fume, gas, mist, vapors or spray. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
8.0	28.09.2024	1204406-00020	Date of first issue: 09.01.2017

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
Pirimiphos-methyl (ISO)	29232-93-7	TWA	60 µg/m3 (OEB 3)	Internal
	Further inform	ation: Skin		
		Wipe limit	600 µg/100 cm <sup>2</sup>	Internal
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m3 (OEB 4)	Internal
	Further inform	ation: Skin		
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

Engineering measures :	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.	
Personal protective equipment	t	
Respiratory protection : Filter type : Hand protection	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type	
Material :	Chemical-resistant gloves	
Remarks:Eye protection:Skin and body protection:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.	
	Use appropriate degowning techniques to remove potentially contaminated clothing.	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state



Vers 8.0	sion	Revision Date: 28.09.2024		S Number: 4406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
	Color		:	No data available	)
	Odor		:	characteristic	
	Odor T	hreshold	:	No data available	)
	рН		:	No data available	
	Melting	point/freezing point	:	No data available	)
	Initial b range	oiling point and boiling	:	No data available	•
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not classified as	a flammability hazard
	Flamma	ability (liquids)	:	No data available	)
		explosion limit / Upper bility limit	:	No data available	)
		explosion limit / Lower bility limit	:	No data available	)
	Vapor p	pressure	:	No data available	)
	Relative	e vapor density	:	No data available	)
	Relative	e density	:	No data available	9
	Density	,	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	insoluble	
		n coefficient: n-	:	No data available	)
	octanol Autoigr	nition temperature	:	No data available	)
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty sosity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
				The end of	
		ng properties	:		r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	)



Version 8.0	Revision Date: 28.09.2024		S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017		
	le characteristics le size	:	No data available			
SECTION	10. STABILITY AND RE	AC	TIVITY			
Reactivity Chemical stability Possibility of hazardous reac- tions Conditions to avoid Incompatible materials Hazardous decomposition products		<ul> <li>Not classified as a reactivity hazard.</li> <li>Stable under normal conditions.</li> <li>Can react with strong oxidizing agents.</li> <li>None known.</li> <li>Oxidizing agents</li> <li>No hazardous decomposition products are known.</li> </ul>				
SECTION	11. TOXICOLOGICAL II	NFC	ORMATION			
Inform expos	nation on likely routes of ure	:	Skin contact Ingestion Eye contact			
Harmf May b	<b>toxicity</b> ful if swallowed. he harmful in contact with if inhaled.	ı sk	in.			
Produ Acute	<u>uct:</u> oral toxicity	:	Acute toxicity estin Method: Calculation	mate: 654,55 mg/kg on method		
Acute	inhalation toxicity	:	Acute toxicity estin Exposure time: 4 Test atmosphere: Method: Calculatio	n dust/mist		
Acute	dermal toxicity	:	Acute toxicity estine Method: Calculation			
Comp	oonents:					
	iphos-methyl (ISO): oral toxicity	:	LD50 (Rat): 1.180	mg/kg		
			LD50 (Rat): 2.400	- 5.976 mg/kg		
			LD50 (Mouse): > \$	575 mg/kg		
			LD50 (Dog): > 1.5	00 mg/kg		
Acute	inhalation toxicity	:	LC50 (Rat): > 5,04 Exposure time: 4			
Acute	dermal toxicity	:	LD50 (Rabbit): 2.0	000 mg/kg		



Vers 8.0	sion	Revision Date: 28.09.2024		9S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
				LD50 (Rat): > 4.58	92 mg/kg
-	-	a-cyhalothrin (ISO):			
	Acute	oral toxicity	:	LD50 (Rat): 56 - 7	9 mg/kg
				LD50 (Mouse): 20	mg/kg
	Acute i	inhalation toxicity	:	LC50 (Rat): 0,06 r Exposure time: 4 l Test atmosphere:	า
	Acute	dermal toxicity	:	LD50 (Rat): 632 -	696 mg/kg
		toxicity (other routes of stration)	:	LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal	
	<ul> <li>Titaniu</li> </ul>	um dioxide:			
I	Acute	oral toxicity	:	LD50 (Rat): > 5.00	00 mg/kg
	Acute i	inhalation toxicity	:	LC50 (Rat): > 6,82 Exposure time: 4 I Test atmosphere: Assessment: The tion toxicity	n
-		orrosion/irritation s skin irritation.			
	Comp	onents:			
I	-	phos-methyl (ISO):		Dabbit	
	Specie Result	:5	:	Rabbit irritating	
	lambd	a-cyhalothrin (ISO):			
	Specie	• • • •	:	Rabbit	
	Result		:	No skin irritation	
	Titaniu	um dioxide:			
	Specie Result		:	Rabbit No skin irritation	
	Cause	<b>is eye damage/eye irri</b> s eye irritation. onents:	tatio	on	
I	<b>Pirimi</b> Specie	phos-methyl (ISO): <sup>IS</sup>	:	Rabbit	



ersion .0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.07.20241204406-00020Date of first issue: 09.01.2017
Resul	t	: Mild eye irritation
<b>lambo</b> Speci Resul		: Rabbit : Mild eye irritation
Titani	ium dioxide:	
Speci Resul		: Rabbit : No eye irritation
Resp	iratory or skin sensi	zation
-	sensitization assified based on ava	able information.
-	iratory sensitization assified based on ava	able information.
Comp	oonents:	
Test 1	es of exposure	<ul> <li>Maximization Test</li> <li>Dermal</li> <li>Guinea pig</li> <li>Not a skin sensitizer.</li> </ul>
lambo	da-cyhalothrin (ISO)	
Test T Route Speci Resul	es of exposure es	<ul> <li>Magnusson-Kligman-Test</li> <li>Dermal</li> <li>Guinea pig</li> <li>Not a skin sensitizer.</li> </ul>
Titani	ium dioxide:	
Test T Route Speci Resul	es of exposure	<ul> <li>Local lymph node assay (LLNA)</li> <li>Skin contact</li> <li>Mouse</li> <li>negative</li> </ul>
	cell mutagenicity assified based on ava	able information.
<u>Comp</u>	oonents:	
	iphos-methyl (ISO): toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: equivocal
		Test Type: sister chromatid exchange assay Result: positive



Version 8.0	Revision Date: 28.09.2024		0S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017			
Geno	Genotoxicity in vivo		: Test Type: Micronucleus test Species: Mouse Result: negative				
			Test Type: Rodent dominant lethal test (germ cell) (in vi Species: Mouse Result: negative				
lambo	da-cyhalothrin (ISO)						
	toxicity in vitro	:	: Test Type: Bacterial reverse mutation assay (AMI Result: negative				
				mosomal aberration Iman lymphocytes			
			heduled DNA synthesis assay hepatocytes				
				ro mammalian cell gene mutation test puse lymphoma cells			
Geno	toxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal Result: negative				
II Titoni	ium dioxide:						
	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)			
Geno	toxicity in vivo	:	: Test Type: In vivo micronucleus test Species: Mouse Result: negative				
	nogenicity assified based on ava	ailable	information.				
Comp	oonents:						
Pirim	iphos-methyl (ISO):						
Speci	• • • • •	:	Rat				
Applic	cation Route	:	Oral				
Expos Resul	sure time t	:	2 Years negative				

		0
Species Application Route Exposure time	:	Mouse Oral 80 weeks



Version 8.0	Revision Date: 28.09.2024	-	0S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017	
Resu	lt	:	negative		
Carci ment	nogenicity - Assess-	:	Animal testing dic	not show any carcinogenic effects.	
lamb	da-cyhalothrin (ISO):				
Speci		:	Mouse		
	cation Route	:	oral (feed)		
Expo	sure time	:	2 Years		
Resu		:	negative		
Rema	arks	:	Based on data fro	m similar materials	
Spec	es	:	Rat		
	cation Route	:	oral (feed)		
	sure time	:	2 Years		
Resu		:	negative		
Rema	arks	:	Based on data fro	m similar materials	
Titon	ium dioxide:				
			Det		
Speci		÷	Rat	ict/fume)	
	Application Route : Exposure time :		inhalation (dust/mist/fume) 2 Years		
	Method :		OECD Test Guideline 453		
Resu		÷	positive		
Rema		:	•	r mode of action may not be relevant in hu-	
			mans.	,	
Carci ment	nogenicity - Assess-	:	Limited evidence animals.	of carcinogenicity in inhalation studies with	
-	oductive toxicity lassified based on availa	hla	information		
-		abie	information.		
Com	oonents:				
	iphos-methyl (ISO):				
Effect	ts on fertility	:		eneration reproduction toxicity study	
			Species: Rat		
			Application Route	: Orai 15,4 mg/kg body weight	
			Result: No effects		
Effect	ts on fetal development	:	Test Type: Devel	opment	
			Species: Rat		
			Application Route	oxicity: NOAEL: 150 mg/kg body weight	
				on early embryonic development.	
				al toxicity observed.	
			Toot Type: Dovel	apmont	
			Test Type: Develo Species: Rabbit	וופוונ	
			Application Route	: Oral	
				oxicity: NOAEL: 48 mg/kg body weight	
			40/00		
			12 / 20		



Version 8.0	Revision Date: 28.09.2024		0S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
				s on early embryonic development. al toxicity observed.
	<b>la-cyhalothrin (ISO):</b> s on fertility	:	General Toxicity I Symptoms: Redu Result: No effects	e: oral (feed) Parent: NOAEL: 2 mg/kg body weight F1: LOAEL: 6,7 mg/kg body weight ced offspring weight gain.
Effects	s on fetal development	:	Developmental To Result: No effects body weight gain.	
			Developmental To Result: No effects body weight gain.	
	-single exposure			
Cause May c	es damage to organs (C ause damage to organs	entr s (Ne	ai nervous system, ervous system).	).
	oonents:			
Targe	phos-methyl (ISO): t Organs sment	:	Central nervous s Causes damage t	
lambo	la-cyhalothrin (ISO):			
	t Organs sment	:	Nervous system Causes damage t	o organs.
Not cla	-repeated exposure assified based on availa ponents:	able	information.	
-	phos-methyl (ISO):	:	Not classified due	e to inconclusive data.



8.0         28.09.2024         1204406-00020         Date of first issue: 09.01.2017	Version 8.0	Revision Date: 28.09.2024	SDS Number: 1204406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
--	----------------	---------------------------	------------------------------	---

### Repeated dose toxicity

### Components:

### Pirimiphos-methyl (ISO):

Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms	<ul> <li>Rat</li> <li>0,5 mg/kg</li> <li>2,5 mg/kg</li> <li>Oral</li> <li>28 d</li> <li>Central nervous system</li> <li>cholinesterase inhibition</li> </ul>
Species LOAEL Application Route Exposure time Target Organs Symptoms	<ul> <li>Dog</li> <li>2 mg/kg</li> <li>Oral</li> <li>13 Weeks</li> <li>Central nervous system</li> <li>cholinesterase inhibition</li> </ul>
Species NOAEL Application Route Exposure time Target Organs Symptoms Remarks	<ul> <li>Rat</li> <li>25 mg/kg</li> <li>Oral</li> <li>90 d</li> <li>Central nervous system</li> <li>cholinesterase inhibition</li> <li>No significant adverse effects were reported</li> </ul>
Species LOAEL Application Route Exposure time Target Organs Symptoms	<ul> <li>Dog</li> <li>0,5 mg/kg</li> <li>Oral</li> <li>2 y</li> <li>Central nervous system</li> <li>cholinesterase inhibition</li> </ul>
Species LOAEL Application Route Exposure time Target Organs Symptoms	<ul> <li>Rat</li> <li>2,1 mg/kg</li> <li>Oral</li> <li>2 y</li> <li>Central nervous system</li> <li>cholinesterase inhibition</li> </ul>
lambda-cyhalothrin (ISO):	
Species NOAEL LOAEL Application Route Exposure time Symptoms	<ul> <li>Dog</li> <li>2,5 mg/kg</li> <li>12,5 mg/kg</li> <li>oral (feed)</li> <li>90 d</li> <li>reduced body weight gain, reduced food consumption</li> </ul>
Species NOAEL	: Rat : 10 mg/kg



LOAEL : 50 mg/kg Application Route : Dermal Exposure time : 21 d Target Organs : Nervous system Species : Rat NOAEL : 0,08 mg/kg LOAEL : 0,9 mg/kg LOAEL : 0,9 mg/kg LOAEL : 0,9 mg/kg LOAEL : 0,1 mg/kg LOAEL : 0,1 mg/kg LOAEL : 0,1 mg/kg LOAEL : 0,5 mg/kg Application Route : 0ral Exposure time : 1 y Target Organs : Nervous system Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects Titanium dioxide: Species : Rat NOAEL : 24.000 mg/kg Application Route : Insestion Exposure time : 28 Days Species : Rat NOAEL : 10 mg/m <sup>2</sup> Application Route : Ingestion Exposure time : 2 y Application Route : 10 mg/m <sup>2</sup> Application Route : 2 y <b>Aspiration toxicity</b> Not classified based on available information. Exposure time : 2 y <b>Aspiration toxicity</b> Ingestion : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head- ache, Weakness, stomach discurfort, Blurred vision, muscle witching <b>Embda-cyhalothrin (ISO)</b> Inflation : Symptoms: Cough, Local irritation, sneezing Shin contact : Symptoms: Sourch through skin. Exposure : Symptoms: Cough, Local irritation, sneezing Shin contact : Symptoms: Sourch discomfort, Blurred vision, muscle towitching Each : Symptoms: Cough, Local irritation, sneezing Shin contact : Symptoms: Sourch through skin. Experime : Symptoms: Symptoms: Cough skin triation, fulling. Exposure : Symptoms: Symptoms: Castrointestinal disturbance	Version 8.0	Revision Date: 28.09.2024	SDS Number: 1204406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
NOAEL       : 0.08 mg/kg         LOAEL       : 0.9 mg/kg         Application Route       : Inhalation         Exposure time       : 21 d         Target Organs       :: Nervous system         Species       : 0.1 mg/kg         LOAEL       :: 0.1 mg/kg         LOAEL       :: 0.5 mg/kg         NAEL       :: 0.5 mg/kg         Application Route       :: 0ral         Exposure time       :: 1 y         Target Organs       :: Nervous system         Symptoms       :: Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects         Titanium dioxide:       :         Species       :: Rat         NOAEL       :: 24.000 mg/kg         Application Route       : Ingestion         Exposure time       :: 28 Days         Species       :: Rat         NOAEL       :: 10 mg/m³         Application Route       : inhalation (dust/mist/fume)         Exposure time       :: 2 y         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Pirimiphos-methyl (ISO):       Ingestion         Ingestion       :: Symptoms: Nausea, Vomiting, Dizziness, c	Appli Expo	cation Route sure time	: Dermal : 21 d	m
NOAEL       : 0,1 mg/kg         LOAEL       : 0,5 mg/kg         Application Route       : 0ral         Exposure time       : 1 y         Target Organs       : Nervous system         Symptoms       : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects         Titanium dioxide:       :         Species       : Rat         NOAEL       : 24.000 mg/kg         Application Route       : Ingestion         Exposure time       : 28 Days         Species       : Rat         NOAEL       : 10 mg/m³         Application Route       : inhalation (dust/mist/fume)         Exposure time       : 2 y         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Pirimiphos-methyl (ISO):       Ingestion         Ingestion       : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle witching         Induation       : Symptoms: Cough, Local irritation, sneezing         Skin contact       : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Remarks: Can be absorbed through skin.       Eye contact	NOAI LOAE Appli Expo	EL EL cation Route sure time	: 0,08 mg/kg : 0,9 mg/kg : Inhalation : 21 d	m
Species       : Rat         NOAEL       : 24.000 mg/kg         Application Route       : Ingestion         Exposure time       : 28 Days         Species       : Rat         NOAEL       : 10 mg/m³         Application Route       : inhalation (dust/mist/fume)         Exposure time       : 2 y         Aspiration toxicity         Not classified based on available information.         Experience with human exposure         Components:         Pirimiphos-methyl (ISO):         Ingestion       : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):         Inhalation       : Symptoms: Cough, Local irritation, sneezing         Skin contact       : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Eye contact       : Symptoms: Eye irritation	NOAI LOAE Applie Expo Targe	EL EL cation Route sure time et Organs	: 0,1 mg/kg : 0,5 mg/kg : Oral : 1 y : Nervous syste : Gastrointestina	
NOAEL       : 24.000 mg/kg         Application Route       : Ingestion         Exposure time       : 28 Days         Species       : Rat         NOAEL       : 10 mg/m³         Application Route       : inhalation (dust/mist/fume)         Exposure time       : 2 y         Aspiration toxicity         Not classified based on available information.         Experience with human exposure         Components:         Pirimiphos-methyl (ISO):         Ingestion       : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):         Inhalation       : Symptoms: Cough, Local irritation, sneezing         Skin contact       : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Remarks: Can be absorbed through skin.       Eye contact         Eye contact       : Symptoms: Eye irritation	Titan	ium dioxide:		
NOAEL       : 10 mg/m³         Application Route       : inhalation (dust/mist/fume)         Exposure time       : 2 y         Aspiration toxicity         Not classified based on available information.         Experience with human exposure         Components:         Pirimiphos-methyl (ISO):         Ingestion       : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):         Inhalation       : Symptoms: Cough, Local irritation, sneezing         Skin contact       : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Eye contact       : Symptoms: Eye irritation	NOA Appli	EL cation Route	: 24.000 mg/kg : Ingestion	
Not classified based on available information.         Experience with human exposure         Components:         Pirimiphos-methyl (ISO):         Ingestion       : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):         Inhalation       : Symptoms: Cough, Local irritation, sneezing         Skin contact       : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Eye contact       : Symptoms: Eye irritation	NOA	EL cation Route	: 10 mg/m <sup>3</sup> : inhalation (due	st/mist/fume)
Components:         Pirimiphos-methyl (ISO):         Ingestion       :       Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):         Inhalation       :       Symptoms: Cough, Local irritation, sneezing         Skin contact       :       Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Eye contact       :       Symptoms: Eye irritation	-	•	ilable information.	
Pirimiphos-methyl (ISO):       Ingestion       Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):       Inhalation       Symptoms: Cough, Local irritation, sneezing         Skin contact       Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Eye contact       Symptoms: Eye irritation	Expe	rience with human e	cposure	
Ingestion       : Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-ache, Weakness, stomach discomfort, Blurred vision, muscle twitching         Iambda-cyhalothrin (ISO):       : Symptoms: Cough, Local irritation, sneezing         Inhalation       : Symptoms: Cough, Local irritation, sneezing         Skin contact       : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation         Eye contact       : Symptoms: Eye irritation	Com	ponents:		
Inhalation: Symptoms: Cough, Local irritation, sneezingSkin contact: Symptoms: Skin irritation, tingling, superficial burning sensa- tion, Local irritation Remarks: Can be absorbed through skin.Eye contact: Symptoms: Eye irritation			ache, Weakne	
Skin contact:Symptoms: Skin irritation, tingling, superficial burning sensa- tion, Local irritation Remarks: Can be absorbed through skin.Eye contact:Symptoms: Eye irritation				
Eye contact : Symptoms: Eye irritation			: Symptoms: Sk tion, Local irrit	in irritation, tingling, superficial burning sensa- ation
			: Symptoms: Ey	re irritation



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
8.0	28.09.2024	1204406-00020	Date of first issue: 09.01.2017

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Components:

### Pirimiphos-methyl (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,00021 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox-	:	1.000
icity) Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,13 mg/l Exposure time: 35 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,00011 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	100
lambda-cyhalothrin (ISO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00019 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00021 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,00004 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
M-Factor (Acute aquatic tox-	:	10.000
icity) Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,000062 mg/l



Version 8.0	Revision Date: 28.09.2024		0S Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017	
			Exposure time: 32 Method: OECD To Remarks: Based of		
aqua	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		NOEC (Daphnia magna (Water flea)): 0,0035 µg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials		
M-F toxic	actor (Chronic aquatic city)	:	10.000		
Tita	nium dioxide:				
Тохі	icity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te		
	icity to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 100 mg/l 3 h	
Toxi plan	icity to algae/aquatic ts	:	EC50 (Skeletoner Exposure time: 72	na costatum (marine diatom)): > 10.000 mg/l ? h	
Toxi	icity to microorganisms	:	EC50: > 1.000 mg Exposure time: 3 Method: OECD Te	h	
Pers	sistence and degradabili	ity			
Con	nponents:				
	miphos-methyl (ISO): bility in water	:	Hydrolysis: 50 %(	117 d)	
Bioa	accumulative potential				
<u>Con</u>	nponents:				
Part	miphos-methyl (ISO): ition coefficient: n- nol/water	:	log Pow: 4,2		
	bda-cyhalothrin (ISO): accumulation	:	Bioconcentration	iactor (BCF): 2.240 est Guideline 305	
	ition coefficient: n- nol/water	:	log Pow: 7,0 (20 °	C)	
Mot	oility in soil				
Con	nponents:				
	bda-cyhalothrin (ISO):				



Version 8.0	Revision Date: 28.09.2024	SDS Number: 1204406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017
Distribution among environ- mental compartments		: log Koc: 5,5	
Othe	r adverse effects		
No da	ata available		
SECTION	13. DISPOSAL CONSI	DERATIONS	
Disp	osal methods		
Wast	e from residues	•	e of waste into sewer.
Conta	aminated packaging	: Empty contain handling site for	ers should be taken to an approved waste or recycling or disposal. e specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	:	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO)) 6.1 III 6.1 yes
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen-	-	Toxic 677
Packing instruction (passen- ger aircraft) IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	670 UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO)) 6.1 III 6.1 F-A, S-A yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**



Vers 8.0	ion Revision Date: 28.09.2024		OS Number: 04406-00020	Date of last issue: 06.07.2024 Date of first issue: 09.01.2017	
	ANTT				
	UN number	:	UN 2811		
Proper shipping name		:	TOXIC SOLID, ORGANIC, N.O.S.		
			(lambda-cyhalot	thrin (ISO), Pirimiphos-methyl (ISO))	
	Class	:	6.1		
	Packing group	:			
	Labels	:	6.1		
	Hazard Identification Numbe	r :	60		

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (	LINACH)	
Group 2B: Possibly carcinogenic to humans Titanium dioxide	13463-67-7	
Brazil. List of chemicals controlled by the Federal Police	: Not applicat	ole

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

#### **Further information**

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety	eChem Portal search results and European Chemicals Agen-
Data Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of other abbreviations

ACGIH

: USA. ACGIH Threshold Limit Values (TLV)



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
8.0	28.09.2024	1204406-00020	Date of first issue: 09.01.2017

#### ACGIH / TWA

: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8