according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 1204538-00020 Date of first issue: 09.01.2017 7.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Manufacturer or supplier's details

MSD Company

Address Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone +1-908-740-4000

Emergency telephone number: +1-908-423-6000

EHSDATASTEWARD@msd.com E-mail address

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Toxic

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) Category 3

Acute toxicity (Dermal) Category 5

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 2B

Specific target organ toxicity - :

single exposure

Category 1 (Central nervous system)

Specific target organ toxicity - : Category 2 (Nervous system)

single exposure

Short-term (acute) aquatic

hazard

: Category 1

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 1204538-00020 Date of first issue: 09.01.2017 7.0

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms







Signal word Danger

Hazard statements H302 Harmful if swallowed.

> H313 May be harmful in contact with skin. H315 + H320 Causes skin and eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs (Central nervous system). H371 May cause damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or with adequate ventilation.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.

Rinse mouth.

P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.

Get medical help.

P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P332 + P317 If skin irritation occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2/20

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyvinyl chloride	9002-86-2	>= 70 - < 90
Pirimiphos-methyl (ISO)	29232-93-7	>= 10 - < 20
lambda-cyhalothrin (ISO)	91465-08-6	>= 5 - < 10
Titanium dioxide	13463-67-7	>= 0.1 - < 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

Harmful if swallowed.

delayed

May be harmful in contact with skin.

Causes skin and eye irritation.

Toxic if inhaled.

Causes damage to organs.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m3	ACGIH	
Pirimiphos-methyl (ISO)	29232-93-7	TWA	60 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	600 μg/100 cm ²	Internal	
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal	
	Further information: Skin				
		Wipe limit	50 μg/100 cm ²	Internal	

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain-

ment devices).

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : No data available

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : Not applicable

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin.

Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 654.55 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.7505 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 4,964 mg/kg

Method: Calculation method

Components:

Pirimiphos-methyl (ISO):

Acute oral toxicity : LD50 (Rat): 1,180 mg/kg

LD50 (Rat): 2,400 - 5,976 mg/kg

LD50 (Mouse): > 575 mg/kg

LD50 (Dog): > 1,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.04 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 4,592 mg/kg

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 250 - 750 mg/kg

Application Route: Intraperitoneal

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Pirimiphos-methyl (ISO):

Species : Rabbit Result : irritating

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

Titanium dioxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Pirimiphos-methyl (ISO):

Species : Rabbit

Result : Mild eye irritation

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Titanium dioxide:

Species : Rabbit

Result : No eye irritation

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Test Type : Maximisation Test

Exposure routes : Dermal
Species : Guinea pig

Result : Not a skin sensitizer.

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: equivocal

Test Type: sister chromatid exchange assay

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: 7.0 28.09.2024

SDS Number: 1204538-00020

Date of last issue: 06.07.2024 Date of first issue: 09.01.2017

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 80 weeks
Result : negative

Carcinogenicity - Assess-

nent

Animal testing did not show any carcinogenic effects.

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

П

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in inhalation studies with

anımals

Reproductive toxicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 15.4 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 150 mg/kg body weight Result: No effects on early embryonic development

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 48 mg/kg body weight Result: No effects on early embryonic development

Remarks: Maternal toxicity observed.

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs (Central nervous system). May cause damage to organs (Nervous system).

Components:

Pirimiphos-methyl (ISO):

Target Organs : Central nervous system
Assessment : Causes damage to organs.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Remarks : Not classified due to inconclusive data.

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

Repeated dose toxicity

Components:

Pirimiphos-methyl (ISO):

Species : Rat NOAEL : 0.5 mg/kg LOAEL : 2.5 mg/kg

Application Route : Oral
Exposure time : 28 d
Target Organs : Central nervous system
Symptoms : cholinesterase inhibition Symptoms

Species
LOAEL
Application Route
Exposure time
Target Organs
Symptoms : Dog Species 2 mg/kg Oral : 13 Weeks

: Central nervous system Symptoms cholinesterase inhibition

Species Rat NOAEL 25 mg/kg Application Route
Exposure time
Target Organs
Symptoms Oral : 90 d

: Central nervous system : cholinesterase inhibition

Remarks : No significant adverse effects were reported

Species Dog LOAEL 0.5 mg/kg Application Route
Exposure time : Oral 2 yr

Target Organs Central nervous system Symptoms cholinesterase inhibition

Species Rat LOAEL 2.1 mg/kg LOAEL
Application Route
Exposure time
Target Organs
Symptoms Oral : 2 yr

Central nervous system **Symptoms** cholinesterase inhibition

lambda-cyhalothrin (ISO):

Species Dog NOAEL 2.5 mg/kg LOAEL 12.5 mg/kg Application Route oral (feed)

Exposure time 90 d

Symptoms reduced body weight gain, reduced food consumption

Species Rat NOAEL 10 mg/kg

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

LOAEL 50 mg/kg Application Route
Exposure time
Target Organs Dermal 21 d

Target Organs Nervous system

Species Rat

Species
NOAEL
LOAEL
Application Route
Exposure time
Target Organs 0.08 mg/kg 0.9 mg/kg : Inhalation 21 d

Target Organs Nervous system

Species Doa NOAEL 0.1 mg/kg LOAEL 0.5 mg/kg Application Route : Oral
Exposure time : 1 yr
Target Organs : Nervous system
Symptoms : Gastrointestinal of

: Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Symptoms

Liver effects

Titanium dioxide:

Species Rat

: 24,000 mg/kg NOAEL Application Route : Ingestion Exposure time : 28 Days

Species Rat : Rat : 10 mg/m3 NOAEL

: inhalation (dust/mist/fume) Application Route

Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Pirimiphos-methyl (ISO):

Ingestion Symptoms: Nausea, Vomiting, Dizziness, confusion, Head-

ache, Weakness, stomach discomfort, Blurred vision, muscle

twitching

lambda-cyhalothrin (ISO):

Inhalation Symptoms: Cough, Local irritation, sneezing

Skin contact Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

: Symptoms: Eye irritation Eye contact

Ingestion Symptoms: Gastrointestinal disturbance

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 1204538-00020 Date of first issue: 09.01.2017 7.0

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Pirimiphos-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.00021 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 1

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

1.000

Toxicity to fish (Chronic tox-:

icity)

NOEC: 0.13 mg/l

Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : NOEC: 0.00011 mg/l aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 100

lambda-cyhalothrin (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 1204538-00020 Date of first issue: 09.01.2017 7.0

M-Factor (Acute aquatic tox- : 10,000

Toxicity to fish (Chronic tox- : NOEC: 0.000062 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0035 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 10.000

Titanium dioxide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Skeletonema costatum (marine diatom)): > 10,000

Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Pirimiphos-methyl (ISO):

Stability in water : Hydrolysis: 50 %(117 d)

Bioaccumulative potential

Components:

Pirimiphos-methyl (ISO):

Partition coefficient: n-

: log Pow: 4.2

octanol/water

lambda-cyhalothrin (ISO):

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 1204538-00020 Date of first issue: 09.01.2017 7.0

Bioaccumulation Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7.0 (20 °C)

Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environ-

mental compartments

: log Koc: 5.5

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN 2811 UN number

TOXIC SOLID, ORGANIC, N.O.S. Proper shipping name

(lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO))

Class 6.1 Packing group Ш Labels 6.1 Environmentally hazardous yes

IATA-DGR

UN 2811 UN/ID No.

Toxic solid, organic, n.o.s. Proper shipping name

(lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO))

Class 6.1 Ш Packing group Labels Toxic Packing instruction (cargo 677

aircraft)

Packing instruction (passen: 670

ger aircraft)

IMDG-Code

18/20

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 1204538-00020 Date of first issue: 09.01.2017 7.0

UN number UN 2811

TOXIC SOLID, ORGANIC, N.O.S. Proper shipping name

(lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO))

Class Packing group Ш Labels 6.1 **EmS Code** F-A, S-A Marine pollutant yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix-

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

16. OTHER INFORMATION

Revision Date 28.09.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Internal technical data, data from raw material SDSs, OECD

Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

according to the Globally Harmonized System



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 7.0 28.09.2024 1204538-00020 Date of first issue: 09.01.2017

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN