

# **Policresulen Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.5
 06.04.2024
 6111738-00010
 Date of first issue: 15.07.2020

**SECTION 1: IDENTIFICATION** 

Product name : Policresulen Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street

Bendigo 3550, Victoria Austrailia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

**SECTION 2. HAZARDS IDENTIFICATION** 

**GHS Classification** 

Skin corrosion/irritation : Category 1

Serious eye damage/eye irri-

tation

Category 1

**GHS** label elements

Hazard pictograms

T. B.

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Supplemental Hazard State-

ments

AUH071 Corrosive to the respiratory tract.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth.



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6111738-00010 3.5 06.04.2024 Date of first issue: 15.07.2020

Do NOT induce vomiting. Immediately call a POISON

CENTER/ doctor.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

### Storage:

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic acid	101418-00-2	>= 30 -< 60

## **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention immediately. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water



# **Policresulen Formulation**

SDS Number: Date of last issue: 30.09.2023 Version Revision Date: 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and Causes serious eye damage. Causes severe burns.

delayed

Corrosive to the respiratory tract. Causes digestive tract burns.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations. Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

Organic peroxides Oxidizing agents Explosives

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Hydroxy-3,5-bis[(4-hydroxy- 2-methyl-5- sulfophenyl)methyl]-4- methylbenzenesulfonic acid	101418-00-2	TWA	OEB 1 (1 mg/m3)	Internal

**Engineering measures**: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Organic vapour type

Material

: Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : brown

Odour : phenol-like

Odour Threshold : No data available

pH : <1



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.135

No data available

Density : No data available

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 6.78 mm2/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Bases

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

### **Components:**

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Causes severe burns.

**Components:** 

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

id:

Result : Corrosive after 4 hours or less of exposure

Remarks : Based on extreme pH

Serious eye damage/eye irritation

Causes serious eye damage.

**Components:** 

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

id:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6111738-00010 3.5 06.04.2024 Date of first issue: 15.07.2020

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### **Chronic toxicity**

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

# 2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

id:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

### Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

### **Components:**

# 2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

ment

Effects on fertility Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

### STOT - single exposure

Corrosive to the respiratory tract.

### STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

### **Components:**

### 2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic acid:



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

Species : Rat
NOAEL : 150 mg/kg
Application Route : Ingestion
Exposure time : 3 Months

## **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic acid:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Components:** 

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

id:

Partition coefficient: n- : log Pow: 1.60

octanol/water Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

UN number : UN 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-

sulfophenyl)methyl]-4-methylbenzenesulfonic acid)

Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : UN 3265

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-

sulfophenyl)methyl]-4-methylbenzenesulfonic acid)

Class : 8 Packing group : II

Labels : Corrosive Packing instruction (cargo : 855

aircraft)

Packing instruction (passen- : 851

ger aircraft)

**IMDG-Code** 

UN number : UN 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-

4-methylbenzenesulfonic acid)

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**ADG** 

UN number : UN 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-

sulfophenyl)methyl]-4-methylbenzenesulfonic acid)

Class : 8
Packing group : II
Labels : 8
Hazchem Code : 2X
Environmentally hazardous : no



# **Policresulen Formulation**

Date of last issue: 30.09.2023 Version Revision Date: SDS Number: 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons: Standard) Instrument

No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

# The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

# **SECTION 16: ANY OTHER RELEVANT INFORMATION**

# **Further information**

**Revision Date** 06.04.2024

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet

cy, http://echa.europa.eu/

Date format dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



# **Policresulen Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.5 06.04.2024 6111738-00010 Date of first issue: 15.07.2020

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN