

Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Section 1: Identification

Product identifier : Policresulen Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Skin corrosion/irritation : Category 1

Serious eye damage/eye irri-

tation

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting. Immediately call a POISON



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

CENTER/ doctor.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 36 %

Other hazards which do not result in classification

Corrosive to the respiratory tract.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-	101418-00-2	>= 30 -< 50
sulfophenyl)methyl]-4-methylbenzenesulfonic		
acid		

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Get medical attention immediately.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

Causes severe burns.
Causes digestive tract burns.
Corrosive to respiratory system.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

ucts Sulphur oxides

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.



Policresulen Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 06.04.2024
 6111732-00010
 Date of first issue: 15.07.2020

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations. Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Explosives

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Hydroxy-3,5-bis[(4-hydroxy- 2-methyl-5- sulfophenyl)methyl]-4- methylbenzenesulfonic acid	101418-00-2	TWA	OEB 1 (1 mg/m3)	Internal

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection : Organic vapour type

Material : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : liquid

Colour : brown

Odour : phenol-like

Odour Threshold : No data available

pH : <1

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.135

No data available

Density : No data available

Solubility(ies)

Water solubility : partly miscible



Policresulen Formulation

Version SDS Number: Date of last issue: 30.09.2023 **Revision Date:** 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Partition coefficient: n-

No data available

octanol/water

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

6.78 mm2/s Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known. Incompatible materials Oxidizing agents

Bases

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Inhalation Information on likely routes of:

exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

LD50 (Mouse): > 2,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Skin corrosion/irritation

Causes severe burns.

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

id:

Result : Corrosive after 4 hours or less of exposure

Remarks : Based on extreme pH

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

id:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

 $\hbox{2-Hydroxy-3,5-bis} \hbox{$(4$-hydroxy-2-methyl-5-sulfophenyl)} methyl \hbox{$]-4$-methyl benzene sulfonic access to the contract of the contract o$

id:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic acid:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Effects on foetal develop-: Test Type: Fertility/early embryonic development

Species: Rat ment

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

Species Rat

NOAEL : 150 mg/kg Application Route : Ingestion Exposure time 3 Months

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information

Toxicity

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

Ecotoxicology Assessment

: Toxic effects cannot be excluded Acute aquatic toxicity

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

No data available

Bioaccumulative potential

Components:

2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-4-methylbenzenesulfonic ac-

Partition coefficient: n-: log Pow: 1.60

octanol/water Remarks: Calculation



Policresulen Formulation

Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number UN 3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-

sulfophenyl)methyl]-4-methylbenzenesulfonic acid)

Transport hazard class(es) 8

Packing group Ш Labels 8 Environmental hazards no

IATA-DGR

UN 3265 UN/ID No.

UN proper shipping name Corrosive liquid, acidic, organic, n.o.s.

8

851

8

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-

sulfophenyl)methyl]-4-methylbenzenesulfonic acid)

Transport hazard class(es)

Ш Packing group

Corrosive Labels 855

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

IMDG-Code

UN number UN 3265

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. Proper shipping name

(2-Hydroxy-3,5-bis[(4-hydroxy-2-methyl-5-sulfophenyl)methyl]-

4-methylbenzenesulfonic acid)

Transport hazard class(es)

Packing group Ш Labels 8

EmS Code F-A, S-B Marine pollutant no



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazard-

ous Substances) Regulations

Not applicable

Fire Safety (Petroleum and Flammable Materials)

Regulations

: Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with



Policresulen Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 6111732-00010 Date of first issue: 15.07.2020

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN