

**Prednisolone / Chloramphenicol Formulation**

Version 2.1      Revision Date: 2023/09/30      SDS Number: 5710729-00009      Date of last issue: 2023/04/04  
Date of first issue: 2020/04/23

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Prednisolone / Chloramphenicol Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone number : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Carcinogenicity : Category 2  
Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal word : Danger  
Hazard statements : H351 Suspected of causing cancer.  
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

P308 + P313 IF exposed or concerned: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Chloramphenicol	56-75-7	>= 1 -< 10
prednisolone	50-24-8	>= 0.025 -< 0.25
Basic phenylmercury nitrate	8003-05-2	>= 0.0003 -< 0.0025

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.  
May damage fertility or the unborn child.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## Prednisolone / Chloramphenicol Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 5710729-00009      Date of last issue: 2023/04/04  
 Date of first issue: 2020/04/23

### 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe dust.  
 Do not breathe vapours.  
 Do not swallow.  
 Avoid contact with eyes.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Chloramphenicol	56-75-7	TWA	300 µg/m <sup>3</sup> (OEB 2)	
prednisolone	50-24-8	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Basic phenylmercury nitrate	8003-05-2	NAB	0.1 mg/m <sup>3</sup> (Mercury)	ID OEL
Further information: Skin				
		PSD	0.03 mg/m <sup>3</sup> (Mercury)	ID OEL
Further information: Skin				
		TWA	0.1 mg/m <sup>3</sup> (Mercury)	ACGIH

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : cream

**Colour** : No data available

**Odour** : No data available

**Odour Threshold** : No data available

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Chloramphenicol:**

Acute oral toxicity : LD50 Oral (Rat): 2,500 mg/kg

##### **prednisolone:**

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg  
Application Route: Intraperitoneal

##### **Basic phenylmercury nitrate:**

Acute oral toxicity : LD50 (Mouse): > 50 - 300 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****prednisolone:**

Remarks : No data available

**Basic phenylmercury nitrate:**

Result : Corrosive after 4 hours or less of exposure  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Chloramphenicol:**

Remarks : Mild eye irritation

**prednisolone:**

Remarks : No data available

**Basic phenylmercury nitrate:**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****prednisolone:**

Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Chloramphenicol:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: human diploid fibroblasts  
Result: positive



## Prednisolone / Chloramphenicol Formulation

Version 2.1	Revision Date: 2023/09/30	SDS Number: 5710729-00009	Date of last issue: 2023/04/04 Date of first issue: 2020/04/23
----------------	------------------------------	------------------------------	---

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Mouse  
Cell type: Bone marrow  
Result: positive

Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Result: negative

### prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: sister chromatid exchange assay  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Humans  
Result: negative

### Carcinogenicity

Suspected of causing cancer.

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

### Components:

#### **Chloramphenicol:**

Remarks : IARC: (International Agency for Research on Cancer)

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

#### **prednisolone:**

Species : Rat  
 Application Route : Oral  
 Exposure time : 18 Months  
 Result : negative

### **Reproductive toxicity**

May damage fertility or the unborn child.

### Components:

#### **Chloramphenicol:**

Effects on foetal development : Species: Monkey, female  
 Result: No significant adverse effects were reported

Species: Mouse  
 Developmental Toxicity: LOAEL: 500 mg/kg body weight  
 Result: Embryo-foetal toxicity, Fetal growth retardation

Species: Rat  
 Developmental Toxicity: LOAEL: 500 - 2,000 mg/kg body weight  
 Result: Embryo-foetal toxicity, Fetal growth retardation, Teratogenic effects

Species: Rabbit  
 Developmental Toxicity: LOAEL: 1,000 mg/kg body weight  
 Result: Embryo-foetal toxicity, Fetal growth retardation

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

#### **prednisolone:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Subcutaneous  
 Fertility: NOAEL: 1 mg/kg body weight  
 Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 0.5 mg/kg body weight  
 Result: Malformations were observed., Cleft palate

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 30 mg/kg body weight  
 Result: decreased blood formation

Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: NOAEL: 25 mg/kg body weight  
 Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Basic phenylmercury nitrate:

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: positive  
 Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### Components:

#### Chloramphenicol:

Exposure routes : Oral  
 Target Organs : Blood, Bone marrow

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Chloramphenicol:

Exposure routes : Oral, Inhalation  
 Target Organs : Blood, Bone marrow, Liver

#### prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Prednisolone / Chloramphenicol Formulation**

Version 2.1      Revision Date: 2023/09/30      SDS Number: 5710729-00009      Date of last issue: 2023/04/04  
Date of first issue: 2020/04/23

---

**Basic phenylmercury nitrate:**

Exposure routes : Oral  
Target Organs : Kidney  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Chloramphenicol:**

Species : Dog  
Target Organs : Blood, Bone marrow  
Symptoms : decrease in appetite, Reduced body weight

**prednisolone:**

Species : Rat  
LOAEL : 0.6 mg/kg  
Application Route : Oral  
Exposure time : 63 Days  
Target Organs : Bone marrow

Species : Dog  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 6 Weeks  
Target Organs : Adrenal gland

Species : Rabbit  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 24 Weeks  
Target Organs : Liver

**Basic phenylmercury nitrate:**

Species : Rat  
NOAEL : < 1.25 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Chloramphenicol:**

General Information : Target Organs: Blood

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

Target Organs: Bone marrow  
Symptoms: aplastic anemia, confusion, Diarrhoea, Fever, Headache, Nausea, Vomiting

**prednisolone:**

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities

---

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Components:**

**prednisolone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 85 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l  
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l  
Exposure time: 7 d

**Basic phenylmercury nitrate:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.001 - 0.01 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 100

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 0.0001 - 0.001 mg/l  
Exposure time: 32 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 35 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : NOEC (Bacteria): > 0.001 - 0.01 mg/l  
Exposure time: 18 h  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Basic phenylmercury nitrate:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****prednisolone:**

Partition coefficient: n-octanol/water : log Pow: 1.46

**Basic phenylmercury nitrate:**

Partition coefficient: n-octanol/water : log Pow: 1.27

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

##### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

##### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

#### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I	:	Not applicable
Type of hazardous materials subject to distribution and control, Annex II	:	Not applicable

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

## 16. OTHER INFORMATION

Revision Date : 2023/09/30

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ID OEL	:	Indonesia. Occupational Exposure Limits

ACGIH / TWA	:	8-hour, time-weighted average
ID OEL / NAB	:	Long term exposure limit
ID OEL / PSD	:	Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	5710729-00009	Date of first issue: 2020/04/23

---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN