according to Regulation (EC) No. 1907/2006



Prednisolone/Neomycin/TetracyclineFormulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Prednisolone / Neomycin / Tetracycline Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

MSD Company

Kilsheelan

Clonmel Tipperary, IE

Telephone 353-51-601000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Reproductive toxicity, Category 1A H360D: May damage the unborn child. Effects on or via lactation H362: May cause harm to breast-fed children. H400: Very toxic to aquatic life.

Short-term (acute) aquatic hazard, Cate-

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Danger

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Hazard statements : H317 May cause an allergic skin reaction.

H360D May damage the unborn child.

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P263 Avoid contact during pregnancy and while nursing.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/face protection.

Response:

P391 Collect spillage.

Hazardous components which must be listed on the label:

Neomycin, sulfate (salt) tetracycline hydrochloride

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Neomycin, sulfate (salt)	1405-10-3 215-773-1	Skin Sens. 1B; H317 Repr. 2; H361d STOT RE 2; H373 (Kidney, inner ear) Aquatic Acute 1;	>= 3 - < 10



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

		H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 10	
tetracycline hydrochloride	64-75-5 200-593-8	Repr. 1A; H360D Lact.H362 STOT RE 2; H373 (Gastrointestinal tract, Nervous system, Skin, Teeth) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2.5
prednisolone	50-24-8 200-021-7	Acute Tox. 4; H302 Repr. 2; H361d STOT RE 1; H372 (Bone marrow, Adrenal gland, Liver) Aquatic Chronic 2; H411	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

May cause an allergic skin reaction.
May damage the unborn child.

May cause harm to breast-fed children.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds

Metal oxides Sulphur oxides

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.

Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

dusts non-specific 4 mg/m3

Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable

dust)

Basis: IE OEL

10 mg/m3

Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable

dust)

Basis: IE OEL

0	LOAO NI-	\	0	L D!-
Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Paraffin waxes and	8002-74-2	OELV - 8 hrs	2 mg/m3	IE OEL
Hydrocarbon wax-		(TWA) (Fumes)]	
es				
es		OFIN 45 min	C m m /m 2	IE OEI
		OELV - 15 min	6 mg/m3	IE OEL
		(STEL) (Fumes)		
Magnesium stea-	557-04-0	OELV - 8 hrs	10 mg/m3	IE OEL
rate		(TWA)		
Neomycin, sulfate	1405-10-3	TWA	1 mg/m3 (OEB 1)	Internal
(salt)	1100100	1777	1 mg/mo (025 1)	Intomar
	Further inforr	nation: DSEN, OTO		
		Wipe limit	0.1 mg/100 cm ²	Internal
tetracycline hydro-	64-75-5	TWA	0.9 mg/m3 (OEB 2)	Internal
chloride			313 mg/ m3 (3 = 2 =)	
prednisolone	50-24-8	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Neomycin, sulfate (salt)	Water	0.00004 mg/l

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : No data available
Odour : No data available
Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling:

range

ling : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : No data available

Partition coefficient: n- : Not applicable

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

octanol/water

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation exposure Skin contact

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version 5.0 Revision Date: 04.04.2023

SDS Number: 443934-00022

Date of last issue: 16.12.2022 Date of first issue: 07.01.2016

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg

LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 633 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg Application Route: Intravenous

LD50 (Mouse): 275 mg/kg

Application Route: Subcutaneous

tetracycline hydrochloride:

Acute oral toxicity : LD50 (Rat): 6,443 mg/kg

LD50 (Mouse): 2,759 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 128 mg/kg

Application Route: Intravenous

LD50 (Mouse): 157 mg/kg Application Route: Intravenous

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of:

administration)

LD50 (Rat): 147 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg

Application Route: Intraperitoneal

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Skin corrosion/irritation

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Species : Rabbit

Result : Mild skin irritation

tetracycline hydrochloride:

Remarks : No data available

prednisolone:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Species : Rabbit

Result : No eye irritation

tetracycline hydrochloride:

Remarks : No data available

prednisolone:

Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Exposure routes : Dermal Species : Humans Result : positive

tetracycline hydrochloride:

Remarks : No data available

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Mouse

Cell type: Bone marrow

Application Route: Intravenous injection

Result: negative

tetracycline hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Cytogenetic assay

Test system: Chinese hamster ovary cells

Result: negative

Test Type: sister chromatid exchange assay

Result: negative

Test Type: Mouse Lymphoma

Result: negative

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: sister chromatid exchange assay

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat Application Route: Oral

Result: negative

Test Type: sister chromatid exchange assay

Species: Humans Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

tetracycline hydrochloride:

Species : Rat
Application Route : Oral
Exposure time : 103 W
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 103 W
Result : negative

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Mo

Exposure time : 18 Months Result : negative

Reproductive toxicity

May damage the unborn child.

May cause harm to breast-fed children.

Components:

Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic develop-

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

ment were detected.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

tetracycline hydrochloride:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 400 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Result: Embryo-foetal toxicity, Specific developmental abnor-

malities, Skeletal malformations

Reproductive toxicity - As-

sessment

Studies indicating a hazard to babies during the lactation peri-

od, May damage the unborn child.

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Subcutaneous Fertility: NOAEL: 1 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Developmental Toxicity: LOAEL: 0.5 mg/kg body weight Result: Malformations were observed., Cleft palate

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight

Result: decreased blood formation

Species: Rat

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Application Route: Subcutaneous

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Target Organs : Kidney, inner ear

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

tetracycline hydrochloride:

Exposure routes : Oral

Target Organs : Gastrointestinal tract, Nervous system, Skin, Teeth

Assessment : May cause damage to organs through prolonged or repeated

exposure.

prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Neomycin, sulfate (salt):

Species : Mouse LOAEL : 30 mg/kg Application Route : Subcutaneous

Exposure time : 14 d
Target Organs : Kidney

Species : Guinea pig

NOAEL : 50 mg/kg

LOAEL : 100 mg/kg

Application Route : Intramuscular

Exposure time : 30 - 60 Weeks

Target Organs : ear

Species : Guinea pig

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

NOAEL 10 mg/kg Application Route Oral Exposure time 90 d

Remarks No significant adverse effects were reported

Species Guinea pig LÖAEL 100 mg/kg Application Route Subcutaneous

Exposure time 34 d

Species Dog LOAEL 24 ma/ka Application Route Intramuscular

Exposure time 30 d Target Organs Kidney

Species Rat LOAEL 25 mg/kg Application Route Exposure time Target Organs oral (feed) 84 Weeks ear

Symptoms hearing loss

Remarks mortality observed

Dog Species LÖAEL 20 mg/kg Application Route Subcutaneous

Exposure time 90 d Kidney Target Organs

tetracycline hydrochloride:

Species Rat

NOAEL 625 mg/kg LOAEL 1,250 mg/kg Application Route oral (feed) Exposure time 13 W Target Organs Liver

Symptoms Reduced body weight

Mouse Species NOAEL 3,750 mg/kg LOAEL 7,500 mg/kg Application Route : oral (feed) Exposure time 13 W

Symptoms Reduced body weight

prednisolone:

Species Rat LOAEL 0.6 mg/kg Application Route Oral Exposure time 63 Days

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Target Organs : Bone marrow

Species : Dog
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Species : Rabbit
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 24 Weeks
Target Organs : Liver

Aspiration toxicity

Not classified based on available information.

Components:

tetracycline hydrochloride:

Not applicable

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Neomycin, sulfate (salt):

Skin contact : Symptoms: Sensitisation

Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

Ingestion : Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing

loss, Loss of balance

tetracycline hydrochloride:

Ingestion : Target Organs: Teeth

Symptoms: Gastrointestinal disturbance, Nausea, Vomiting, Diarrhoea, Liver effects, skin rash, central nervous system

effects

Remarks: May cause sensitisation of susceptible persons.

May cause photosensitisation. Based on Human Evidence

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

prednisolone:

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid reten-

tion, subcutaneous bleeding, striae, skin atrophy, menstrual

irregularities

SECTION 12: Ecological information

12.1 Toxicity

plants

Components:

Neomycin, sulfate (salt):

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 72 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)):

0.0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

1,000

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic : 10

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

toxicity)

tetracycline hydrochloride:

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 6.2 mg/l

Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): 2.5 mg/l

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 3.31

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.032

mg/l

Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0.09 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to microorganisms : EC50 : 0.08 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

: 1

prednisolone:

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 85 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 160

mg/l

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160

mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.23 mg/l Exposure time: 7 d

Species: Ceriodaphnia dubia (water flea)

12.2 Persistence and degradability

Components:

Neomycin, sulfate (salt):

Biodegradability : Result: rapidly degradable

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: 5.0 04.04.2023 443934-00022

Date of last issue: 16.12.2022 Date of first issue: 07.01.2016

Biodegradation: 50 % Exposure time: 1.2 d

Method: OECD Test Guideline 314

12.3 Bioaccumulative potential

Components:

Neomycin, sulfate (salt):

Partition coefficient: n-

log Pow: < -2

octanol/water

tetracycline hydrochloride:

Partition coefficient: n-

log Pow: -1.37 pH: 7

octanol/water

prednisolone:

Partition coefficient: n-

: log Pow: 1.46

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90

according to Regulation (EC) No. 1907/2006



Prednisolone/Neomycin/TetracyclineFormulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Labels 9

ADR

Packing group Ш Classification Code M7 Hazard Identification Number 90 Labels q Tunnel restriction code (-)

RID

Packing group Ш Classification Code M7 Hazard Identification Number: 90 Labels 9

IMDG

Packing group Ш Labels

F-A, S-F **EmS Code**

IATA (Cargo)

Packing instruction (cargo 956

aircraft)

Packing instruction (LQ) Y956 Packing group Ш

Labels Miscellaneous

IATA (Passenger)

Packing instruction (passen-956

ger aircraft)

Packing instruction (LQ) Y956 Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

Environmentally hazardous yes

Environmentally hazardous yes

Environmentally hazardous yes

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

: Not applicable

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2
E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction. H360D : May damage the unborn child.

H361d : Suspected of damaging the unborn child. H362 : May cause harm to breast-fed children.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Lact. : Effects on or via lactation Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure

Limit Values - Schedule 1

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference peri-

(STEL) od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

according to Regulation (EC) No. 1907/2006



Prednisolone / Neomycin / Tetracycline Formulation

Version Revision Date: SDS Number: Date of last issue: 16.12.2022 5.0 04.04.2023 443934-00022 Date of first issue: 07.01.2016

 Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

H317	Calculation method
H360D	Calculation method
H362	Calculation method
H400	Calculation method
H410	Calculation method
	H360D H362 H400

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN