

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 11.0
 28.09.2024
 407504-00026
 Date of first issue: 07.01.2016

SECTION 1. IDENTIFICATION

Product identifier : Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Effects on or via lactation

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms



!



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H360D May damage the unborn child.

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P263 Avoid contact during pregnancy and while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5		>= 70 -< 90
Neomycin, sulfate (salt)	1405-10-3	Acute Tox. (Oral), 5 Skin Sens., 1B Repr., 2 STOT RE, (Kidney, inner ear), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 3 -< 5
Magnesium stearate	557-04-0		>= 1 -< 5
Tetracycline hydrochloride	64-75-5	Repr., 1A Lact. STOT RE, (Oral)(Gastrointestinal tract, Nervous system, Skin, Teeth), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 1 -< 2,5
Bacitracin	1405-87-4	Skin Sens., 1 Aquatic Acute, 2	>= 0,25 -< 1



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version SDS Number: Date of last issue: 06.07.2024 Revision Date: 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

		Aquatic Chronic, 2	
prednisolone	50-24-8	Acute Tox. (Oral), 4 Repr., 2 STOT RE, (Bone marrow, Adrenal gland, Liver), 1 Aquatic Acute, 3 Aquatic Chronic, 2	>= 0,1 -< 0,25

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction. Most important symptoms May damage the unborn child. and effects, both acute and

delayed

May cause harm to breast-fed children.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Chlorine compounds

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

ocal/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.

Do not get on skin or clothing. Do not breathe mist or vapors.

Do not breathe mist of vapor

Do not swallow.



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m³	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1 mg/m3 (OEB 1)	Internal
	Further information: DSEN, OTO			
		Wipe limit	0.1 mg/100 cm ²	Internal
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m³	ACGIH
		TWA (Respirable particulate	3 mg/m³	ACGIH



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 11.0
 28.09.2024
 407504-00026
 Date of first issue: 07.01.2016

		matter)			
Tetracycline hydrochloride	64-75-5	TWA	0.9 mg/m3 (OEB	Internal	
			2)		
Bacitracin	1405-87-4	TWA	4 mg/m3 (OEB 1)	Internal	
	Further inforn	Further information: DSEN, RSEN			
		Wipe limit	0.1 mg/100 cm ²	Internal	
prednisolone	50-24-8	TWA	10 μg/m3 (OEB 3)	Internal	
		Wipe limit	100 μg/100 cm ²	Internal	

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type

Hand protection

Material

: Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : oily, suspension

Color : No data available

Odor : No data available

Odor Threshold : No data available



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2.880 mg/kg

LD50 (Rat): 2.750 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 633 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 27,6 mg/kg Application Route: Intravenous

LD50 (Mouse): 275 mg/kg



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 11.0
 28.09.2024
 407504-00026
 Date of first issue: 07.01.2016

Application Route: Subcutaneous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Acute oral toxicity : LD50 (Rat): 6.443 mg/kg

LD50 (Mouse): 2.759 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 128 mg/kg

Application Route: Intravenous

LD50 (Mouse): 157 mg/kg Application Route: Intravenous

Bacitracin:

Acute oral toxicity : LD50 (Mouse): > 2.000 mg/kg

Remarks: Based on data from similar materials

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1.680 mg/kg

LD50 (Rat): > 3.857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of:

administration)

LD50 (Rat): 147 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit

Result : No skin irritation



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Neomycin, sulfate (salt):

Species : Rabbit

Result : Mild skin irritation

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Remarks : No data available

prednisolone:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit

Result : No eye irritation

Neomycin, sulfate (salt):

Species : Rabbit

Result : No eye irritation

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Remarks : No data available

prednisolone:

Remarks : No data available

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Components:

White mineral oil (petroleum):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Neomycin, sulfate (salt):

Routes of exposure : Dermal Species : Humans Result : positive

Magnesium stearate:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Remarks : No data available

Bacitracin:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Result : positive

Assessment : Probability or evidence of skin sensitization in humans

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Remarks: Based on data from similar materials

Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Mouse

Cell type: Bone marrow

Application Route: Intravenous injection

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Cytogenetic assay

Test system: Chinese hamster ovary cells

Result: negative

Test Type: sister chromatid exchange assay

Result: negative

Test Type: Mouse Lymphoma

Result: negative



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Bacitracin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: sister chromatid exchange assay

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: sister chromatid exchange assay

Species: Humans Result: negative

Carcinogenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Neomycin, sulfate (salt):

Species: RatExposure time: 2 YearsResult: negative

Tetracycline hydrochloride:

Species : Rat



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Application Route : Oral
Exposure time : 103 W
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 103 W
Result : negative

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

Reproductive toxicity

May damage the unborn child. May cause harm to breast-fed children.

Components:

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Embryo-fetal toxicity.: NOAEL: 275 mg/kg body weight Result: No adverse effects., No teratogenic effects.

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight

Result: positive



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 400 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Result: Embryo-fetal toxicity., Specific developmental abnor-

malities., Skeletal malformations.

Reproductive toxicity - As-

sessment

Studies indicating a hazard to babies during the lactation

period, May damage the unborn child.

Bacitracin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Subcutaneous Fertility: NOAEL: 1 mg/kg body weight

Result: No effects on fertility.



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Oral

Developmental Toxicity: LOAEL: 0,5 mg/kg body weight Result: Malformations were observed., Cleft palate

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight

Result: decreased blood formation

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Target Organs : Kidney, inner ear

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

Tetracycline hydrochloride:

Routes of exposure : Oral

Target Organs : Gastrointestinal tract, Nervous system, Skin, Teeth

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Bacitracin:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver

Assessment : Causes damage to organs through prolonged or repeated

exposure.



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version SDS Number: Date of last issue: 06.07.2024 Revision Date: 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species Rat LOAEL 160 mg/kg Application Route Ingestion Exposure time 90 Days

Species

LOAEL : >= 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Coech Test Guideline 412 **Species** Rat

Method

Neomycin, sulfate (salt):

Species Mouse LOAEL 30 mg/kg Application Route Subcutaneous

Exposure time 14 d Target Organs Kidney

Species Guinea pig NOAEL 50 mg/kg LOAEL : 100 mg/kg Application Route : Intramuscular Exposure time : 30 - 60 Weeks

Target Organs ear

Species Guinea pig NOAEL 10 mg/kg Application Route Oral Exposure time 90 d

Remarks No significant adverse effects were reported

Species Guinea pig LOAEL 100 mg/kg Application Route Subcutaneous

Exposure time 34 d

Species Dog LOAEL 24 mg/kg Application Route Intramuscular

Exposure time 30 d Target Organs Kidney

Species Rat LOAEL : 25 mg/kg Application Route : oral (feed) Exposure time 84 Weeks Target Organs : ear

Symptoms hearing loss



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version SDS Number: Date of last issue: 06.07.2024 Revision Date: 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Remarks mortality observed

Species Dog LOAEL 20 mg/kg Application Route : Subcutaneous

: Exposure time 90 d Target Organs Kidney

Magnesium stearate:

Species

Rat
1 > 100 mg/kg
2 Ingestion
3 90 Dave NOAEL Application Route Exposure time

Remarks Based on data from similar materials

Tetracycline hydrochloride:

Species Rat NOAEL 625 mg/kg LOAEL 1.250 mg/kg Application Route : oral (feed) Exposure time 13 W Target Organs Liver

Symptoms : Reduced body weight

: Mouse : 3.750 mg/kg Species NOAEL LOAEL : 7.500 mg/kg : oral (feed) Application Route Exposure time : 13 W

Symptoms Reduced body weight

Bacitracin:

Species : Rat LOAEL : > 10 mg/kgApplication Route : Ingestion

Exposure time : 13 Weeks

Remarks : Based on data from similar materials

prednisolone:

Species Rat LÖAEL 0,6 mg/kg Application Route : Oral Exposure time 63 Days Target Organs : Bone marrow

Species Dog LOAEL : 2,5 mg/kg Application Route Oral 6 Weeks Exposure time Target Organs : Adrenal gland



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version SDS Number: Date of last issue: 06.07.2024 Revision Date: 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Species Rabbit LOAEL 1 mg/kg Application Route Oral Exposure time 24 Weeks Target Organs Liver

Aspiration toxicity

Not classified based on available information.

Components:

Tetracycline hydrochloride:

Not applicable

Experience with human exposure

Components:

Neomycin, sulfate (salt):

Skin contact : Symptoms: Sensitization

Remarks: May irritate skin.

: Remarks: May cause eye irritation. Eye contact

Symptoms: Nausea, Vomiting, Diarrhea, tinnitus, hearing loss, Ingestion

Loss of balance

Tetracycline hydrochloride:

Ingestion Target Organs: Teeth

> Symptoms: Gastrointestinal disturbance, Nausea, Vomiting, Diarrhea, Liver effects, skin rash, central nervous system ef-

Remarks: May cause sensitization of susceptible persons.

May cause photosensitization. Based on Human Evidence

prednisolone:

Ingestion Symptoms: sodium retention, Headache, Vertigo, fluid reten-

tion, subcutaneous bleeding, striae, skin atrophy, menstrual

irregularities

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Toxicity to algae/aquatic

: NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

plants

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.000 mg/l

Exposure time: 21 d

Neomycin, sulfate (salt):

Toxicity to daphnia and other : aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 72 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 0,00075 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0,0003 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,0099

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)):

0,0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

city)

1.000

M-Factor (Chronic aquatic

toxicity)

: 10

Toxicity to microorganisms

EC50 (Natural microorganism): 107,6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 6,2 mg/l

Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): 2,5 mg/l

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 3,31

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,032

mg/l

Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0,09 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

: 1

Version SDS Number: Date of last issue: 06.07.2024 Revision Date: 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

: EC50: 0,08 mg/l Exposure time: 3 h

> Test Type: Respiration inhibition Method: OECD Test Guideline 209

Bacitracin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Artemia salina (brine shrimp)): 21,8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 10 mg/l

Exposure time: 10 d

Method: OECD Test Guideline 201

prednisolone:

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 85 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 160

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 0,23 mg/l

Exposure time: 7 d

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 31 % Exposure time: 28 d

Neomycin, sulfate (salt):

Biodegradability Result: rapidly degradable

Biodegradation: 50 % Exposure time: 1,2 d

Method: OECD Test Guideline 314

Magnesium stearate:

Biodegradability Result: Not biodegradable

Remarks: Based on data from similar materials



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version SDS Number: Date of last issue: 06.07.2024 **Revision Date:** 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

Bioaccumulative potential

Components:

Neomycin, sulfate (salt):

Partition coefficient: nlog Pow: < -2

octanol/water

Magnesium stearate:

Partition coefficient: n- $\log Pow: > 4$

octanol/water

Tetracycline hydrochloride:

Partition coefficient: nlog Pow: -1,37

octanol/water pH: 7

Bacitracin:

Partition coefficient: nlog Pow: -0,8

octanol/water prednisolone:

Partition coefficient: nlog Pow: 1,46

octanol/water

Mobility in soil No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN 3082 **UN** number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

IATA-DGR



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 11.0 28.09.2024 407504-00026 Date of first issue: 07.01.2016

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Neomycin, sulfate (salt), Tetracycline hydrochloride)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: :

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

964

(Neomycin, sulfate (salt), Tetracycline hydrochloride)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal : Not applicable

Police



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 11.0
 28.09.2024
 407504-00026
 Date of first issue: 07.01.2016

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transporta-



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 11.0
 28.09.2024
 407504-00026
 Date of first issue: 07.01.2016

tion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8