

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Manufacturer or supplier's details

Company : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone number : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitisation : Category 1
Reproductive toxicity : Category 1A
Effects on or via lactation
Short-term (acute) aquatic hazard : Category 1
Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :   

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

H362 May cause harm to breast-fed children.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust.
 P263 Avoid contact during pregnancy/ while nursing.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
 Contact with dust can cause mechanical irritation or drying of the skin.
 May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin waxes and Hydrocarbon waxes	8002-74-2	>= 60 -<= 100
Neomycin, sulfate (salt)	1405-10-3	>= 3 -< 10
Magnesium stearate	557-04-0	< 10
tetracycline hydrochloride	64-75-5	>= 0.3 -< 2.5
Bacitracin	1405-87-4	>= 0.25 -< 1

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0	Revision Date: 2023/09/26	SDS Number: 407511-00022	Date of last issue: 2023/04/04 Date of first issue: 2016/01/07
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

prednisolone	50-24-8	>= 0.025 -< 0.25
--------------	---------	------------------

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May damage the unborn child.
May cause harm to breast-fed children.
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Metal oxides

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/26	407511-00022	Date of first issue: 2016/01/07

Sulphur oxides

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.
Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.

Materials to avoid : Do not store with the particular national regulations.
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	NAB (Fumes)	2 mg/m ³	ID OEL
		TWA (Fumes)	2 mg/m ³	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1 mg/m ³ (OEB 1)	Internal
		Further information: DSEN, OTO		
Magnesium stearate	557-04-0	Wipe limit	0.1 mg/100 cm ²	Internal
		NAB	10 mg/m ³	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
tetracycline hydrochloride	64-75-5	TWA	0.9 mg/m ³ (OEB 2)	Internal
Bacitracin	1405-87-4	TWA	4 mg/m ³ (OEB 1)	Internal
		Further information: DSEN, RSEN		
		Wipe limit	0.1 mg/100 cm ²	Internal

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

prednisolone	50-24-8	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type
 Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
 Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/26	407511-00022	Date of first issue: 2016/01/07

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Components:

Paraffin waxes and Hydrocarbon waxes:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 420
Acute dermal toxicity	:	LD50 (Rabbit): > 3,600 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Neomycin, sulfate (salt):

Acute oral toxicity	:	LD50 (Mouse): 2,880 mg/kg LD50 (Rat): 2,750 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 633 mg/kg Application Route: Subcutaneous

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

LD50 (Mouse): 116 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg
Application Route: Subcutaneous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

tetracycline hydrochloride:

Acute oral toxicity : LD50 (Rat): 6,443 mg/kg
LD50 (Mouse): 2,759 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 128 mg/kg
Application Route: Intravenous

LD50 (Mouse): 157 mg/kg
Application Route: Intravenous

Bacitracin:

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg
Remarks: Based on data from similar materials

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg
LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

II**Skin corrosion/irritation**

Not classified based on available information.

Components:**Paraffin waxes and Hydrocarbon waxes:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Neomycin, sulfate (salt):

Species	: Rabbit
Result	: Mild skin irritation

Magnesium stearate:

Species	: Rabbit
Result	: No skin irritation
Remarks	: Based on data from similar materials

tetracycline hydrochloride:

Remarks	: No data available
---------	---------------------

prednisolone:

Remarks	: No data available
---------	---------------------

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Paraffin waxes and Hydrocarbon waxes:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Neomycin, sulfate (salt):

Species	: Rabbit
Result	: No eye irritation

Magnesium stearate:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

tetracycline hydrochloride:

||Remarks : No data available

prednisolone:

||Remarks : No data available

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Paraffin waxes and Hydrocarbon waxes:**

||Test Type : Maximisation Test
||Exposure routes : Skin contact
||Species : Guinea pig
||Method : OECD Test Guideline 406
||Result : negative

Neomycin, sulfate (salt):

||Exposure routes : Dermal
||Species : Humans
||Result : positive

Magnesium stearate:

||Test Type : Maximisation Test
||Exposure routes : Skin contact
||Species : Guinea pig
||Method : OECD Test Guideline 406
||Result : negative
||Remarks : Based on data from similar materials

tetracycline hydrochloride:

||Remarks : No data available

Bacitracin:

||Test Type : Human repeat insult patch test (HRIPT)
||Exposure routes : Skin contact
||Result : positive

||Assessment : Probability or evidence of skin sensitisation in humans

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Paraffin waxes and Hydrocarbon waxes:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative
 Remarks: Based on data from similar materials

Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Test system: Chinese hamster ovary cells
 Result: negative

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: positive

Test Type: in vitro micronucleus test
 Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
 Species: Mouse
 Cell type: Bone marrow
 Application Route: Intravenous injection
 Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative
 Remarks: Based on data from similar materials

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative
 Remarks: Based on data from similar materials

tetracycline hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Cytogenetic assay
 Test system: Chinese hamster ovary cells
 Result: negative

Test Type: sister chromatid exchange assay
 Result: negative

Test Type: Mouse Lymphoma
 Result: negative

Bacitracin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative
 Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Mouse Lymphoma
 Result: negative

Test Type: sister chromatid exchange assay
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Rat
 Application Route: Oral
 Result: negative

Test Type: sister chromatid exchange assay

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Species: Humans
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Paraffin waxes and Hydrocarbon waxes:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

tetracycline hydrochloride:

Species : Rat
Application Route : Oral
Exposure time : 103 W
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 103 W
Result : negative

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

Reproductive toxicity

May damage the unborn child.
May cause harm to breast-fed children.

Components:**Paraffin waxes and Hydrocarbon waxes:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Skin contact
 Result: negative
 Remarks: Based on data from similar materials

Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 General Toxicity - Parent: NOAEL: 25 mg/kg body weight
 Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight
 Result: No adverse effects, No teratogenic effects

Test Type: Development
 Species: Rat
 Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: 6 mg/kg body weight
 Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

tetracycline hydrochloride:

Effects on fertility : Test Type: Fertility
 Species: Rat

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Application Route: Oral
Fertility: NOAEL: 400 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Development
Result: Embryo-foetal toxicity, Specific developmental abnormalities, Skeletal malformations

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period, May damage the unborn child.

Bacitracin:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 1 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight
Result: Malformations were observed., Cleft palate

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: decreased blood formation

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

Assessment animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Paraffin waxes and Hydrocarbon waxes:

Exposure routes : Ingestion
 Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Neomycin, sulfate (salt):

Target Organs : Kidney, inner ear
 Assessment : May cause damage to organs through prolonged or repeated exposure.
 Remarks : Based on human experience.

tetracycline hydrochloride:

Exposure routes : Oral
 Target Organs : Gastrointestinal tract, Nervous system, Skin, Teeth
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Bacitracin:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Paraffin waxes and Hydrocarbon waxes:

Species : Rat
 Application Route : Ingestion
 Exposure time : 90 Days
 Method : OECD Test Guideline 408

Neomycin, sulfate (salt):

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

Species : Mouse
 LOAEL : 30 mg/kg
 Application Route : Subcutaneous
 Exposure time : 14 d
 Target Organs : Kidney

Species : Guinea pig
 NOAEL : 50 mg/kg
 LOAEL : 100 mg/kg
 Application Route : Intramuscular
 Exposure time : 30 - 60 Weeks
 Target Organs : ear

Species : Guinea pig
 NOAEL : 10 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Species : Guinea pig
 LOAEL : 100 mg/kg
 Application Route : Subcutaneous
 Exposure time : 34 d

Species : Dog
 LOAEL : 24 mg/kg
 Application Route : Intramuscular
 Exposure time : 30 d
 Target Organs : Kidney

Species : Rat
 LOAEL : 25 mg/kg
 Application Route : oral (feed)
 Exposure time : 84 Weeks
 Target Organs : ear
 Symptoms : hearing loss
 Remarks : mortality observed

Species : Dog
 LOAEL : 20 mg/kg
 Application Route : Subcutaneous
 Exposure time : 90 d
 Target Organs : Kidney

Magnesium stearate:

Species : Rat
 NOAEL : > 100 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days
 Remarks : Based on data from similar materials

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

tetracycline hydrochloride:

Species : Rat
NOAEL : 625 mg/kg
LOAEL : 1,250 mg/kg
Application Route : oral (feed)
Exposure time : 13 W
Target Organs : Liver
Symptoms : Reduced body weight

Species : Mouse
NOAEL : 3,750 mg/kg
LOAEL : 7,500 mg/kg
Application Route : oral (feed)
Exposure time : 13 W
Symptoms : Reduced body weight

Bacitracin:

Species : Rat
LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks
Remarks : Based on data from similar materials

prednisolone:

Species : Rat
LOAEL : 0.6 mg/kg
Application Route : Oral
Exposure time : 63 Days
Target Organs : Bone marrow

Species : Dog
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Species : Rabbit
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 24 Weeks
Target Organs : Liver

Aspiration toxicity

Not classified based on available information.

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Components:

tetracycline hydrochloride:

|| Not applicable

Experience with human exposure

Components:

Neomycin, sulfate (salt):

Skin contact	:	Symptoms: Sensitisation Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.
Ingestion	:	Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

tetracycline hydrochloride:

Ingestion	:	Target Organs: Teeth Symptoms: Gastrointestinal disturbance, Nausea, Vomiting, Diarrhoea, Liver effects, skin rash, central nervous system effects Remarks: May cause sensitisation of susceptible persons. May cause photosensitisation. Based on Human Evidence
-----------	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

prednisolone:

Ingestion	:	Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities
-----------	---	---------------------------------------------------------------------------------------------------------------------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Paraffin waxes and Hydrocarbon waxes:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Neomycin, sulfate (salt):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 72 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1,000

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
 Date of first issue: 2016/01/07

		Method: DIN 38412 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 47 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials No toxicity at the limit of solubility
		NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

tetracycline hydrochloride:

Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 6.2 mg/l Exposure time: 72 h
		NOEC (Anabaena flos-aquae (cyanobacterium)): 2.5 mg/l Exposure time: 72 h
		EC50 (Pseudokirchneriella subcapitata (green algae)): 3.31 mg/l Exposure time: 72 h
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.032 mg/l Exposure time: 72 h
		EC50 (Microcystis aeruginosa (blue-green algae)): 0.09 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	:	10

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/26	407511-00022	Date of first issue: 2016/01/07

M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: 0.08 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Bacitracin:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Artemia salina (brine shrimp)): 21.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 10 mg/l Exposure time: 10 d Method: OECD Test Guideline 201

prednisolone:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 85 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l Exposure time: 72 h EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l Exposure time: 7 d

Persistence and degradability

Components:

Paraffin waxes and Hydrocarbon waxes:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	---	------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Neomycin, sulfate (salt):

Biodegradability	:	Result: rapidly degradable Biodegradation: 50 % Exposure time: 1.2 d Method: OECD Test Guideline 314
------------------	---	---------------------------------------------------------------------------------------------------------------

Magnesium stearate:

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/26	407511-00022	Date of first issue: 2016/01/07

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Paraffin waxes and Hydrocarbon waxes:

Partition coefficient: n-octanol/water : log Pow: 5.3 - 6.7

Neomycin, sulfate (salt):

Partition coefficient: n-octanol/water : log Pow: < -2

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

tetracycline hydrochloride:

Partition coefficient: n-octanol/water : log Pow: -1.37
pH: 7

Bacitracin:

Partition coefficient: n-octanol/water : log Pow: -0.8

prednisolone:

Partition coefficient: n-octanol/water : log Pow: 1.46

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/26	407511-00022	Date of first issue: 2016/01/07

UNRTDG

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Neomycin, sulfate (salt), tetracycline hydrochloride)
 Class : 9
 Packing group : III
 Labels : 9
 Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
 (Neomycin, sulfate (salt), tetracycline hydrochloride)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 956
 Packing instruction (passenger aircraft) : 956
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Neomycin, sulfate (salt), tetracycline hydrochloride)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0 Revision Date: 2023/09/26 SDS Number: 407511-00022 Date of last issue: 2023/04/04
Date of first issue: 2016/01/07

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2023/09/26

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 4.0	Revision Date: 2023/09/26	SDS Number: 407511-00022	Date of last issue: 2023/04/04 Date of first issue: 2016/01/07
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ID OEL / NAB : Long term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN