

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Progesterone Formulation (Veterinary)

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : 1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Carcinogenicity : Category 2

Carcinogenicity (Inhalation) : Category 1A

Reproductive toxicity : Category 1A

Effects on or via lactation

Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Lungs)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Progesterone Formulation (Veterinary)

Version 10.0 Revision Date: 2025/04/14 SDS Number: 2183763-00017 Date of last issue: 2024/09/28
Date of first issue: 2017/11/15

Hazard statements : H350 May cause cancer by inhalation.
H351 Suspected of causing cancer.
H360FD May damage fertility. May damage the unborn child.
H362 May cause harm to breast-fed children.
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P263 Avoid contact during pregnancy and while nursing.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) | ENCS No. |
|------------------------------------------|------------|-----------------------|----------|
| Quartz | 14808-60-7 | >= 30 - < 40 | 1-548 |
| Progesterone | 57-83-0 | >= 2.5 - < 10 | |
| Bis(alpha,alpha-dimethylbenzyl) peroxide | 80-43-3 | >= 0.3 - < 1 | 3-1086 |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

| | | |
|-------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | vice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | May cause cancer by inhalation. Suspected of causing cancer. May damage fertility. May damage the unborn child. May cause harm to breast-fed children. Causes damage to organs through prolonged or repeated exposure if inhaled. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

| | | |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : | Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides Silicon oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.
Do not get on skin or clothing.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.

Progesterone Formulation (Veterinary)

Version 10.0 Revision Date: 2025/04/14 SDS Number: 2183763-00017 Date of last issue: 2024/09/28
 Date of first issue: 2017/11/15

Materials to avoid : Keep tightly closed.
 Store in accordance with the particular national regulations.
 Do not store with the following product types:
 Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Concentration standard / Permissible concentration | Basis |
|------------------------------------------------------|------------|---------------------------------------|-------------------------------------------------------------------------|----------------|
| Quartz | 14808-60-7 | OEL-C (Respirable particulate matter) | 0.03 mg/m ³ (Silica) | JP OEL JSOH |
| Further information: Group 1: carcinogenic to humans | | | | |
| | | TWA (Respirable particulate matter) | 0.025 mg/m ³ (Silica) | ACGIH |
| Progesterone | 57-83-0 | TWA | 6 µg/m ³ (OEB 4) | Internal |
| | | Wipe limit | 60 µg/100 cm ² | Internal |

Engineering measures : Minimize workplace exposure concentrations.
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Self-contained breathing apparatus

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Safety glasses

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------------------------------------------------|-------------------------------------------|
| Physical state | : solid |
| Colour | : light green |
| Odour | : No data available |
| Odour Threshold | : No data available |
| Melting point/freezing point | : No data available |
| Boiling point, initial boiling point and boiling range | : No data available |
| Flammability (solid, gas) | : Not classified as a flammability hazard |
| Flammability (liquids) | : No data available |
| Lower explosion limit and upper explosion limit / flammability limit | |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Flash point | : Not applicable |
| Decomposition temperature | : No data available |
| pH | : No data available |
| Evaporation rate | : Not applicable |
| Auto-ignition temperature | : No data available |
| Viscosity | |
| Viscosity, kinematic | : Not applicable |
| Solubility(ies) | |
| Water solubility | : soluble |
| Partition coefficient: n-octanol/water | : Not applicable |
| Vapour pressure | : Not applicable |

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Density and / or relative density

Relative density : No data available

Density : 1.1 g/cm³

Relative vapour density : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATIONInformation on likely routes of exposure : Skin contact
Ingestion
Eye contact**Acute toxicity**

Not classified based on available information.

Components:**Quartz:**

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

Progesterone:Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials**Bis(alpha,alpha-dimethylbenzyl) peroxide:**Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 0.224 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Quartz:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Progesterone:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Bis(alpha,alpha-dimethylbenzyl) peroxide:

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Quartz:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Progesterone:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Bis(alpha,alpha-dimethylbenzyl) peroxide:

| | |
|---------|-----------------------------------------------|
| Species | : Rabbit |
| Result | : Irritation to eyes, reversing within 7 days |
| Method | : OECD Test Guideline 405 |

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Progesterone:**

| | |
|-----------------|----------------------------------------|
| Test Type | : Maximisation Test |
| Exposure routes | : Skin contact |
| Species | : Rabbit |
| Method | : OECD Test Guideline 406 |
| Result | : negative |
| Remarks | : Based on data from similar materials |

Bis(alpha,alpha-dimethylbenzyl) peroxide:

| | |
|-----------------|---------------------------------|
| Test Type | : Local lymph node assay (LLNA) |
| Exposure routes | : Skin contact |
| Species | : Mouse |
| Method | : OECD Test Guideline 429 |
| Result | : negative |

Germ cell mutagenicity

Not classified based on available information.

Components:**Progesterone:**

| | |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Method: OECD Test Guideline 482 Result: negative |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Monkey Application Route: Subcutaneous |

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Result: negative

Bis(alpha,alpha-dimethylbenzyl) peroxide:Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

May cause cancer by inhalation.

Suspected of causing cancer.

Components:**Quartz:**Species : Humans
Application Route : inhalation (dust/mist/fume)
Result : positive

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

Progesterone:Species : Mouse, female
Application Route : Subcutaneous
Exposure time : 104 weeks
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

May cause harm to breast-fed children.

Components:**Progesterone:**Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Result: positive

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

| | |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on foetal development | : Test Type: Fertility/early embryonic development Species: Rat Application Route: Subcutaneous Result: positive |
| Reproductive toxicity - Assessment | : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies., Clear evidence of adverse effects on development, based on animal experiments., Studies indicating a hazard to babies during the lactation period |

Bis(alpha,alpha-dimethylbenzyl) peroxide:

| | |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive |
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on development, based on animal experiments. |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Components:**Quartz:**

| | |
|-----------------|-------------------------------------------------------------------------------------------------------|
| Exposure routes | : inhalation (dust/mist/fume) |
| Target Organs | : Lungs |
| Assessment | : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less. |

Bis(alpha,alpha-dimethylbenzyl) peroxide:

| | |
|-----------------|------------------------------------------------------------------------------------------------|
| Exposure routes | : Ingestion |
| Assessment | : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less. |

Repeated dose toxicity**Components:****Quartz:**

| | |
|-------------------|---------------------------|
| Species | : Humans |
| LOAEL | : 0.053 mg/m ³ |
| Application Route | : Inhalation |

Bis(alpha,alpha-dimethylbenzyl) peroxide:

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

| | |
|-------------------|---------------------------|
| Species | : Rat |
| NOAEL | : 60 mg/kg |
| LOAEL | : 200 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 28 Days |
| Method | : OECD Test Guideline 407 |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Progesterone:**

| | |
|---------------------|---------------------------------------------------------------------|
| General Information | : Target Organs: Endocrine system Symptoms: Effects on fertility |
|---------------------|---------------------------------------------------------------------|

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Quartz:**

| | |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): 508 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 731 mg/l Exposure time: 48 h Remarks: Based on data from similar materials |

Progesterone:

| | |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials |
| Toxicity to fish (Chronic toxicity) | : NOEC (Pimephales promelas (fathead minnow)): 0.000010 mg/l Exposure time: 21 d |
| Toxicity to daphnia and other | : NOEC (Daphnia magna (Water flea)): 0.1 mg/l |

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 10.0 | 2025/04/14 | 2183763-00017 | 2024/09/28 |
| | | | Date of first issue: 2017/11/15 |

aquatic invertebrates (Chronic toxicity)
M-Factor (Chronic aquatic toxicity) : 1,000

Bis(alpha,alpha-dimethylbenzyl) peroxide:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.397 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.177 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: > 1,000 mg/l
Exposure time: 30 min
Remarks: No toxicity at the limit of solubility

Persistence and degradability**Components:****Progesterone:**

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bis(alpha,alpha-dimethylbenzyl) peroxide:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 20.2 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential**Components:****Progesterone:**

Partition coefficient: n-octanol/water : Pow: 3.65
Method: OECD Test Guideline 117

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Bis(alpha,alpha-dimethylbenzyl) peroxide:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 137 - 1,470
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 5.6

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Progesterone)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Progesterone)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

IMDG-Code

| | |
|----------------------|------------------------------------------------------------------------|
| UN number | : UN 3077 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Progesterone) |
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| EmS Code | : F-A, S-F |
| Marine pollutant | : yes |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

| | |
|-----------------|-------|
| ERG Code | : 171 |
|-----------------|-------|

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

| Chemical name | Concentration (%) | Remarks |
|---------------------|-------------------|---------|
| Silica, crystalline | >=30 - <40 | - |

Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

| Chemical name | Remarks |
|---------------------|---------|
| Silica, crystalline | - |

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

| Chemical name |
|-----------------------------|
| Crystalline silica (quartz) |

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

Progesterone Formulation (Veterinary)

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/09/28 |
| 10.0 | 2025/04/14 | 2183763-00017 | Date of first issue: 2017/11/15 |

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN