

**Progesterone Formulation (Veterinary)**

Version 8.0      Revision Date: 30.09.2023      SDS Number: 2183759-00014      Date of last issue: 04.04.2023  
Date of first issue: 15.11.2017

---

**Section 1: Identification**

Product name : Progesterone Formulation (Veterinary)

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Carcinogenicity (Inhalation) : Category 1

Carcinogenicity : Category 2

Reproductive toxicity : Category 1

Effects on or via lactation

Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Lungs)

Hazardous to the aquatic environment - chronic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 30.09.2023      SDS Number: 2183759-00014      Date of last issue: 04.04.2023  
 Date of first issue: 15.11.2017

**Hazard statements** :

- H350 May cause cancer by inhalation.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
- H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** :

**Prevention:**

- P201 Obtain special instructions before use.
- P263 Avoid contact during pregnancy and while nursing.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P391 Collect spillage.

**Storage:**

- P405 Store locked up.

**Disposal:**

- P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz	14808-60-7	>= 30 -< 50
Progesterone	57-83-0	>= 2.5 -< 10
Bis(alpha,alpha-dimethylbenzyl) peroxide	80-43-3	>= 0.25 -< 1

### Section 4: First-aid measures

**General advice** :

- In the case of accident or if you feel unwell, seek medical advice immediately.
- When symptoms persist or in all cases of doubt seek medical advice.

**If inhaled** :

- If inhaled, remove to fresh air.
- Get medical attention.

## Progesterone Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause cancer by inhalation. Suspected of causing cancer. May damage fertility. May damage the unborn child. May cause harm to breast-fed children. Causes damage to organs through prolonged or repeated exposure if inhaled.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	2Z

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

## Progesterone Formulation (Veterinary)

Version 8.0	Revision Date: 30.09.2023	SDS Number: 2183759-00014	Date of last issue: 04.04.2023 Date of first issue: 15.11.2017
----------------	------------------------------	------------------------------	---

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.  
Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 30.09.2023      SDS Number: 2183759-00014      Date of last issue: 04.04.2023  
 Date of first issue: 15.11.2017

Quartz	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	NZ OEL
Further information: Confirmed carcinogen				
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
Progesterone	57-83-0	TWA	6 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	60 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Self-contained breathing apparatus

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
 Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Section 9: Physical and chemical properties**

Appearance : solid

Colour : light green

Odour : No data available

Odour Threshold : No data available

pH : No data available

**Progesterone Formulation (Veterinary)**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	1.1 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
------------	---	--

**Progesterone Formulation (Veterinary)**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes	:	Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

|| Not classified based on available information.

**Components:****Quartz:**

|| Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

**Progesterone:**

|| Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

|| Acute inhalation toxicity : LC50 (Rat): > 0.224 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

|| Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

|| Not classified based on available information.

**Components:****Quartz:**

|| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Progesterone Formulation (Veterinary)**

Version 8.0      Revision Date: 30.09.2023      SDS Number: 2183759-00014      Date of last issue: 04.04.2023  
Date of first issue: 15.11.2017

---

**Progesterone:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Result : Skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Quartz:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Progesterone:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Progesterone:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Rabbit  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials



**Progesterone Formulation (Veterinary)**

Version 8.0      Revision Date: 30.09.2023      SDS Number: 2183759-00014      Date of last issue: 04.04.2023  
Date of first issue: 15.11.2017

---

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Progesterone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OECD Test Guideline 482  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Monkey  
Application Route: Subcutaneous  
Result: negative  
  
Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

**Carcinogenicity**

May cause cancer by inhalation.  
Suspected of causing cancer.

## Progesterone Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

### Components:

#### **Quartz:**

Species	: Humans
Application Route	: inhalation (dust/mist/fume)
Result	: positive

Carcinogenicity - Assessment	: Positive evidence from human epidemiological studies (inhalation)
------------------------------	---

#### **Progesterone:**

Species	: Mouse, female
Application Route	: Subcutaneous
Exposure time	: 104 weeks
Result	: positive

Carcinogenicity - Assessment	: Limited evidence of carcinogenicity in animal studies
------------------------------	---

#### **Reproductive toxicity**

May damage fertility. May damage the unborn child.
May cause harm to breast-fed children.

### Components:

#### **Progesterone:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Subcutaneous Result: positive
----------------------	---

Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Subcutaneous Result: positive
-------------------------------	---

Reproductive toxicity - Assessment	: Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies., Clear evidence of adverse effects on development, based on animal experiments., Studies indicating a hazard to babies during the lactation period
------------------------------------	--

#### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive
-------------------------------	---

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	--

**Progesterone Formulation (Veterinary)**

Version 8.0      Revision Date: 30.09.2023      SDS Number: 2183759-00014      Date of last issue: 04.04.2023  
Date of first issue: 15.11.2017

---

**STOT - single exposure**

|| Not classified based on available information.

**STOT - repeated exposure**

|| Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

**Components:****Quartz:**

|| Exposure routes : inhalation (dust/mist/fume)  
|| Target Organs : Lungs  
|| Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

|| Exposure routes : Ingestion  
|| Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Quartz:**

|| Species : Humans  
|| LOAEL : 0.053 mg/m3  
|| Application Route : Inhalation

**Bis(alpha,alpha-dimethylbenzyl) peroxide:**

|| Species : Rat  
|| NOAEL : 60 mg/kg  
|| LOAEL : 200 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 28 Days  
|| Method : OECD Test Guideline 407

**Aspiration toxicity**

|| Not classified based on available information.

**Experience with human exposure****Components:****Progesterone:**

|| General Information : Target Organs: Endocrine system  
Symptoms: Effects on fertility

## Progesterone Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

### Section 12: Ecological information

#### Ecotoxicity

##### Components:

##### **Quartz:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 508 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 731 mg/l Exposure time: 48 h Remarks: Based on data from similar materials

##### **Progesterone:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000010 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.1 mg/l Exposure time: 26 d
M-Factor (Chronic aquatic toxicity)	:	1,000

##### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.397 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
		NOEC (Pseudokirchneriella subcapitata (green algae)): 8 mg/l Exposure time: 72 h

## Progesterone Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.177 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: > 1,000 mg/l  
Exposure time: 30 min  
Remarks: No toxicity at the limit of solubility

### Persistence and degradability

#### Components:

##### **Progesterone:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 20.2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Components:

##### **Progesterone:**

Partition coefficient: n-octanol/water : Pow: 3.65  
Method: OECD Test Guideline 117

##### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 137 - 1,470  
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 5.6

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

## Progesterone Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

**II** Contaminated packaging : Dispose of in accordance with local regulations.  
 : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Progesterone)

**II** Class : 9  
 Packing group : III  
 Labels : 9  
 Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
 (Progesterone)

**II** Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Progesterone)

**II** Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### NZS 5433

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Progesterone)

**II** Class : 9

**Progesterone Formulation (Veterinary)**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Marine pollutant : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

not allocated

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**Section 16: Other information**

Revision Date : 30.09.2023

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average  
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

**Progesterone Formulation (Veterinary)**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
8.0	30.09.2023	2183759-00014	Date of first issue: 15.11.2017

---

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN