According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.5	28.09.2024	9374039-00009	Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Proligestone Formulation

Other means of identification : Delvosteron (A004103)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Pharmaceutical
Recommended restrictions on use	:	Not applicable

1.3 Details of the supplier of the safety data sheet

Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Carcinogenicity, Category 2 Reproductive toxicity, Category 1B

H351: Suspected of causing cancer. H360D: May damage the unborn child.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024	-	SDS Number: 9374039-0000	Date of last issue: 06.04.2024 9 Date of first issue: 27.08.2021
Signa	al word	:	Danger	
Haza	rd statements	:	H351 H360D	Suspected of causing cancer. May damage the unborn child.
Preca	autionary statements	:	Prevention P201 P280	: Obtain special instructions before use. Wear protective gloves/ protective clothing/ eye protection/ face protection.
			Response: P308 + P31	3 IF exposed or concerned: Get medical advice/ attention.
			Storage: P405	Store locked up.

Hazardous components which must be listed on the label:

Proligestone

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Proligestone	23873-85-0 245-922-6	Acute Tox. 4; H302 Carc. 2; H351 Repr. 1B; H360D STOT RE 2; H373 (Adrenal gland, Ovary, Uterus (in- cluding cervix))	>= 1 - < 10

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

advice. Protection of first-aiders : First Aid responders should pay attention to and use the recommended personal protect when the potential for exposure exists (see If inhaled : If inhaled, remove to fresh air. Get medical attention. In case of skin contact : In case of contact, immediately flush skin w of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.	tive equipment section 8).						
and use the recommended personal protect when the potential for exposure exists (see If inhaled : If inhaled, remove to fresh air. Get medical attention. In case of skin contact : In case of contact, immediately flush skin w of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.	tive equipment section 8).						
Get medical attention. In case of skin contact : In case of contact, immediately flush skin w of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.	ith soap and plenty						
of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.	ith soap and plenty						
3 <i>y</i>							
In case of eye contact : Flush eyes with water as a precaution. Get medical attention if irritation develops a	nd persists.						
If swallowed : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.							
4.2 Most important symptoms and effects, both acute and delayed							
Risks : Suspected of causing cancer. May damage the unborn child.							
4.3 Indication of any immediate medical attention and special treatment need	ed						
Treatment : Treat symptomatically and supportively.							
SECTION 5: Firefighting measures							
5.1 Extinguishing media							
Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical							
Unsuitable extinguishing : None known. media							
5.2 Special hazards arising from the substance or mixture							
Specific hazards during fire- : Exposure to combustion products may be a fighting	hazard to health.						
Hazardous combustion prod- : Carbon oxides ucts Metal oxides							

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024		DS Number: 74039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
5.3 Advice	for firefighters			
	Il protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.
Specific extinguishing meth- ods		:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil

Prevent spreading over a wide area (e.g. by containment or oil
barriers).
Retain and dispose of contaminated wash water.
If spillage enters rivers or watercourses, inform the Environ-
ment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
		Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures

See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Vers 3.5	sion	Revision Date: 28.09.2024	-	DS Number: 974039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021			
	Local/	Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.				
Advice on safe handling		:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.					
Hygiene measures		:	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 					
7.2	Conditi	ions for safe storage,	inc	luding any incom	patibilities			
Requirements for storage areas and containers		:		labelled containers. Store locked up. Keep ore in accordance with the particular national				
	Advice	e on common storage	:	Strong oxidizing	stances and mixtures			
7.3	-	c end use(s) ic use(s)	:	No data available				
		、 <i>,</i>		No data available				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Proligestone	23873-85-0	TWA	5 ug/m3 (OEB 4)	Internal
		Wipe limit	50 ug/100cm2	Internal

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.5	28.09.2024	9374039-00009	Date of first issue: 27.08.2021

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 143 Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	Aqueous solution white to off-white No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	No data available
Evaporation rate	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Vers 3.5	sion	Revision Date: 28.09.2024		S Number: 74039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	Flamm	ability (solid, gas)	:	Not applicable	
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapour	rpressure	:	No data available	9
	Relativ	e vapour density	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	/	:	1.035 g/cm ³	
		ity(ies) ter solubility ubility in other solvents	:	soluble No data available	9
	Partitio octano	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ity cosity, kinematic	:	No data available	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
9.2		nformation ability (liquids)	:	No data available	
	Particle	e size	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024		S Number: 74039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Cond	itions to avoid	:	None known.	
	mpatible materials rials to avoid	:	Oxidizing agents	
	rdous decomposition paration paration			
SECTION	11: Toxicological in	forr	nation	
	mation on toxicologica nation on likely routes of sure		ects Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on availa	ble i	nformation.	
Produ Acute	uct: e oral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2,000 mg/kg on method
Com	ponents:			
	gestone: e oral toxicity	:	LD50 (Mouse): 1,	000 mg/kg
-	corrosion/irritation lassified based on availa	ble i	nformation.	
	us eye damage/eye irri lassified based on availa			
Resp	iratory or skin sensitis	atio	n	
-	sensitisation lassified based on availa	ble i	nformation.	
•	iratory sensitisation lassified based on availa	ble i	nformation.	
	n cell mutagenicity lassified based on availa	ble i	nformation.	
	inogenicity ected of causing cancer.			
	ponents:			
	gestone: nogenicity - Assess-	:	Limited evidence	of carcinogenicity in animal studies

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

rsion	Revision Date: 28.09.2024	SDS Number: 9374039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
ment			
Repro	oductive toxicity		
-	damage the unborn ch	ild.	
	oonents:		
Prolig	gestone:		
-	s on fertility		ute: Subcutaneous L: 10 mg/kg body weight
			t ute: Subcutaneous _: 10 mg/kg body weight
Repro sessn	oductive toxicity - As- nent	: May damage th ty.	ne unborn child. Suspected of damaging fertili-
STOT	lassified based on ava - repeated exposure lassified based on ava)	
Comp	oonents:		
Prolic	gestone:		
Targe	et Organs ssment		Ovary, Uterus (including cervix) nage to organs through prolonged or repeated
Repe	ated dose toxicity		
<u>Comp</u>	oonents:		
Prolig	gestone:		
Speci LOAE Applic Expos	es	: Dog : 25 mg/kg : Subcutaneous : 90 d : Adrenal gland,	Uterus (including cervix), Ovary
Expos		: Rat : 50 mg/kg : Subcutaneous : 90 d : Adrenal gland,	Uterus (including cervix), Ovary

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
3.5		9374039-00009	Date of first issue: 27.08.2021

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Proligestone:

General Information Inhalation	Remarks: May cause cancer based on animal data. Symptoms: Jaundice, Headache, Dizziness, menstrual irregu-
	larities, changes in libido, bleeding, breast changes

SECTION 12: Ecological information

12.1 Toxicity

Components:

Proligestone:	
Toxicity to fish :	LC50 (Pimephales promelas (fathead minnow)): > 0.5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 0.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to microorganisms :	EC50 : > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
	NOEC : 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024		DS Number: 74039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
12.2 Pers	sistence and degradabi	ility		
Con	nponents:			
	igestone: legradability	:	Biodegradation Exposure time:	
	accumulative potential lata available			
12.4 Mot	bility in soil data available			
12.5 Res	ults of PBT and vPvB a	isse	ssment	
	<u>duct:</u> essment	:	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Oth	er adverse effects			
Proc	duct:			
Endo tial	ocrine disrupting poten-	:	ered to have er	/mixture does not contain components consid- ndocrine disrupting properties for environment K REACH Article 57(f).
SECTIO	N 13: Disposal consi	der	ations	
13.1 Was	ste treatment methods			
Proc	luct	:	According to th are not product Waste codes s discussion with	ccordance with local regulations. e European Waste Catalogue, Waste Codes specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. of waste into sewer.
Con	taminated packaging	:	Empty contained dling site for re-	ers should be taken to an approved waste han- cycling or disposal. specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number	
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20249374039-00009Date of first issue: 27.08.2021	
RID		: Not regulated as a dangerous good	
IMDG	ì	: Not regulated as a dangerous good	
IATA		: Not regulated as a dangerous good	
14.2 UN p	roper shipping name		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	i	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(es		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	ì	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.4 Pack	ing group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	i	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
-	ronmental hazards	s good	
-	ial precautions for us	r	
14.7 Tran Rema	•	g to Annex II of Marpol and the IBC Code : Not applicable for product as supplied.	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)

: Conditions of restriction for the following entries should be considered: Number on list 3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024	SDS Number: 9374039-00009		last issue: 06.04.2024 first issue: 27.08.2021
				Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
	REACH Candidate list o ern (SVHC) for Author	of substances of very high isation	:	Not applicable
		lutants Regulations (retair as amended for Great Br		Not applicable
Regi layer		nces that deplete the ozor	ie :	Not applicable
UK F		ces subject to authorisatic	n :	Not applicable
ĠB E		zardous chemicals - Prior	:	Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H302	:	Harmful if swallowed.
H351	:	Suspected of causing cancer.

1351	:	Suspected of causing cancer.

STOT RE

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

:



Proligestone Formulation

Version 3.5	Revision Date: 28.09.2024		Number: 039-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
H360D H373		: N	May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.		
Full te	ext of other abbrevia	tions			
Acute	Tox.	: A	: Acute toxicity		
Carc.			: Carcinogenicity		
Repr.		: R	: Reproductive toxicity		

Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

compile the Safety Data Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture	e:	Classification procedure:
Carc. 2	H351	Calculation method
Repr. 1B	H360D	Calculation method

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Proligestone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.5	28.09.2024	9374039-00009	Date of first issue: 27.08.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN