

according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Propentofylline Formulation		
Other means of identification	:	Vivitonin (A005114) VIVITONIN 50 TABLETS FOR AGED DOGS (51394) VIVITONIN 100 TABLETS FOR AGED DOGS (49892)		
Manufacturer or supplier's de	eta	ils		
Company	:	MSD		
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331		
Telephone	:	+1-908-740-4000		
Emergency telephone number	:	86-571-87268110		
E-mail address	:	EHSDATASTEWARD@msd.com		
Recommended use of the chemical and restrictions on use				
Recommended use Restrictions on use	:	Veterinary product Not applicable		

## 2. HAZARDS IDENTIFICATION

Emergency Overview		
Appearance Colour Odour	:	tablet, powder No data available No data available
Harmful if swallowed. May caus	se	damage to organs through prolonged or repeated exposure.
GHS Classification		
Acute toxicity (Oral)	:	Category 4
Specific target organ toxicity - repeated exposure	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version 4.0	Revision Date: 2024/09/28	SDS Number: 2929973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25
Hazar	d statements	: H302 Harmful H373 May cau peated exposu	se damage to organs through prolonged or re-
Preca	utionary statements		reathe dust. In thoroughly after handling. at, drink or smoke when using this product.
		CENTER/ doct	P330 IF SWALLOWED: Call a POISON or if you feel unwell. Rinse mouth. ical advice/ attention if you feel unwell.
		<b>Disposal:</b> P501 Dispose disposal plant.	of contents/ container to an approved waste

### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

#### Environmental hazards

Not classified based on available information.

#### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 50 %

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air during processing, handling or other means.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propentofylline	55242-55-2	>= 50 -< 70
Starch	9005-25-8	>= 10 -< 20
Talc	14807-96-6	>= 1 -< 10

#### 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical ad-

according to GB/T 16483 and GB/T 17519



# **Propentofylline Formulation**

Version 4.0	Revision Date: 2024/09/28		9S Number: 29973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25			
If int	naled	:	advice. If inhaled, remove				
In ca	ase of skin contact	:	Get medical attention if symptoms occur. Wash with water and soap.				
In ca	ase of eye contact	:	If in eyes, rinse w				
lf sw	vallowed	:	<ul> <li>Get medical attention if irritation develops and persists.</li> <li>If swallowed, DO NOT induce vomiting unless directed so by medical personnel.</li> <li>Get medical attention.</li> <li>Rinse mouth thoroughly with water.</li> <li>Never give anything by mouth to an unconscious personal</li> </ul>				
	t important symptoms effects, both acute and yed	:	Harmful if swallov May cause dama exposure.				
Prot	ection of first-aiders	:	<ul> <li>Dust contact with the eyes can lead to mechanical irritat</li> <li>First Aid responders should pay attention to self-protect and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</li> </ul>				
Note	Notes to physician			cally and supportively.			
5. FIREF	IGHTING MEASURES						
Suit	able extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical				
Uns med	uitable extinguishing lia	:	None known.				
Spe fight	cific hazards during fire- ting	:	concentrations, and potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a plosion hazard. pustion products may be a hazard to health.			
Haz ucts	ardous combustion prod-	:	Carbon oxides Nitrogen oxides (l	NOx)			
Spe ods	cific extinguishing meth-	:	cumstances and t Use water spray t	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do			
	cial protective equipment irefighters	:		e, wear self-contained breathing apparatus. tective equipment.			

according to GB/T 16483 and GB/T 17519



# **Propentofylline Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfac- es, as these may form an explosive mixture if they are re- leased into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

# 7. HANDLING AND STORAGE

Handling	
Technical measures	<ul> <li>Static electricity may accumulate and ignite suspended dust causing an explosion.</li> <li>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.</li> </ul>
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe dust.
	Do not swallow.
	Avoid contact with eyes.
	Avoid prolonged or repeated contact with skin.
	Wash skin thoroughly after handling.
	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment
	Minimize dust generation and accumulation.
	Keep container closed when not in use.
	Keep away from heat and sources of ignition.
	Take precautionary measures against static discharges.
	Do not eat, drink or smoke when using this product.



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version 4.0	Revision Date: 2024/09/28		DS Number: 29973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25
Avo	bidance of contact	:	Take care to pre- environment. Oxidizing agents	vent spills, waste and minimize release to the
Sto	orage			
Со	Conditions for safe storage			labelled containers. nce with the particular national regulations.
Ma	terials to avoid	:		the following product types:
Pad	ckaging material	:	Unsuitable mater	ial: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propentofylline	55242-55-2	TWA	1000 µg/m3 ( OEB 1)	Internal
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Talc	14807-96-6	PC-TWA (Total dust)	3 mg/m3	CN OEL
		PC-TWA (Respirable dust)	1 mg/m3	CN OEL
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH

Engineering measures :	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Personal protective equipment	t
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type :	Particulates type
Eye/face protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection : Hand protection	Work uniform or laboratory coat.



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version 4.0	Revision Date: 2024/09/28	SDS Number: 2929973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25
Ма	aterial	: Chemical-res	istant gloves
Material Hygiene measures		eye flushing s ing place. When using d Wash contam The effective engineering c appropriate de industrial hygi	chemical is likely during typical use, provide systems and safety showers close to the work- lo not eat, drink or smoke. inated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, iene monitoring, medical surveillance and the strative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	tablet, powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during pro- cessing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Vers 4.0	-	Revision Date: 2024/09/28		S Number: 29973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25
	Solubilit Wate	y(ies) er solubility	:	No data available	9
	Solul	bility in other solvents	:	No data available	)
	Partition	coefficient: n-	:	Not applicable	
		hition temperature	:	No data available	9
	Decomp	oosition temperature	:	No data available	9
	Viscosit Visco	y osity, kinematic	:	Not applicable	
	Explosiv	ve properties	:	Not explosive	
	Oxidizin	g properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecul	ar weight	:	Not applicable	
	Particle Particle	characteristics size	:	No data available	

## **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	Not classified as a reactivity hazard. Stable under normal conditions. May form combustible dust concentrations in air during p cessing, handling or other means. Can react with strong oxidizing agents.	pro-
Conditions to avoid	Heat, flames and sparks. Avoid dust formation.	
Incompatible materials	Oxidizing agents	
Hazardous decomposition products	No hazardous decomposition products are known.	

## 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity Harmful if swallowed.		
Product: Acute oral toxicity	:	Acute toxicity estimate: 1,880 mg/kg




according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

ersion 0	Revision Date: 2024/09/28		0S Number: 29973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25
			Method: Calcul	ation method
Com	oonents:			
	entofylline:			
	e oral toxicity	:	LD50 (Rat): 940 Symptoms: Bre	0 mg/kg athing difficulties, Convulsions, Lachrymatior
			LD50 (Mouse):	780 mg/kg
			LD50 (Rabbit):	405 mg/kg
Starc	h:			
Acute	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 2,000 mg/kg
Talc:				
Acute	e oral toxicity	:	LD50 (Rat): > 5 Remarks: Base	,000 mg/kg d on data from similar materials
Skin	corrosion/irritation			
	lassified based on av	ailable	information.	
	oonents:			
<b>Talc:</b> Speci Resu		:	Rabbit No skin irritatior	n
	us eye damage/eye lassified based on av			
	ponents:			
Starc	h:			
Speci Resu		:	Rabbit No eye irritatior	ì
Talc:				
Speci Resu		:	Rabbit No eye irritatior	1
Resp	iratory or skin sens	sitisatio	n	
-	sensitisation			

Not classified based on available information.





# **Propentofylline Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

#### **Respiratory sensitisation**

Not classified based on available information.

## Components:

## Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species Result	:	Guinea pig
Result	:	negative

#### Talc:

Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

Starch:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Talc:	
Genotoxicity in vitro	: Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	: Test Type: Chromosome aberration test in vitro Species: Rat Application Route: Ingestion Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

Talc:	
Species Application Route Exposure time Result	: Mouse
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 Years
Result	: negative

#### **Reproductive toxicity**

Not classified based on available information.



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

## Components:

# Propentofylline:

Effects on foetal develop- ment	:	Test Type: Development Species: Mouse Application Route: Ingestion Developmental Toxicity: NOAEL: 500 mg/kg body weigh Result: No adverse effects	
		Test Type: Development Species: Rabbit Application Route: Ingestion Developmental Toxicity: NOAEL: 150 mg/kg body weight Result: No teratogenic effects	
Talc:			
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative	

## STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## **Components:**

#### **Propentofylline:**

Exposure routes Assessment	: Oral
Assessment	: May cause damage to organs through prolonged or repeated
	exposure.
Remarks	: Based on human experience.

### Repeated dose toxicity

### **Components:**

### Starch:

Species NOAEL	:	Rat
NOAEL	:	>= 2,000 mg/kg
Application Route	:	Skin contact
Exposure time	:	28 Days
Method	:	OECD Test Guideline 410

### Aspiration toxicity

Not classified based on available information.



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

:

#### Experience with human exposure

## Components:

### **Propentofylline:**

Ingestion

Target Organs: Blood Target Organs: Lungs Target Organs: Cardiovascular Target Organs: Gastro-intestinal system Symptoms: Gastrointestinal discomfort, Nausea Target Organs: Nervous system Symptoms: Dizziness, Headache

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity	
-------------	--

## Components:

### Propentofylline:

### **Ecotoxicology Assessment**

Acute aquatic toxicity	: Toxic effects cannot be excluded
Chronic aquatic toxicity	: Toxic effects cannot be excluded
Talc: Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l Exposure time: 24 h


### Persistence and degradability

No data available

#### Bioaccumulative potential

#### **Components:**

Propentofylline: Partition coefficient: n- octanol/water	:	log Pow: 1.540
<b>Mobility in soil</b> No data available		
Other adverse effects		
No data available		





# **Propentofylline Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

### **13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## **International Regulations**

## UNRTDG

UN number Proper shipping name Class Subsidiary risk Packing group Labels Environmentally hazardous		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable no
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk	:	Not applicable Not applicable Not applicable Not applicable

Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

#### GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable



according to GB/T 16483 and GB/T 17519

# **Propentofylline Formulation**

Version 4.0	Revision Date: 2024/09/28	SDS Number: 2929973-00018	Date of last issue: 2024/07/06 Date of first issue: 2018/06/25
Pack Labe	idiary risk ing group	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>not applicable</li> </ul>	
-	ial precautions for upplicable	Iser	
15. REGU	LATORY INFORMAT	ΓΙΟΝ	
	onal regulatory inform on the Prevention ar	mation nd Control of Occupation	nal Diseases
Regu	lations on Safety Ma	anagement of Hazardous	s Chemicals
	ogue of Hazardous C	-	: This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.
Ident 1821		ard Installations for Hazard	dous Chemicals (GB : Not listed
Haza SAW		Priority Management unde	er : Not listed
II Regu	Ilations on Labour P	rotection in Workplaces	where Toxic Substances are Used
Cata	ogue of Highly Toxic	Chemicals	: Not listed
	Ilation of Environme Export of Toxic Cher		e First Import of Chemicals and the Import
	a Severely Restricted Export	Toxic Chemicals for Impo	rt : Not listed
-		istration of Precursor C	
Yang	stze River Protection	Law	
-	-		cals prohibited for inland river transport.
The o DSL	components of this	product are reported in t : not determined	he following inventories:
AICS	i -	: not determined	
IECS	С	: not determined	





# **Propentofylline Formulation**


Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
4.0	2024/09/28	2929973-00018	Date of first issue: 2018/06/25

#### **16. OTHER INFORMATION**

Revision Date	:	2024/09/28		
Further information				
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/		
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.				

Date format :		yyyy/mm/dd				
Full text of other abbreviations						
ACGIH CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.				
ACGIH / TWA CN OEL / PC-TWA		8-hour, time-weighted average Permissible concentration - time weighted average				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System





# **Propentofylline Formulation**

Version	Revision Date:
4.0	2024/09/28

SDS Number: 2929973-00018

Date of last issue: 2024/07/06 Date of first issue: 2018/06/25

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN/EN