

Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Propentofylline Formulation

Other means of identification : Vivitonin (A005114)

VIVITONIN 50 TABLETS FOR AGED DOGS (51394) VIVITONIN 100 TABLETS FOR AGED DOGS (49892)

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2

GHS label elements

Hazard pictograms

Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or re-

peated exposure if swallowed.

Precautionary statements : Prevention:

P260 Do not breathe dust.



Propentofylline Formulation

Date of last issue: 2024/05/16 Version Revision Date: SDS Number: 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 50 %

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propentofylline	55242-55-2	>= 30 -< 60
Starch	9005-25-8	>= 10 -< 30
Talc	14807-96-6	< 10

4. FIRST AID MEASURES

If swallowed

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

: Wash with water and soap. In case of skin contact

Get medical attention if symptoms occur.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

Harmful if swallowed.

and effects, both acute and

May cause damage to organs through prolonged or repeated

delayed exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Local or national regulations may apply to releases and dis-



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation Advice on safe handling

: Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Propentofylline	55242-55-2	TWA	1000 μg/m3 (OEB 1)	Internal		
Starch	9005-25-8	NAB	10 mg/m3	ID OEL		
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals					
		TWA	10 mg/m3	ACGIH		
Talc	14807-96-6	NAB (Respirable particulate matter)	2 mg/m3	ID OEL		



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
	TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH	

Engineering measures : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet, powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : Not applicable



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during pro-

cessing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature

: No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : No data available



Propentofylline Formulation

Version Date of last issue: 2024/05/16 **Revision Date:** SDS Number: 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

May form combustible dust concentrations in air during pro-

cessing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation. Oxidizing agents

Incompatible materials Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity Acute toxicity estimate: 1,880 mg/kg

Method: Calculation method

Components:

Propentofylline:

Acute oral toxicity LD50 (Rat): 940 mg/kg

Symptoms: Breathing difficulties, Convulsions, Lachrymation

LD50 (Mouse): 780 mg/kg

LD50 (Rabbit): 405 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Talc:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

Skin corrosion/irritation

Not classified based on available information.

Components:

Talc:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species : Rabbit

Result : No eye irritation

Talc:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Talc:

Exposure routes : Skin contact Species : Humans Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

Result: negative

Talc:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Talc:

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Propentofylline:

Effects on foetal develop- : Test Type: Development

ment Species: Mouse

Application Route: Ingestion

Developmental Toxicity: NOAEL: 500 mg/kg body weight

Result: No adverse effects

Test Type: Development

Species: Rabbit

Application Route: Ingestion

Developmental Toxicity: NOAEL: 150 mg/kg body weight

Result: No teratogenic effects

Talc:

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.



Propentofylline Formulation

Version Date of last issue: 2024/05/16 Revision Date: SDS Number: 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if swallowed.

Components:

Propentofylline:

Exposure routes : Oral

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

Repeated dose toxicity

Components:

Starch:

Species : Rat

NOAEL >= 2,000 mg/kgApplication Route : Skin contact Exposure time : 28 Days

Method : OECD Test Guideline 410

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Propentofylline:

Ingestion Target Organs: Blood

Target Organs: Lungs

Target Organs: Cardiovascular

Target Organs: Gastro-intestinal system

Symptoms: Gastrointestinal discomfort, Nausea

Target Organs: Nervous system

Symptoms: Dizziness, Headache

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propentofylline:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Talc:



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l

Exposure time: 24 h

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Propentofylline:

Partition coefficient: n-

octanol/water

log Pow: 1.540

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

ger aircraft)

IMDG-Code

Not applicable UN number Not applicable Proper shipping name Class Not applicable Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels **EmS Code** Not applicable Not applicable Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable

control, Annex I

Type of hazardous materials subject to distribution and : Not applicable

control, Annex II

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/07/06

Further information

Sources of key data used to compile the Safety Data

Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



Propentofylline Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/05/16 3.0 2024/07/06 2929971-00017 Date of first issue: 2018/06/25

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN