

# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Propentofylline Formulation

Other means of identification : Vivitonin (A005114)

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) : Category 4

Specific target organ toxicity

- repeated exposure (Oral)

Category 2

**GHS** label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or re-

peated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propentofylline	55242-55-2	>= 50 -< 70
Starch	9005-25-8	>= 10 -< 20
Talc	14807-96-6	>= 1 -< 5

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Harmful if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling : Use only with adequate ventilation.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety



# **Propentofylline Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 04.12.2023 2929968-00014 Date of first issue: 25.06.2018

practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propentofylline	55242-55-2	TWA	1000 μg/m3 ( OEB 1)	Internal
Starch	9005-25-8	VLE-PPT	10 mg/m³	NOM-010- STPS-2014
		TWA	10 mg/m <sup>3</sup>	ACGIH
Talc	14807-96-6	VLE-CT (Respirable fraction)	2 mg/m³	NOM-010- STPS-2014
		TWA (Respirable particulate matter)	2 mg/m³	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : tablet, powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during proce-

ssing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available



# **Propentofylline Formulation**

Date of last issue: 30.09.2023 Version Revision Date: SDS Number: 3.2 04.12.2023 2929968-00014 Date of first issue: 25.06.2018

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

No data available Decomposition temperature

Viscosity

Not applicable Viscosity, kinematic

Not explosive Explosive properties

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight Not applicable

No data available Particle size

#### **SECTION 10. STABILITY AND REACTIVITY**

Not classified as a reactivity hazard. Reactivity Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air during

processing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

## **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute toxicity estimate: 1,880 mg/kg Acute oral toxicity

Method: Calculation method

#### **Components:**

#### Propentofylline:



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

Acute oral toxicity : LD50 (Rat): 940 mg/kg

Symptoms: Breathing difficulties, Convulsions, Lachrymation

LD50 (Mouse): 780 mg/kg

LD50 (Rabbit): 405 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Talc:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species : Rabbit

Result : No eye irritation

Talc:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Components:** 

Starch:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

Result : negative

Talc:

Routes of exposure : Skin contact Species : Humans Result : negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Talc:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro

Species: Rat

Application Route: Ingestion

Result: negative

#### Carcinogenicity

Not classified based on available information.

## **Components:**

Talc:

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years Result : negative

# Reproductive toxicity

Not classified based on available information.

## **Components:**

Propentofylline:

Effects on fetal development : Test Type: Development

Species: Mouse

Application Route: Ingestion

Developmental Toxicity: NOAEL: 500 mg/kg body weight

Result: No adverse effects.

Test Type: Development

Species: Rabbit

Application Route: Ingestion



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

Developmental Toxicity: NOAEL: 150 mg/kg body weight

Result: No teratogenic effects.

Talc:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure if swallowed.

#### Components:

#### Propentofylline:

Routes of exposure : Oral

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

#### Repeated dose toxicity

# **Components:**

#### Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

# **Aspiration toxicity**

Not classified based on available information.

# Experience with human exposure

# **Components:**

#### Propentofylline:

Ingestion : Target Organs: Blood

Target Organs: Lungs

Target Organs: Cardiovascular

Target Organs: Gastro-intestinal system

Symptoms: Gastrointestinal discomfort, Nausea

Target Organs: Nervous system Symptoms: Dizziness, Headache



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### Components:

#### Propentofylline:

# **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l

Exposure time: 24 h

## Persistence and degradability

No data available

#### Bioaccumulative potential

#### **Components:**

Propentofylline:

Partition coefficient: n-

octanol/water

: log Pow: 1.540

Mobility in soil
No data available

# Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

# **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

## **IMDG-Code**



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors,

essential chemical products and machinery for

producing capsules, tablets and pills.

Not applicable

#### The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 04.12.2023 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average NOM-010-STPS-2014 / VLE- : Time weighted average limit value

PPT

NOM-010-STPS-2014 / VLE- : Short term exposure limit value

СТ

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



# **Propentofylline Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.2
 04.12.2023
 2929968-00014
 Date of first issue: 25.06.2018

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8