according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Pyrantel Pamoate / Moxidectin Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance : paste Colour : yellow

Odour : No data available

May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

**GHS Classification** 

Specific target organ toxicity - : Category 2

repeated exposure

Short-term (acute) aquatic : Category 1

hazard

Long-term (chronic) aquatic : Category 1

hazard

**GHS** label elements

Hazard pictograms





according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Physical and chemical hazards

Not classified based on available information.

## **Health hazards**

May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### **Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 38.3 %

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid,	22204-24-6	>= 30 -< 50
compound with (E)-1,4,5,6-tetrahydro-1-methyl-		
2-[2-(2-thienyl)vinyl]pyrimidine (1:1)		
Moxidectin	113507-06-5	>= 1 -< 2.5
Ethanol#	64-17-5	>= 0.1 -< 1

<sup>#</sup> Voluntarily-disclosed substance

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

Use personal protective equipment.

tive equipment and emer-

Follow safe handling advice (see section 7) and personal pro-

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4892848-00010 2.6 2023/09/30 Date of first issue: 2019/09/17

tective equipment recommendations (see section 8). gency procedures

**Environmental precautions** Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Do not breathe dust, fume, gas, mist, vapours or spray. Advice on safe handling

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

Storage

Conditions for safe storage Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

: Unsuitable material: None known. Packaging material

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 μg/m3 (OEB 2)	Internal
Moxidectin	113507-06-5	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke.

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : N

No data available

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2023/09/30 4892848-00010 Date of first issue: 2019/09/17 2.6

No data available Decomposition temperature

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid None known.

Incompatible materials Oxidizing agents Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Exposure routes Skin contact

> Ingestion Eye contact

# **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute toxicity estimate: > 10 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2023/09/30 4892848-00010 2.6 Date of first issue: 2019/09/17

#### **Components:**

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Acute oral toxicity : LD50 (Rat): > 24,000 mg/kg

LD50 (Mouse): > 24,000 mg/kg

LD50 (Dog): 2,000 mg/kg

Moxidectin:

Acute oral toxicity LD50 (Rat): 106 mg/kg

LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity LC50 (Rat): 3.28 mg/l

Exposure time: 5 h

Test atmosphere: dust/mist

LC50 (Rat): 2.87 - 4.06 mg/l Test atmosphere: dust/mist

Acute dermal toxicity LD50 (Rat): > 2,000 mg/kg

Remarks: No significant adverse effects were reported

Acute toxicity (other routes of :

administration)

LD50 (Rat): 394 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 84 mg/kg

Application Route: Intraperitoneal

LD50 (Rat): > 640 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 263 mg/kg

Application Route: Subcutaneous

**Ethanol:** 

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity LC50 (Rat): 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapour

## Skin corrosion/irritation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### **Components:**

Moxidectin:

Species : Rabbit

Result : Mild skin irritation

**Ethanol:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

Moxidectin:

Species : Rabbit

Result : Moderate eye irritation

**Ethanol:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

# Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### Moxidectin:

Test Type : Buehler Test Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Ethanol:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Moxidectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: in vitro assay
Test system: Escherichia coli

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat Cell type: Liver cells Result: negative

**Ethanol:** 

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: equivocal

#### Carcinogenicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### **Components:**

#### Moxidectin:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 4.5 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 4.5 mg/kg body weight

Result : negative

Species : Dog Application Route : Oral Exposure time : 1 Years

NOAEL : 0.5 mg/kg body weight

Result : negative

#### Reproductive toxicity

Not classified based on available information.

#### Components:

# 4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 3,000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Moxidectin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced foetal weight, foetal mortality

Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced foetal weight, foetal mortality

Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 10 mg/kg body weight Embryo-foetal toxicity: LOAEL: 10 mg/kg body weight

Result: Skeletal malformations

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: LOAEL: 5 mg/kg body weight Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects, No embryotoxic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

**Ethanol:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Components:**

#### Moxidectin:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### Repeated dose toxicity

#### Components:

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 3 d

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 19 d

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 30 d

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d

Remarks : No significant adverse effects were reported

Moxidectin:

Species : Mouse
NOAEL : 3.9 mg/kg
LOAEL : 15.4 mg/kg
Application Route : Oral
Exposure time : 4 Weeks
Symptoms : Tremors

Species : Rat
NOAEL : 3.9 mg/kg
LOAEL : 7.9 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Target Organs : Central nervous system Symptoms : Tremors, Salivation

Species : Dog
NOAEL : 0.3 mg/kg
LOAEL : 0.9 mg/kg
Application Route : Oral

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Exposure time : 90 Days

Target Organs : Central nervous system

Symptoms : Tremors, Lachrymation, Salivation

Species : Dog
NOAEL : 0.3 mg/kg
LOAEL : 0.87 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Target Organs : Central nervous system Symptoms : Tremors, Lachrymation

**Ethanol:** 

Species : Rat

NOAEL : 1,280 mg/kg
LOAEL : 3,156 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

#### Components:

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea,

Headache, Dizziness, Fever

Moxidectin:

Inhalation : Remarks: No human information is available. Skin contact : Remarks: No human information is available. Eye contact : Remarks: No human information is available. Ingestion : Remarks: No human information is available.

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

## **Components:**

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Moxidectin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0006 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0002 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00003 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.087

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

10,000

10,000

**Ethanol:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

c toxicity)

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l

Exposure time: 16 h

Persistence and degradability

**Components:** 

**Ethanol:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

#### Bioaccumulative potential

## **Components:**

Moxidectin:

Partition coefficient: n-

octanol/water

log Pow: 4.7

**Ethanol:** 

Partition coefficient: n-

octanol/water

log Pow: -0.35

Mobility in soil

No data available

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### International Regulations

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Moxidectin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Moxidectin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

956

956

ger aircraft)

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Moxidectin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

GB 6944/12268

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Moxidectin)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

# The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

#### **16. OTHER INFORMATION**

according to GB/T 16483 and GB/T 17519



# Pyrantel Pamoate / Moxidectin Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

Revision Date : 2023/09/30

**Further information** 

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

according to GB/T 16483 and GB/T 17519



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2.6 2023/09/30 4892848-00010 Date of first issue: 2019/09/17

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN