

# **Pyrantel Pamoate / Moxidectin Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 2024/04/02 4892854-00013 4.3 2024/06/26 Date of first issue: 2019/09/17

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Pyrantel Pamoate / Moxidectin Formulation

Manufacturer or supplier's details

Company : MSD

Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

repeated exposure

Specific target organ toxicity - : Category 2 (Central nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

**GHS** label elements

Hazard pictograms





Signal word

Hazard statements H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### **Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 38.3 %

# Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid,	22204-24-6	>= 30 -< 60
compound with (E)-1,4,5,6-tetrahydro-1-methyl-		
2-[2-(2-thienyl)vinyl]pyrimidine (1:1)		
Moxidectin	113507-06-5	>= 1 -< 2.5
Ethanol#	64-17-5	< 10

<sup>#</sup> Voluntarily-disclosed substance

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms : May cause damage to organs

and effects, both acute and

delayed

In case of eye contact

May cause damage to organs through prolonged or repeated

exposure.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

#### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 μg/m3 (OEB 2)	Internal
Moxidectin	113507-06-5	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal
Ethanol	64-17-5	PSD	1,000 ppm	ID OEL
	Further information: Confirmed animal carcinogen.			
		STEL	1,000 ppm	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

### Personal protective equipment



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection

: Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Skin contact Ingestion

Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Acute oral toxicity : LD50 (Rat): > 24,000 mg/kg

LD50 (Mouse): > 24,000 mg/kg

LD50 (Dog): 2,000 mg/kg

Moxidectin:

Acute oral toxicity : LD50 (Rat): 106 mg/kg

LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.28 mg/l

Exposure time: 5 h

Test atmosphere: dust/mist

LC50 (Rat): 2.87 - 4.06 mg/l Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: No significant adverse effects were reported

Acute toxicity (other routes of:

administration)

LD50 (Rat): 394 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 84 mg/kg

Application Route: Intraperitoneal

LD50 (Rat): > 640 mg/kg

Application Route: Subcutaneous



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

LD50 (Mouse): 263 mg/kg

Application Route: Subcutaneous

**Ethanol:** 

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Moxidectin:

Species : Rabbit

Result : Mild skin irritation

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Moxidectin:

Species : Rabbit

Result : Moderate eye irritation

Ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

### Components:

Moxidectin:

Test Type : Buehler Test Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

**Ethanol:** 

Test Type : Mouse ear swelling test (MEST)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Moxidectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: in vitro assay Test system: Escherichia coli

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat Cell type: Liver cells Result: negative

**Ethanol:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion

Result: negative

### Carcinogenicity

Not classified based on available information.

#### **Components:**

### Moxidectin:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 4.5 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 4.5 mg/kg body weight

Result : negative

Species : Dog Application Route : Oral Exposure time : 1 Years

NOAEL : 0.5 mg/kg body weight

Result : negative

### Reproductive toxicity

Not classified based on available information.

#### **Components:**

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on foetal develop-

Test Type: Embryo-foetal development Species: Rat

ment

Application Route: Oral

Developmental Toxicity: NOAEL: 3,000 mg/kg body weight Result: No effects on fertility and early embryonic develop-



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

ment were detected.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Moxidectin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced foetal weight, foetal mortality Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced foetal weight, foetal mortality Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 10 mg/kg body weight Embryo-foetal toxicity: LOAEL: 10 mg/kg body weight

Result: Skeletal malformations

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: LOAEL: 5 mg/kg body weight Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects, No embryotoxic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

**Ethanol:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

### **Components:**

#### Moxidectin:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

### **Components:**

# 4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 3 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral Exposure time : 19 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral Exposure time : 30 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral Exposure time : 90 d

Remarks : No significant adverse effects were reported

### Moxidectin:

Species : Mouse
NOAEL : 3.9 mg/kg
LOAEL : 15.4 mg/kg
Application Route : Oral
Exposure time : 4 Weeks
Symptoms : Tremors



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

Species : Rat
NOAEL : 3.9 mg/kg
LOAEL : 7.9 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Target Organs : Central nervous system Symptoms : Tremors, Salivation

Species : Dog
NOAEL : 0.3 mg/kg
LOAEL : 0.9 mg/kg
Application Route : Oral
Exposure time : 90 Days

Target Organs : Central nervous system

Symptoms : Tremors, Lachrymation, Salivation

Species : Dog
NOAEL : 1.15 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Target Organs : Central nervous system Symptoms : Tremors, Lachrymation

**Ethanol:** 

Species : Rat

NOAEL : 1,730 mg/kg LOAEL : 3,200 mg/kg Application Route : Ingestion Exposure time : 90 Days

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

### **Components:**

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea,

Headache, Dizziness, Fever

Moxidectin:

Inhalation: Remarks: No human information is available.Skin contact: Remarks: No human information is available.Eye contact: Remarks: No human information is available.Ingestion: Remarks: No human information is available.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Moxidectin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0006 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0002 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00003 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.087

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10,000

M-Factor (Chronic aquatic

toxicity)

10,000

**Ethanol:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox- : NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

icity) Exposure time: 100 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to microorganisms : E

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

EC50 (Protozoa): 5,800 mg/l

Exposure time: 4 h

Persistence and degradability

**Components:** 

**Ethanol:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

**Bioaccumulative potential** 

**Components:** 

Moxidectin:

Partition coefficient: n-

octanol/water

log Pow: 4.7

**Ethanol:** 

Partition coefficient: n-

octanol/water

log Pow: -0.35

Mobility in soil
No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

**International Regulations** 

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

(Moxidectin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Moxidectin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 950

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Moxidectin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable



# **Pyrantel Pamoate / Moxidectin Formulation**

Date of last issue: 2024/04/02 Version Revision Date: SDS Number: 4892854-00013 4.3 2024/06/26 Date of first issue: 2019/09/17

# Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Sub-

Hazardous substances approved for use Glycerine

Ethanol

Prohibited substances Not applicable

Restricted substances Not applicable

# Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous

Type of hazardous materials subject to distribution and : Not applicable

control, Annex I

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

Type of hazardous materials subject to distribution and : Not applicable control, Annex II

#### The components of this product are reported in the following inventories:

**DSL** not determined

**AICS** not determined

**IECSC** not determined

#### 16. OTHER INFORMATION

**Revision Date** 2024/06/26

**Further information** 

Sources of key data used to

compile the Safety Data

cy, http://echa.europa.eu/

Sheet

yyyy/mm/dd Date format

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV) ID OEL Indonesia. Occupational Exposure Limits

ACGIH / STEL Short-term exposure limit ID OEL / PSD Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



# **Pyrantel Pamoate / Moxidectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/02 4.3 2024/06/26 4892854-00013 Date of first issue: 2019/09/17

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN