

# **Ramipril Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Ramipril Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity

- repeated exposure (Oral)

Category 2 (Kidney)

**GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H360D May damage the unborn child.

H373 May cause damage to organs (Kidney) through prolonged

or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Starch	9005-25-8	>= 30 -< 50	
Cellulose	9004-34-6	>= 30 -< 50	
Ramipril	87333-19-5	>= 10 -< 20	
Hydrolyzed Vegetable Protein	Not Assigned	>= 5 -< 10	
Natural Pork Flavor	Not Assigned	>= 1 -< 5	
Hydrogenated Vegetable Oil	Not Assigned	>= 1 -< 5	

#### **SECTION 4. FIRST AID MEASURES**

Most important symptoms

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction.

and effects, both acute and May damage the unborn child.

delayed May cause damage to organs through prolonged or repeated



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire :

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items



# **Ramipril Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

# **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust.
Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ingredients with workplace control parameters



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	VLE-PPT	10 mg/m <sup>3</sup>	NOM-010- STPS-2014
		TWA	10 mg/m <sup>3</sup>	ACGIH
Cellulose	9004-34-6	VLE-PPT	10 mg/m <sup>3</sup>	NOM-010- STPS-2014
		TWA	10 mg/m <sup>3</sup>	ACGIH
Ramipril	87333-19-5	TWA	3 μg/m3 (OEB 4)	Internal
		Wipe limit	30 μg/100cm2	Internal

**Engineering measures** : Containment technologies suitable for controlling compounds

are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from

stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : No data available



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available



# **Ramipril Formulation**

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### Components:

Starch:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity LD50 (Rabbit): > 2,000 mg/kg

Cellulose:

LD50 (Rat): > 5,000 mg/kg Acute oral toxicity

LC50 (Rat): > 5.8 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity LD50 (Rabbit): > 2,000 mg/kg

Ramipril:

LD50 (Rat): > 10,000 mg/kg Acute oral toxicity

LD50 (Dog): > 1,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Dog): > 250 mg/kg

Application Route: Intravenous

LD50 (Rat): 600 mg/kg

Application Route: Intravenous



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

Starch:

Species : Rabbit

Result : No eye irritation

# Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

# **Components:**

Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

**Natural Pork Flavor:** 

Assessment : The product is a skin sensitizer, sub-category 1B.

#### Germ cell mutagenicity

Not classified based on available information.

# **Components:**

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative



# **Ramipril Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

Ramipril:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: unscheduled DNA synthesis assay

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: mice Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Ramipril:

Species : Rat Application Route : Oral

Exposure time : 24 month(s)

NOAEL : 500 mg/kg body weight

Result : negative

Species : Rat Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 1,000 mg/kg body weight

Result : negative

Reproductive toxicity

May damage the unborn child.

**Components:** 

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion



# **Ramipril Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

Result: negative

Ramipril:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 500 mg/kg body weight

Result: No adverse effects.

Effects on fetal development : Test Type: Development

Species: Rat

**Application Route: Oral** 

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: Malformations were observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 50 mg/kg body weight

Result: Malformations were observed.

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 0.4 mg/kg body weight

Result: Maternal toxicity observed.

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Maternal toxicity observed.

Test Type: Development

Species: Monkey

Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: Maternal toxicity observed.

Test Type: Development

Species: Monkey Application Route: Oral

Developmental Toxicity: LOAEL: 50 mg/kg body weight

Result: Maternal toxicity observed.

Reproductive toxicity - As-

sessment

May damage the unborn child.

### STOT-single exposure

Not classified based on available information.

#### **STOT-repeated exposure**

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.



# **Ramipril Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

#### **Components:**

Ramipril:

Routes of exposure : Oral Target Organs : Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

#### Components:

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Ramipril:

Species : Mouse LOAEL : 100 mg/kg Application Route : Oral

Target Organs : Blood, Kidney Symptoms : kidney effects

Species : Rat
NOAEL : 2 mg/kg
Application Route : Oral

Species : Dog NOAEL : 2.5 mg/kg LOAEL : 250 mg/kg Application Route : Oral

Target Organs : Blood, Kidney Symptoms : kidney effects

Species : Monkey
NOAEL : 8 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral

Target Organs : Blood, Kidney Symptoms : kidney effects

#### **Aspiration toxicity**

Not classified based on available information.



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

### **Experience with human exposure**

**Components:** 

Ramipril:

Ingestion : Symptoms: Allergic reactions, Kidney disorders, liver function

change, Rash, Cough, Dizziness, Nausea, Headache, Vomit-

ing

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Ramipril:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

ma/

Exposure time: 72 h

Method: OECD Test Guideline 201

**Hydrolyzed Vegetable Protein:** 

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

**Natural Pork Flavor:** 

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

**Hydrogenated Vegetable Oil:** 

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded



# **Ramipril Formulation**

VersionRevision Date:SDS Number:Date of last issue: 04.04.20232.130.09.20233517204-00010Date of first issue: 11.10.2018

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

**Components:** 

Cellulose:

Biodegradability : Result: Readily biodegradable.

Ramipril:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 20 - 50 %

Exposure time: 28 d

Method: OECD Test Guideline 301A

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

NOM-002-SCT

Not regulated as a dangerous good



# **Ramipril Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 3517204-00010 Date of first issue: 11.10.2018

# Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for

producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average NOM-010-STPS-2014 / VLE- : Time weighted average limit value

**PPT** 

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-



# **Ramipril Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 3517204-00010
 Date of first issue: 11.10.2018

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8