

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ramipril Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitization : Category 1
Reproductive toxicity : Category 1A
Specific target organ toxicity : Category 2 (Kidney)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.
H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 30 -< 50
Cellulose	9004-34-6	>= 30 -< 50
Ramipril	87333-19-5	>= 10 -< 20
Hydrolyzed Vegetable Protein	Not Assigned	>= 5 -< 10
Natural Pork Flavor	Not Assigned	>= 1 -< 5
Hydrogenated Vegetable Oil	Not Assigned	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause an allergic skin reaction.

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases |

Ramipril Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 3517204-00012 Date of last issue: 04.12.2024
 Date of first issue: 11.10.2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Cellulose	9004-34-6	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Ramipril	87333-19-5	TWA	3 µg/m ³ (OEB 4)	Internal
		Wipe limit	30 µg/100cm ²	Internal

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

Skin and body protection : potential for direct contact to the face with dusts, mists, or aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Starch:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Cellulose:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

	Exposure time: 4 h
	Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

Ramipril:

Acute oral toxicity	: LD50 (Rat): > 10,000 mg/kg
	LD50 (Dog): > 1,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Dog): > 250 mg/kg
	Application Route: Intravenous
	LD50 (Rat): 600 mg/kg
	Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Starch:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Natural Pork Flavor:

Assessment	: The product is a skin sensitizer, sub-category 1B.
------------	------------------------------------------------------

Germ cell mutagenicity

Not classified based on available information.

Components:**Starch:**

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Ramipril:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: unscheduled DNA synthesis assay
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: mice
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Ramipril:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
NOAEL : 500 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 18 month(s)

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

NOAEL	: 1,000 mg/kg body weight
Result	: negative

Reproductive toxicity

May damage the unborn child.

Components:**Cellulose:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

Ramipril:

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 500 mg/kg body weight Result: No adverse effects.
Effects on fetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Malformations were observed. Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Malformations were observed. Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 0.4 mg/kg body weight Result: Maternal toxicity observed. Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Maternal toxicity observed. Test Type: Development Species: Monkey Application Route: Oral Developmental Toxicity: NOAEL: 5 mg/kg body weight

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

Result: Maternal toxicity observed.

Test Type: Development

Species: Monkey

Application Route: Oral

Developmental Toxicity: LOAEL: 50 mg/kg body weight

Result: Maternal toxicity observed.

Reproductive toxicity - Assessment : May damage the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Components:**Ramipril:**

Routes of exposure : Oral
Target Organs : Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Starch:**

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Ramipril:

Species : Mouse
LOAEL : 100 mg/kg
Application Route : Oral
Target Organs : Blood, Kidney
Symptoms : kidney effects

Species : Rat
NOAEL : 2 mg/kg
Application Route : Oral

Species : Dog

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

NOAEL	: 2.5 mg/kg
LOAEL	: 250 mg/kg
Application Route	: Oral
Target Organs	: Blood, Kidney
Symptoms	: kidney effects

Species	: Monkey
NOAEL	: 8 mg/kg
LOAEL	: 250 mg/kg
Application Route	: Oral
Target Organs	: Blood, Kidney
Symptoms	: kidney effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Ramipril:**

Ingestion	: Symptoms: Allergic reactions, Kidney disorders, liver function change, Rash, Cough, Dizziness, Nausea, Headache, Vomiting
-----------	-----------------------------------------------------------------------------------------------------------------------------

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	--------------------------------------------------------------------------------------------------------------------------------

Ramipril:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

Hydrolyzed Vegetable Protein:**Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

Natural Pork Flavor:**Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

Hydrogenated Vegetable Oil:**Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

Persistence and degradability**Components:****Cellulose:**

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

Ramipril:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 20 - 50 % Exposure time: 28 d Method: OECD Test Guideline 301A
------------------	---	----------------------------------------------------------------------------------------------------------------------------

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for
producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting
the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

Ramipril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	3517204-00012	Date of first issue: 11.10.2018

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8