

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sodium Selenite / Vitamin E Injection Formulation
Other means of identification : E-SE Injection (A000603)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
20 Spartan Road
1619 Spartan, South Africa
Telephone : +27119239300
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

- Signal word : Warning
- Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves.
- Response:**
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Benzyl alcohol
Sodium selenite

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
(dl)-a-Tocopheryl acetate	7695-91-2 231-710-0		5,15
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	2,19
Sodium selenite	10102-18-8 233-267-9 034-003-00-3	Acute Tox. 1; H300 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 Aquatic Acute 1;	0,35 - 1,13

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

		H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
--	--	--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed or if inhaled.
May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.

Sodium Selenite / Vitamin E Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	29.11.2023	895431-00017	Date of first issue: 21.09.2016

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Sodium Selenite / Vitamin E Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	29.11.2023	895431-00017	Date of first issue: 21.09.2016

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
 Do not breathe mist or vapours.
 Do not swallow.
 Avoid contact with eyes.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.
 Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m3 (OEB 1)	Internal
Sodium selenite	10102-18-8	OEL-RL	0,4 mg/m3 (selenium)	ZA OEL
Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				
		TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Sodium selenite	Workers	Inhalation	Long-term systemic effects	0,11 mg/m3
	Workers	Skin contact	Long-term systemic effects	15,33 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,033 mg/m3
	Consumers	Skin contact	Long-term systemic effects	9,42 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,00942 mg/kg bw/day
Polyethylene glycol castor oil	Workers	Inhalation	Long-term systemic effects	16,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1,67 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1,67 mg/kg bw/day
(dl)-a-Tocopheryl	Workers	Inhalation	Long-term systemic	73,5 mg/m3

SAFETY DATA SHEET



Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
 Date of first issue: 21.09.2016

acetate			effects	
	Workers	Skin contact	Long-term systemic effects	416,6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	21,7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	250 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12,5 mg/kg bw/day
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic effects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic effects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Sodium selenite	Fresh water	0,00585 mg/l
	Marine water	0,00438 mg/l
	Freshwater - intermittent	0,012 mg/l
	Sewage treatment plant	3,285 mg/l
	Fresh water sediment	18 mg/kg dry weight (d.w.)
	Marine sediment	13,6 mg/kg dry weight (d.w.)
	Soil	0,22 mg/kg dry weight (d.w.)
Polyethylene glycol castor oil	Oral (Secondary Poisoning)	2,19 mg/kg food
	Fresh water	0,000 mg/l
	Freshwater - intermittent	0,0661 mg/l
	Marine water	0,000 mg/l
	Marine water - intermittent	0,00661 mg/l
	Fresh water sediment	0,0129 mg/kg dry weight (d.w.)
	Marine sediment	0,00129 mg/kg dry weight (d.w.)
	Soil	0,00258 mg/kg dry weight (d.w.)

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

(dl)-a-Tocopheryl acetate	Fresh water	0,27 mg/l
	Marine water	0,027 mg/l
	Intermittent use/release	0,27 mg/l
	Sewage treatment plant	100 mg/l
Benzyl alcohol	Fresh water sediment	212000 mg/kg
	Marine sediment	21200 mg/kg
	Soil	74800 mg/kg
	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Sodium Selenite / Vitamin E Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	29.11.2023	895431-00017	Date of first issue: 21.09.2016

Appearance	:	Aqueous solution
Colour	:	amber
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	No data available
Particle size	:	Not applicable

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 422,35 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 4,33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

(dl)-a-Tocopheryl acetate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Sodium selenite:

Acute oral toxicity : LD50 (Rat): 4,8 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 0,052 - 0,51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:**(dl)-a-Tocopheryl acetate:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Sodium selenite:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**(dl)-a-Tocopheryl acetate:**

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2 Revision Date: 29.11.2023 SDS Number: 895431-00017 Date of last issue: 30.09.2023
Date of first issue: 21.09.2016

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Sodium selenite:

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**(dl)-a-Tocopheryl acetate:**

Test Type : Draize Test
Exposure routes : Skin contact
Species : Humans
Result : negative

Benzyl alcohol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Sodium selenite:

Assessment : Probability or evidence of skin sensitisation in humans
Remarks : Based on national or regional regulation.

Germ cell mutagenicity

Not classified based on available information.

Components:**(dl)-a-Tocopheryl acetate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Sodium Selenite / Vitamin E Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	29.11.2023	895431-00017	Date of first issue: 21.09.2016

Species: Mouse
Application Route: Ingestion
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Sodium selenite:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**(dl)-a-Tocopheryl acetate:**

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**(dl)-a-Tocopheryl acetate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

ment

Species: Rabbit
Application Route: Ingestion
Result: negative

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Sodium selenite:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Sodium selenite:

Exposure routes : Ingestion
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

(dl)-a-Tocopheryl acetate:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

Benzyl alcohol:

Species	: Rat
NOAEL	: 1,072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Sodium selenite:

Species	: Rat
NOAEL	: 0,88 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Sodium selenite:

Inhalation	: Target Organs: Respiratory Tract Symptoms: Irritation, Oedema Target Organs: Cardio-vascular system Symptoms: Lowered blood pressure Target Organs: Digestive organs Symptoms: Nausea, Vomiting, Irritability
Ingestion	: Target Organs: Nervous system Symptoms: Neurological disorders Target Organs: Hair Symptoms: hair loss Target Organs: Skin Symptoms: Rash, Skin disorders Target Organs: Endocrine system

SECTION 12: Ecological information

12.1 Toxicity

Components:

(dl)-a-Tocopheryl acetate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 927 mg/l
Exposure time: 30 min
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : NOEC: 100 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 51 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Sodium selenite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): > 0,1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

NOEC (Chlamydomonas reinhardtii (green algae)): > 0,1 - 1 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 180 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,022 mg/l
 Exposure time: 258 d
 Species: Lepomis macrochirus (Bluegill sunfish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,096 mg/l
 Exposure time: 28 d
 M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Components:

(dl)-a-Tocopheryl acetate:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 21,7 - 31 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301C

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 92 - 96 %
 Exposure time: 14 d

12.3 Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1,05

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H300 : Fatal if swallowed.

H302 : Harmful if swallowed.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H319 : Causes serious eye irritation.

Sodium Selenite / Vitamin E Injection Formulation

Version 6.2	Revision Date: 29.11.2023	SDS Number: 895431-00017	Date of last issue: 30.09.2023 Date of first issue: 21.09.2016
----------------	------------------------------	-----------------------------	---

H330 : Fatal if inhaled.
 H332 : Harmful if inhaled.
 H372 : Causes damage to organs through prolonged or repeated exposure.
 H400 : Very toxic to aquatic life.
 H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
 Aquatic Acute : Short-term (acute) aquatic hazard
 Aquatic Chronic : Long-term (chronic) aquatic hazard
 Eye Irrit. : Eye irritation
 Skin Irrit. : Skin irritation
 Skin Sens. : Skin sensitisation
 STOT RE : Specific target organ toxicity - repeated exposure
 ZA OEL : South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
 ZA OEL / OEL-RL : Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sodium Selenite / Vitamin E Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	29.11.2023	895431-00017	Date of first issue: 21.09.2016

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 4	H302
Acute Tox. 4	H332
Skin Sens. 1	H317
STOT RE 2	H373
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN