

# Sulfadiazine (20%) / Trimethoprim (4%) Liquid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

**Section 1: Identification** 

**Product identifier** Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

Manufacturer or supplier's details

MSD Company

: 50 Tuas West Drive Address

Singapore - Singapore 638408

Telephone +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

# Section 2: Hazard identification

Classification of the substance or mixture

Skin corrosion/irritation Category 1

Serious eye damage/eye irri-

tation

Category 1

Respiratory sensitisation : Category 1

Reproductive toxicity Category 2

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - : Category 2 (Bone marrow)

repeated exposure

Long-term (chronic) aquatic

hazard

: Category 2

GHS Label elements, including precautionary statements



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Hazard pictograms :









Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Bone marrow) through

prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection. P284 Wear respiratory protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON

CENTER/ doctor.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower. Immediately call a POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	
sulfadiazine	68-35-9	20	
Trimethoprim	738-70-5	4	
Sodium hydroxide	1310-73-2	3	
2,2'-Iminodiethanol	111-42-2	0.6	

## Section 4: First-aid measures

#### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention immediately.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Disagraph the accordance with some and

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficul-



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

ties if inhaled.

May cause respiratory irritation.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Causes severe burns. Causes digestive tract burns.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

#### Section 5: Fire-fighting measures

# **Extinguishing media**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

ucts

Exposure to combustion products may be a hazard to health.

Carbon oxides Hazardous combustion prod- : Metal oxides

Nitrogen oxides (NOx)

#### Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

#### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

des et dammendative serialete.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Explosives

#### Section 8: Exposure controls/personal protection

#### **Control parameters**

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sulfadiazine	68-35-9	TWA	2 mg/m3 (OEB 1)	Internal
Trimethoprim	738-70-5	TWA	400 μg/m3 (OEB 2)	Internal
Sodium hydroxide	1310-73-2	PEL (short term)	2 mg/m3	SG OEL
		С	2 mg/m3	ACGIH
2,2'-Iminodiethanol	111-42-2	PEL (long term)	0.46 ppm 2 mg/m3	SG OEL
		TWA (Inhal- able fraction and vapor)	1 mg/m3	ACGIH

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection Work uniform or laboratory coat.

If adequate local exhaust ventilation is not available or expo-Respiratory protection

Particulates type

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Material Chemical-resistant gloves

Section 9: Physical and chemical properties

**Appearance** liquid

Colour off-white to beige

Odour No data available

Odour Threshold No data available

pΗ 10.0 - 10.5

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

No data available Flash point

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

#### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Acids

Hazardous decomposition

products

: No hazardous decomposition products are known.

### **Section 11: Toxicological information**

Information on likely routes of : Inhalation exposure Skin contact

Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

#### Components:

sulfadiazine:

Acute oral toxicity : LD50 (Mouse): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute toxicity (other routes of : LD50 (Rat): 880 mg/kg

administration)

Application Route: Intravenous

LD50 (Mouse): 180 mg/kg Application Route: Intravenous

Trimethoprim:

Acute oral toxicity LD50 (Rat): 1,500 - 5,300 mg/kg

LD50 (Mouse): 1,910 - 7,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 400 - 500 mg/kg

Application Route: Intraperitoneal

LD50 (Dog): 90 mg/kg

Application Route: Intravenous

LD50 (Mouse): 132 mg/kg Application Route: Intravenous

Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

2,2'-Iminodiethanol:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 3.35 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation

Causes severe burns.

**Components:** 

sulfadiazine:

: Skin irritation Result

Based on data from similar materials Remarks

Sodium hydroxide:



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Result : Corrosive after 3 minutes or less of exposure

2.2'-Iminodiethanol:

Species : Rabbit Result : Skin irritation

#### Serious eye damage/eye irritation

Causes serious eye damage.

### **Components:**

#### sulfadiazine:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days Remarks : Based on data from similar materials

Sodium hydroxide:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

2,2'-Iminodiethanol:

Species : Rabbit

Result : Irreversible effects on the eye

# Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Components:**

# sulfadiazine:

Test Type : Maximisation Test Species : Guinea pig

Result : Not a skin sensitizer.

Remarks : Based on data from similar materials

Trimethoprim:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Sodium hydroxide:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes Skin contact Result : negative

2,2'-Iminodiethanol:

**Maximisation Test** Test Type Skin contactGuinea pigOECD Test Guideline 406 Exposure routes Species

Method

Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

sulfadiazine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells

Result: negative

Remarks: Based on data from similar materials

**Trimethoprim:** 

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Rat Result: negative

Test Type: Chromosomal aberration

Species: Humans Result: negative



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

2,2'-Iminodiethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Skin contact

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

2,2'-Iminodiethanol:

Species : Mouse
Application Route : Skin contact
Exposure time : 103 weeks
Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Species : Rat

Application Route : Skin contact
Exposure time : 103 weeks
Result : negative

Carcinogenicity - Assess-

ment

ment

: Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

Suspected of damaging the unborn child.

**Components:** 

sulfadiazine:

Effects on foetal develop-

i develop-

Test Type: Development

Species: Mouse

Application Route: Oral



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version 7.0

Revision Date: 06.04.2024

SDS Number: 1737585-00021

Date of last issue: 30.09.2023 Date of first issue: 08.06.2017

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Trimethoprim:

Effects on fertility

Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 70 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 70 mg/kg body weight

Result: Effects on newborn

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 70 mg/kg body weight

Result: Embryotoxic effects.

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: Embryotoxic effects., Teratogenic effects

Test Type: Development Species: Hamster Application Route: Oral

Developmental Toxicity: LOAEL: 1.7 mg/kg body weight Result: Embryotoxic effects., No teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects., No teratogenic effects

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

2,2'-Iminodiethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Method: OECD Test Guideline 443

Result: positive

Effects on foetal develop-

ment

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 443

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

# STOT - single exposure

May cause respiratory irritation.

#### **Components:**

#### sulfadiazine:

Assessment : May cause respiratory irritation.

# STOT - repeated exposure

May cause damage to organs (Bone marrow) through prolonged or repeated exposure.

#### **Components:**

#### Trimethoprim:

Target Organs : Bone marrow

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### 2,2'-Iminodiethanol:

Exposure routes : Ingestion

Target Organs : Kidney, Blood, Liver, Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Kidney, Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

Exposure routes : Skin contact

Target Organs : Blood, Liver, Kidney

Assessment : Shown to produce significant health effects in animals at con-

centrations of >20 to 200 mg/kg bw.



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

#### Repeated dose toxicity

#### **Components:**

### **Trimethoprim:**

Species : Rat NOAEL : 100 mg/kg LOAEL : 300 mg/kg Application Route : Oral Exposure time : 6 Months

Target Organs : Bone marrow, Liver, Pituitary gland, Thyroid

Species : Rat LÖAEL 300 mg/kg Application Route Oral Exposure time 3 Months : Bone marrow Target Organs

Species Dog NOAEL : 2.5 mg/kg LOAEL : 45 mg/kg : Orai : 3 Months : Blood, Thyroid Application Route Exposure time Target Organs

#### 2,2'-Iminodiethanol:

Species Rat, female LOAEL 14 mg/kg : Ingestion Application Route Exposure time : 13 Weeks

Species : Rat NOAEL : 0.015 mg/l

Application Route Exposure time : inhalation (dust/mist/fume)

: 90 Days

: OECD Test Guideline 413 Method

Species Rat LOAEL 32 mg/kg Application Route : Skin contact Exposure time : 13 Weeks

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

### **Components:**

#### sulfadiazine:



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

General Information : May cause eye, skin, and respiratory tract irritation.

Trimethoprim:

Ingestion : Target Organs: Bone marrow

Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion

#### **Section 12: Ecological information**

#### **Toxicity**

#### Components:

#### sulfadiazine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae): 17 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 3.9 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.13

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Microcystis aeruginosa (blue-green algae)): 0.135 mg/l

Exposure time: 7 Days Method: ISO 8692

M-Factor (Acute aquatic tox- :

icity

. .

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 6.2 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 1



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

toxicity)

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Trimethoprim:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna Straus): 92 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 16

mg/l

Exposure time: 72 h

EC50 (Anabaena flos-aquae): 253 mg/l

Exposure time: 72 h

EC10 (Anabaena flos-aquae): 26 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Zebrafish): 0.157 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

\_\_\_\_\_

NOEC (Daphnia magna (Water flea)): 6 mg/l

Exposure time: 21 d

5040 40 7 "

Toxicity to microorganisms : EC10: 16.7 mg/l Exposure time: 3 hrs

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50: > 1,000 mg/l Exposure time: 3 hrs

Test Type: Respiration inhibition Method: OECD Test Guideline 209

2,2'-Iminodiethanol:



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 30.1 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 9.5

mg/l

Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 1.1

mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aguatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 1.05 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC10 (activated sludge): > 1,000 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

### Persistence and degradability

#### **Components:**

sulfadiazine:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 314

Trimethoprim:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Result: Not inherently biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 302B

2,2'-Iminodiethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 93 % Exposure time: 28 d

Method: OECD Test Guideline 301F



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version 7.0

Revision Date: 06.04.2024

SDS Number: 1737585-00021

Date of last issue: 30.09.2023 Date of first issue: 08.06.2017

#### Bioaccumulative potential

### **Components:**

sulfadiazine:

Partition coefficient: n-

: log Pow: 0.12

octanol/water

Trimethoprim:

Partition coefficient: n-

log Pow: 0.91

octanol/water

2,2'-Iminodiethanol:

Partition coefficient: n-

: log Pow: -2.46

octanol/water

Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

# Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **Section 14: Transport information**

#### International Regulations

**UNRTDG** 

UN number : UN 1824

UN proper shipping name : SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) : 8
Packing group : II
Labels : 8
Environmental hazards : yes

**IATA-DGR** 

UN/ID No. : UN 1824

UN proper shipping name : Sodium hydroxide solution

Transport hazard class(es) : 8 Packing group : II

Labels : Corrosive Packing instruction (cargo : 855

aircraft)



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Packing instruction (passen- : 851

ger aircraft)

**IMDG-Code** 

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

(sulfadiazine, Trimethoprim)

Transport hazard class(es) : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **Section 15: Regulatory information**

# Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials)

Regulations

: Not applicable

Not applicable

# The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

# **Section 16: Other information**

Revision Date : 06.04.2024

**Further information** 

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / C : Ceiling limit

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



# Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.0 06.04.2024 1737585-00021 Date of first issue: 08.06.2017

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN