according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sulfadiazine / Trimethoprim Solid Formulation

### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance: powderColour: light yellowOdour: No data available

May be harmful if swallowed. Causes skin and eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### **GHS Classification**

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2B

Respiratory sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - :

single exposure

Category 3

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Specific target organ toxicity - :

repeated exposure

Category 2

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

#### **GHS** label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H303 May be harmful if swallowed.

H315 + H320 Causes skin and eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

P284 Wear respiratory protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

tention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before

reuse

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

May be harmful if swallowed. Causes skin irritation. Causes eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

## Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

| Chemical name | CAS-No.  | Concentration (% w/w) |  |
|---------------|----------|-----------------------|--|
| sulfadiazine  | 68-35-9  | 33.34                 |  |
| Trimethoprim  | 738-70-5 | 6.66                  |  |

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May be harmful if swallowed. Causes skin and eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

First Aid responders should pay attention to self-protection. Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO. Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

for firefighters

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

**Environmental precautions** 

gency procedures

Use personal protective equipment.

Avoid release to the environment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### 7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

**Storage** 

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components   | CAS-No.  | Value type<br>(Form of | Control parameters / Permissible | Basis    |
|--------------|----------|------------------------|----------------------------------|----------|
|              |          | exposure)              | concentration                    |          |
| sulfadiazine | 68-35-9  | TWA                    | 2 mg/m3 (OEB 1)                  | Internal |
| Trimethoprim | 738-70-5 | TWA                    | 400 μg/m3 (OEB<br>2)             | Internal |

**Engineering measures** : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hand protection

y protection : Work uniform or laboratory coat.

Material : Chemical-resistant gloves

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2024/09/28 1737643-00021 Date of first issue: 2017/06/08 7.0

Relative vapour density Not applicable

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size No data available

### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

products

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

Oxidizing agents

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

May be harmful if swallowed.

**Product:** 

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2024/09/28 1737643-00021 7.0 Date of first issue: 2017/06/08

Acute oral toxicity : Acute toxicity estimate: 2,814 mg/kg

Method: Calculation method

**Components:** 

sulfadiazine:

Acute oral toxicity : LD50 (Mouse): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute toxicity (other routes of : LD50 (Rat): 880 mg/kg

administration)

Application Route: Intravenous

LD50 (Mouse): 180 mg/kg Application Route: Intravenous

**Trimethoprim:** 

Acute oral toxicity : LD50 (Rat): 1,500 - 5,300 mg/kg

LD50 (Mouse): 1,910 - 7,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 400 - 500 mg/kg

Application Route: Intraperitoneal

LD50 (Dog): 90 mg/kg

Application Route: Intravenous

LD50 (Mouse): 132 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

sulfadiazine:

Result Skin irritation

Remarks Based on data from similar materials

Serious eye damage/eye irritation

Causes eye irritation.

**Components:** 

sulfadiazine:

Species Rabbit

Result Irritation to eyes, reversing within 7 days Remarks Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

#### sulfadiazine:

Test Type : Maximisation Test Species : Guinea pig

Result : Not a skin sensitizer.

Remarks : Based on data from similar materials

### Trimethoprim:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

## Germ cell mutagenicity

Not classified based on available information.

### Components:

### sulfadiazine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Remarks: Based on data from similar materials

## Trimethoprim:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat Result: negative

Test Type: Chromosomal aberration

Species: Humans Result: negative

## Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Suspected of damaging the unborn child.

#### Components:

### sulfadiazine:

Effects on foetal develop- : Test Type: Development

ment Species: Mouse

Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Trimethoprim:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 70 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 70 mg/kg body weight

Result: Effects on newborn

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 70 mg/kg body weight

Result: Embryotoxic effects.

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 15 mg/kg body weight

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Result: Embryotoxic effects., Teratogenic effects

Test Type: Development Species: Hamster Application Route: Oral

Developmental Toxicity: LOAEL: 1.7 mg/kg body weight Result: Embryotoxic effects., No teratogenic effects

Test Type: Development Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects., No teratogenic effects

Reproductive toxicity - As-

sessment

: Suspected of damaging the unborn child.

#### STOT - single exposure

May cause respiratory irritation.

#### Components:

### sulfadiazine:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

### Trimethoprim:

Target Organs : Bone marrow

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

### **Components:**

### Trimethoprim:

Species: RatNOAEL: 100 mg/kgLOAEL: 300 mg/kgApplication Route: OralExposure time: 6 Months

Target Organs : Bone marrow, Liver, Pituitary gland, Thyroid

Species : Rat
LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 3 Months

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Target Organs : Bone marrow

Species: DogNOAEL: 2.5 mg/kgLOAEL: 45 mg/kgApplication Route: OralExposure time: 3 MonthsTarget Organs: Blood, Thyroid

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### Components:

sulfadiazine:

General Information : May cause eye, skin, and respiratory tract irritation.

**Trimethoprim:** 

Ingestion : Target Organs: Bone marrow

Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

#### sulfadiazine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae): 17 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 3.9 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.13

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Daphnia magna (Water flea)): 6.2 mg/l

EC50 (Microcystis aeruginosa (blue-green algae)): 0.135 mg/l

Exposure time: 7 Days Method: ISO 8692

M-Factor (Acute aquatic tox- :

icity)

Toxicity to daphnia and other:

ic toxicity)

aquatic invertebrates (Chron-

Exposure time: 21 d Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 1

toxicity)

Toxicity to microorganisms

EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Trimethoprim:** 

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna Straus): 92 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 16

Exposure time: 72 h

EC50 (Anabaena flos-aquae): 253 mg/l

Exposure time: 72 h

EC10 (Anabaena flos-aquae): 26 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Zebrafish): 0.157 mg/l

Exposure time: 21 d

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity) Toxicity to microorganisms NOEC (Daphnia magna (Water flea)): 6 mg/l

Exposure time: 21 d

EC10: 16.7 mg/l

Exposure time: 3 hrs

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50: > 1,000 mg/l Exposure time: 3 hrs

Test Type: Respiration inhibition Method: OECD Test Guideline 209

### Persistence and degradability

### **Components:**

#### sulfadiazine:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 314

### Trimethoprim:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Result: Not inherently biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 302B

### **Bioaccumulative potential**

### **Components:**

### sulfadiazine:

Partition coefficient: n-

log Pow: 0.12

octanol/water

Partition coefficient: n-

: log Pow: 0.91

octanol/water

Trimethoprim:

# Mobility in soil

No data available

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

#### Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG** 

UN 3077 **UN** number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(sulfadiazine)

Class 9 Ш Packing group 9 Labels Environmentally hazardous yes

IATA-DGR

UN 3077 UN/ID No.

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(sulfadiazine)

9 Class Ш Packing group

Labels Miscellaneous

Packing instruction (cargo

aircraft)

956

Packing instruction (passen-

956

ger aircraft)

Environmentally hazardous yes

**IMDG-Code** 

**UN** number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(sulfadiazine)

Class 9 Packing group Ш Labels 9 F-A, S-F **EmS Code** Marine pollutant yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

### **National Regulations**

GB 6944/12268

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(sulfadiazine)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

**Regulations on Safety Management of Hazardous Chemicals** 

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

**Regulation on the Administration of Precursor Chemicals** 

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 16. OTHER INFORMATION

Revision Date : 2024/09/28

**Further information** 

Sources of key data used to : compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

according to GB/T 16483 and GB/T 17519



# Sulfadiazine / Trimethoprim Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 7.0 2024/09/28 1737643-00021 Date of first issue: 2017/06/08

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN