

Version 3.0	Revision Date: 28.09.2024		S Number: 48271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021	
SECTION	I 1. IDENTIFICATION				
Product identifier		:	Sulfamethoxazo	le / Trimethoprim Injection Formulation	
	ufacturer or supplier' pany	s deta :	ils MSD		
Addr	Address		Rua Coronel Bento Soares, 530 Cruzeiro - Sao Paulo - Brazil CEP 12730-340		
Tele	Telephone		908-740-4000		
Eme	Emergency telephone		1-908-423-6000		
E-ma	ail address	:	EHSDATASTEV	VARD@msd.com	
Recommended use of the chem Recommended use : Restrictions on use :		iical and restriction Veterinary produ Not applicable			

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

	Acute toxicity (Oral)	:	Category 5
I	Skin corrosion	:	Sub-category 1B
	Serious eye damage	:	Category 1
	Reproductive toxicity	:	Category 2
	Specific target organ toxicity - single exposure	:	Category 3
	Specific target organ toxicity - repeated exposure	:	Category 2 (Bone marrow)
	Short-term (acute) aquatic hazard	:	Category 1
	Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard



Version 3.0	Revision Date: 28.09.2024	SDS Number: 7848271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
Hazar	rd pictograms		
Signa	l Word	: Danger	
Hazar	d Statements	H314 Causes s H335 May cau H361d Suspec H373 May cau prolonged or re	narmful if swallowed. severe skin burns and eye damage. se respiratory irritation. ted of damaging the unborn child. se damage to organs (Bone marrow) through epeated exposure. to to aquatic life with long lasting effects.
Preca	utionary Statements	P271 Use only P273 Avoid rel	pecial instructions before use. outdoors or in a well-ventilated area. ease to the environment. otective gloves/ protective clothing/ eye protec- ection.
		tor if you feel u P301 + P330 + Do NOT induce CENTER/ doct P303 + P361 + immediately al shower. Immed P304 + P340 + and keep comf POISON CENT P305 + P351 + water for seven and easy to do CENTER/ doct P308 + P313 II attention.	 P331 + P310 IF SWALLOWED: Rinse mouth. e vomiting. Immediately call a POISON P353 + P310 IF ON SKIN (or hair): Take off I contaminated clothing. Rinse skin with water or diately call a POISON CENTER/ doctor. P310 IF INHALED: Remove person to fresh air fortable for breathing. Immediately call a TER/ doctor. P338 + P310 IF IN EYES: Rinse cautiously with ral minutes. Remove contact lenses, if present b. Continue rinsing. Immediately call a POISON F exposed or concerned: Get medical advice/
		Storage: P405 Store loc	ked up.
Other	hazards which do n	ot result in classifica	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



rsion)	Revision Date: 28.09.2024	SDS Number: 7848271-0001	Date of last issue: Date of first issue:	
Com	ponents			
Chem	nical name	CAS-No.	Classification	Concentration (% w/w)
1,3-D	ioxan-5-ol	4740-78-7	Flam. Liq., 4 Eye Irrit., 2A	>= 70 -< 90
Sulfa	methoxazole	723-46-6	Acute Tox. (Oral), 5 Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 -< 20
Ethar	nolamine	141-43-5	Flam. Liq., 4 Acute Tox. (Oral), 4 Acute Tox. (Inhala- tion), 4 Acute Tox. (Dermal), 4 Skin Corr., 1B Eye Dam., 1 STOT SE, 3 Aquatic Acute, 2 Aquatic Chronic, 3	>= 5 -< 10
Trime	ethoprim	738-70-5	Acute Tox. (Oral), 4 Repr., 2 STOT RE, (Bone mar- row), 1 Aquatic Acute, 3 Aquatic Chronic, 2	>= 3 -< 5

SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
In case of skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water.



Vers 3.0	sion	Revision Date: 28.09.2024		OS Number: 48271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
	Most important symptoms and effects, both acute and delayed		:	May be harmful if Causes serious e May cause respire Suspected of dam May cause damage exposure. Causes severe bu	ye damage. atory irritation. naging the unborn child. ge to organs through prolonged or repeated urns.
	Protect	ion of first-aiders	:	Causes digestive tract burns. First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists (see section 8).	
	Notes t	o physician	:	Treat symptomati	cally and supportively.
SEC	TION 5	. FIRE-FIGHTING ME	ASL	JRES	
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
	Specific fighting	c hazards during fire I	:	Exposure to comb	pustion products may be a hazard to health.
	Hazard ucts	lous combustion prod-	:	Nitrogen oxides (I Sulfur oxides Carbon oxides	NOx)
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages



Version 3.0	Revision Date: 28.09.2024	SDS Number: 7848271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
		cannot be contai	ned.
	ds and materials for nment and cleaning up	For large spills, p containment to k can be pumped, container. Clean up remain absorbent. Local or national disposal of this n employed in the determine which Sections 13 and	rt absorbent material. provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	 Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place.



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 30.09.2023
3.0		7848271-00010	Date of first issue: 03.03.2021
Mater	ials to avoid	: Do not store wit Strong oxidizing	bstances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sulfamethoxazole	723-46-6	TWA	OEB 2 (>= 100 < 1000 μg/m3)	Internal
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
Trimethoprim	738-70-5	TWA	400 μg/m3 (OEB 2)	Internal

Engineering measures	chnologies to control airbo ss quick connections). I engineering controls sho esign and operated in acco otect products, workers, a	g controls and manufacturing orne concentrations (e.g., drip- uld be implemented by facility ordance with GMP principles to and the environment. ot require special containment.
Personal protective equipme		
Respiratory protection		entilation is not available or onstrates exposures outside the se respiratory protection.
Filter type Hand protection	ombined particulates and	organic vapor type
Material	hemical-resistant gloves	
Eye protection	ists or aerosols, wear the 'ear a faceshield or other f otential for direct contact to erosols.	activity involves dusty conditions, appropriate goggles. full face protection if there is a the face with dusts, mists, or
Skin and body protection	ork uniform or laboratory	coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	light yellow
Odor	:	No data available



Vers 3.0	sion	Revision Date: 28.09.2024		S Number: 8271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
	Odor Th	reshold	:	No data available)
	pН		:	9,5 - 10,5	
	Melting	point/freezing point	:	No data available)
	Initial bo range	iling point and boiling	:	No data available	
	Flash po	pint	:	No data available	
	Evapora	ation rate	:	No data available)
	Flamma	bility (solid, gas)	:	Not applicable	
	Flamma	bility (liquids)	:	No data available)
		xplosion limit / Upper pility limit	:	No data available	
		xplosion limit / Lower pility limit	:	No data available	
	Vapor p	ressure	:	No data available	
	Relative	vapor density	:	No data available)
	Relative	density	:	No data available)
	Density		:	1,050 - 1,230 g/c	m³
	Solubilit Wate	y(ies) er solubility	:	No data available)
	Partition	coefficient: n-	:	Not applicable	
		ition temperature	:	No data available	
	Decomp	oosition temperature	:	No data available	
	Viscosit Visco	y osity, kinematic	:	No data available)
	Explosiv	ve properties	:	Not explosive	
	Oxidizin	g properties	:	The substance or	r mixture is not classified as oxidizing.
	Molecul	ar weight	:	No data available	9
	Particle Particle	characteristics size	:	Not applicable	



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	28.09.2024	7848271-00010	Date of first issue: 03.03.2021

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials	:	None known. Oxidizing agents Acids
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity May be harmful if swallowed.		
Product: Acute oral toxicity	:	Acute toxicity estimate: 4.368 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Components:		
1,3-Dioxan-5-ol:		
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Remarks: Based on data from similar materials
Sulfamethoxazole:		
Acute oral toxicity	:	LD50 (Mouse): 2.300 mg/kg
Ethanolamine:		
Acute oral toxicity	:	LD50 (Rat): 1.089 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Expert judgment



Versi 3.0		Revision Date: 28.09.2024	-	9S Number: 48271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
II				Remarks: Based of	on national or regional regulation.
ļ	Acute dermal toxicity		:	LD50 (Rabbit, ferr	nale): 1.018 mg/kg
	Trimeth	onrim			
	Trimethoprim: Acute oral toxicity		:	LD50 (Rat): 1.500	- 5.300 mg/kg
				LD50 (Mouse): 1.9	910 - 7.000 mg/kg
	Acute to: administ	xicity (other routes of ration)	:	LD50 (Rat): 400 - Application Route	
				LD50 (Dog): 90 m Application Route	
				LD50 (Mouse): 13 Application Route	
		rrosion/irritation severe burns.			
	Compor	nents:			
	1,3-Diox	an-5-ol:			
	Species		:	Rabbit	
	Method Result		÷	OECD Test Guide No skin irritation	line 404
	Remarks	6	:		m similar materials
:	Sulfame	ethoxazole:			
	Species		:	Rabbit	
11	Result		:	No skin irritation	
	Ethanol	amine:			
	Species		:	Rabbit	
	Result		:	Corrosive after 3 r	minutes to 1 hour of exposure
		eye damage/eye irri	tati	on	
		serious eye damage.			
	Compor	nents:			
		an-5-ol:			
	Species		:	Rabbit	
	Result Method		:	OECD Test Guide	eversing within 21 days line 405
	Remarks	6	:		m similar materials
	Ethanol	amine:			
	Species		:	Rabbit	
				9 / 20	



Version 3.0	Revision Date: 28.09.2024	SDS Number: 7848271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
Resu	lt	: Irreversible effect	cts on the eye
Resp	iratory or skin sens	itization	
Skin	sensitization		
Not c	lassified based on av	ailable information.	
Resp	iratory sensitization		
Not c	lassified based on av	ailable information.	
Com	ponents:		
1.3-D	ioxan-5-ol:		
Test		: Maximization Te	st
	es of exposure	: Skin contact	
Spec	ies	: Guinea pig	
Meth		: OECD Test Guid	deline 406
Resu		: negative	en civiler meteriele
Rema		. Daseu un uala n	om similar materials
Sulfa	methoxazole:		
Test	Tvpe	: Magnusson-Klig	man-Test
Route	es of exposure	: Skin contact	
Spec		: Guinea pig	
Resu	lt	: negative	
Ethai	nolamine:		
Test	Туре	: Maximization Te	st
	es of exposure	: Skin contact	
Spec		: Guinea pig	
Resu	п	: negative	
	ethoprim:		
Test	Type es of exposure	: Maximization Te	st
Route	es of exposure	: Dermal	
Spec		: Guinea pig : Not a skin sensit	lizor
Resu	п	. NOL A SKIN SENSI	1201.
Germ	n cell mutagenicity		
Not c	lassified based on av	ailable information.	
Com	ponents:		
1,3-D	ioxan-5-ol:		
Geno	toxicity in vitro	: Test Type: Bactor Result: negative	erial reverse mutation assay (AMES)
		Test Type: In vit Result: negative	ro mammalian cell gene mutation test
Geno	toxicity in vivo	: Test Type: Mam	malian erythrocyte micronucleus test (in viv
		10/20	



Version 3.0	Revision Date: 28.09.2024		of last issue: 30.09.2023 of first issue: 03.03.2021		
		cytogenetic assay) Species: Mouse Result: negative Remarks: Based on dat	Species: Mouse		
Sulfa	methoxazole:				
Geno	otoxicity in vitro	: Test Type: Bacterial rev Result: negative	verse mutation assay (AMES)		
		Test Type: Chromosom Result: negative	e aberration test in vitro		
Genc	otoxicity in vivo	: Test Type: Mutagenicity cytogenetic test, chromo Species: Humans Result: negative	y (in vivo mammalian bone-marrow osomal analysis)		
Etha	nolamine:				
	otoxicity in vitro	: Test Type: Bacterial rev Result: negative	verse mutation assay (AMES)		
		Test Type: In vitro mam Method: OECD Test Gu Result: negative	imalian cell gene mutation test uideline 476		
		Test Type: Chromosom Result: negative	e aberration test in vitro		
Genc	otoxicity in vivo	: Test Type: Mammalian cytogenetic assay) Species: Mouse Application Route: Inge Method: OECD Test Gu Result: negative			
	ethoprim:				
	otoxicity in vitro	: Test Type: Bacterial rev Result: negative	verse mutation assay (AMES)		
		Test Type: Chromosom Result: negative	al aberration		
		Test Type: In vitro mam Result: negative	malian cell gene mutation test		
		Test Type: DNA damag thesis in mammalian ce Result: negative	je and repair, unscheduled DNA syn- Ills (in vitro)		
Genc	otoxicity in vivo	: Test Type: Micronucleu Species: Rat	s test		



Result: negative Test Type: Chromosomal aberration Species: Humans Result: negative Carcinogenicity Not classified based on available information.	
Species: Humans Result: negative Carcinogenicity Not classified based on available information.	
Not classified based on available information.	
Components:	
Sulfamethoxazole:	
Species: MouseApplication Route: IngestionExposure time: 26 weeksResult: negative	
Reproductive toxicity Suspected of damaging the unborn child. <u>Components:</u>	
Ethanolamine:	
Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials	
Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative	
Trimethoprim:	
Effects on fertility : Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 70 mg/kg body weight Result: No effects on fertility.	
Effects on fetal development : Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 70 mg/kg body weight Result: Effects on newborn. Remarks: Maternal toxicity observed. Test Type: Development	
Species: Rat	



		Applic	ation Davida	
		Resu	It: Embryoto	oxicity: LOAEL: 70 mg/kg body weight
		Speci Applio Deve	•	
		Speci Applic Deve		•
		Speci Applic Deve		
Reproo sessm	ductive toxicity - As- ent	: Suspe	ected of dam	naging the unborn child.
	-single exposure ause respiratory irritation	on.		
<u>Comp</u>	onents:			
Ethano Assess	olamine: sment	: May o	cause respira	atory irritation.
May ca		s (Bone ma	rrow) throug	h prolonged or repeated exposure.
	onents:			
Ethano Assess	olamine: sment		gnificant hea of 0.2 mg/l/6	alth effects observed in animals at concentra sh/d or less.
	t hoprim: Organs sment		-	o organs through prolonged or repeated
Repea	ted dose toxicity			
Comp	onents:			
Ethan	olamine:			



Version 3.0	Revision Date: 28.09.2024	SDS Number: 7848271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
Speci NOAE Applic Expos Rema	EL cation Route sure time	: Rat : > 120 mg/kg : Ingestion : > 75 Days : Based on data	from similar materials
	EL cation Route sure time	: Rat : >= 0,15 mg/l : inhalation (dust : 28 Days : OECD Test Gu	
Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos	EL EL cation Route sure time et Organs es	: Rat : 100 mg/kg : 300 mg/kg : Oral : 6 Months : Bone marrow, I : Rat : 300 mg/kg : Oral : 3 Months : Bone marrow	iver, Pituitary gland, Thyroid.
Expos	EL	: Dog : 2,5 mg/kg : 45 mg/kg : Oral : 3 Months : Blood, Thyroid	
Not cl	ation toxicity assified based on avai rience with human ex		
	oonents: ethoprim: tion		Bone marrow Iominal pain, Nausea, Vomiting, skin rash, dache, mental depression, confusion
SECTION	12. ECOLOGICAL IN	FORMATION	
<u>Com</u> r	oxicity oonents: ioxan-5-ol:		
	ity to fish	: LL50 (Pimepha	les promelas (fathead minnow)): > 100 mg/l



ersion 0	Revision Date: 28.09.2024		S Number: 48271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
			Exposure time: 96 Remarks: Based o	6 h on data from similar materials
	Toxicity to daphnia and other aquatic invertebrates		Exposure time: 48	agna (Water flea)): > 100 mg/l 3 h on data from similar materials
	Toxicity to algae/aquatic plants		mg/l Exposure time: 72	hneriella subcapitata (green algae)): > 100 ? h on data from similar materials
			mg/l Exposure time: 72	irchneriella subcapitata (green algae)): > 1 ? h on data from similar materials
Toxici	ity to microorganisms	:	EC10: > 1.000 mg Exposure time: 3 Method: OECD Te Remarks: Based o	h
Sulfa	methoxazole:			
	ity to fish	:	LC50 (Oryzias lati Exposure time: 96	pes (Japanese medaka)): 562,5 mg/l 3 h
	ity to daphnia and other ic invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 0,21 mg/l 3 h
	Toxicity to algae/aquatic plants		EC50 (Synechoco 0,0268 mg/l Exposure time: 96	occus leopoliensis (blue-green algae)): Sh
			NOEC (Synechoc 0,0059 mg/l Exposure time: 96	occus leopoliensis (blue-green algae)): Sh
M-Fac icity)	ctor (Acute aquatic tox-	:	10	
	ity to fish (Chronic tox-	:	NOEC (Danio reri Exposure time: 21	o (zebra fish)): 0,533 mg/l d
aquat	ity to daphnia and other ic invertebrates (Chron-	:	NOEC (Daphnia n Exposure time: 30	nagna (Water flea)): 0,01 mg/l) d
	ctor (Chronic aquatic	:	10	
	toxicity) Toxicity to microorganisms		NOEC (activated s Method: OECD Te	sludge): 3,76 mg/l est Guideline 301D
II Ethar	nolamine:			
	ity to fish	:	LC50 (Cyprinus ca	arpio (Carp)): 349 mg/l



rsion)	Revision Date: 28.09.2024		9S Number: 48271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
			Exposure time: 9 Method: Directive	6 h e 67/548/EEC, Annex V, C.1.
	ity to daphnia and other ic invertebrates	:	Exposure time: 4	nagna (Water flea)): 65 mg/l 8 h e 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants		:	ErC50 (Pseudokirchneriella subcapitata (green alga mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
			Exposure time: 7	irchneriella subcapitata (green algae)): 1 m 2 h ⁻ est Guideline 201
Toxici icity)	ity to fish (Chronic tox-	•	Exposure time: 4	atipes (Orange-red killifish)): 1,24 mg/l 1 d ⁻ est Guideline 210
	ity to daphnia and other ic invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0,85 mg/l 1 d
	ity to microorganisms	:	Exposure time: 3	onas putida): > 1.000 mg/l 0 min ēst Guideline 209
Trime	ethoprim:			
Toxici	ity to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): 100 mg/l 6 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia r Exposure time: 4	nagna Straus (Water flea)): 92 mg/l 8 h
Toxici plants	ity to algae/aquatic	:	EC50 (Pseudokir mg/l Exposure time: 7	chneriella subcapitata (microalgae)): 80,3 2 h
			NOEC (Pseudok mg/l Exposure time: 7	irchneriella subcapitata (green algae)): 16 2 h
			EC50 (Anabaena Exposure time: 7	i flos-aquae): 253 mg/l 2 h
			EC10 (Anabaena Exposure time: 7	i flos-aquae): 26 mg/l 2 h
Toxici icity)	ity to fish (Chronic tox-	:	NOEC (Zebrafish Exposure time: 2	
	ity to daphnia and other ic invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 6 mg/l 1 d



ic toxic Toxicity	ity) y to microorganisms	:	EC10: 16,7 mg/l	
			Exposure time: 3 Test Type: Respin Method: OECD T EC50: > 1.000 mg	ration inhibition est Guideline 209
			Exposure time: 3 Test Type: Respire	hrs
Persist	tence and degradabil	ity		
Compo	onents:			
'	oxan-5-ol:			
Biodeg	radability	:	Result: Inherently Remarks: Based	[,] biodegradable. on data from similar materials
	ethoxazole:			
Biodeg	radability	:	Result: Not readil Biodegradation: (Exposure time: 28 Method: OECD T	0%
Ethanc	plamine:			
Biodeg	radability	:	Result: Readily bi Biodegradation: = Exposure time: 27 Method: OECD T	> 90 %
Trimet	hoprim:			
Biodeg	radability	:	Result: Not readil Biodegradation: Exposure time: 28 Method: OECD T	4 %
			Biodegradation: (Exposure time: 28	
Bioaco	umulative potential			
	onents:			
	oxan-5-ol:			
	n coefficient: n-	:	log Pow: -0,65	
Sulfam	ethoxazole:			



Version 3.0	Revision Date: 28.09.2024		DS Number: 48271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
Bioaccumulation		:	Species: Cyprinu Bioconcentration	s carpio (Carp) factor (BCF): < 120
Partition coefficient: n- octanol/water		:	log Pow: 0,89	
Ethar	nolamine:			
Partition coefficient: n- octanol/water		:	log Pow: -2,3 Method: OECD Test Guideline 107	
Trime	ethoprim:			
Partition coefficient: n- octanol/water		:	log Pow: 0,91	
Mobility in soil				
No data available				
Other adverse effects				
No data available				

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	:	UN 2491 ETHANOLAMINE SOLUTION 8 III 8 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 2491 Ethanolamine solution 8 III Corrosive 856 852
IMDG-Code UN number	:	UN 2491



Version 3.0	Revision Date: 28.09.2024		DS Number: 348271-00010	Date of last issue: 30.09.2023 Date of first issue: 03.03.2021
Proper shipping name		:	ETHANOLAMIN (Sulfamethoxaz	
Class	Class		8	
Packi	Packing group		III	
Label	Labels		8	
EmS	EmS Code		F-A, S-B	
Marin	Marine pollutant		yes	
-				

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT		
UN number	:	UN 2491
Proper shipping name	:	ETHANOLAMINE SOLUTION
Class	:	8
Packing group	:	III
Labels	:	8
Hazard Identification Number	:	80

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/leg mixture	islation specific for the substance or
National List of Carcinogenic Agents for Humans - (LINACH)	: Not applicable
Brazil. List of chemicals controlled by the Federal Police	: Not applicable
The ingredients of this product are reported in th	ne following inventories:
DSL : not determined	

AICS	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 30.09.2023
3.0		7848271-00010	Date of first issue: 03.03.2021
Data S	heet	cy, http://echa.e	uropa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA ACGIH / STEL		8-hour, time-weighted average Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.