

## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

#### **SECTION 1. IDENTIFICATION**

Product identifier : Sulfapyridine Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 3

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity - :

single exposure (Oral)

Category 1

Short-term (acute) aquatic

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms





Signal Word : Danger

Hazard Statements : H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

H360F May damage fertility.

H370 Causes damage to organs if swallowed.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

Storage:

P405 Store locked up.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)	
Petrolatum	8009-03-8		>= 20 -< 30	
Sulfapyridine	144-83-2	Acute Tox. (Oral), 2 Skin Sens., 1 Repr., 1A STOT SE (Oral), 1 Aquatic Chronic, 2	>= 10 -< 20	
Benzyl benzoate	120-51-4	Acute Tox. (Oral), 5 Acute Tox. (Dermal), 5 Aquatic Acute, 1 Aquatic Chronic, 2	>= 0,25 -< 1	
Benzyl cinnamate	103-41-3	Acute Tox. (Oral), 5 Skin Sens., 1B Aquatic Acute, 1 Aquatic Chronic, 2	>= 0,25 -< 1	



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

Protection of first-aiders

and effects, both acute and

Toxic if swallowed.

May cause an allergic skin reaction.

delayed May damage fertility.

Causes damage to organs if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

: Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust, fume, gas, mist, vapors or spray.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the



## Sulfapyridine Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 5624953-00009 Date of first issue: 09.04.2020 3.0

environment.

Hygiene measures If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Keep in properly labeled containers. Conditions for safe storage

> Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

**Explosives** Gases

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Petrolatum	8009-03-8	TWA (Inhalable particulate matter)	5 mg/m³	ACGIH	
Sulfapyridine	144-83-2	TWA	0.25 mg/m3 (OEB 2)	Internal	
	Further information: DSEN				
		Wipe limit	0.1 mg/100 cm2	Internal	

**Engineering measures** Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Combined particulates and organic vapor type

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Material Chemical-resistant gloves



## Sulfapyridine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 28.09.2024 5624953-00009 Date of first issue: 09.04.2020

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : solid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during proce-

ssing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: No data available



## Sulfapyridine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 28.09.2024 5624953-00009 Date of first issue: 09.04.2020

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air during

processing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact

**Acute toxicity** 

Toxic if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 158 mg/kg

Method: Calculation method

**Components:** 

Petrolatum:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

Remarks: Based on data from similar materials

Sulfapyridine:

Acute oral toxicity : LD50 (Rat): 15,8 mg/kg

Benzyl benzoate:

Acute oral toxicity : LD50 (Mouse, male): 3.253 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Benzyl cinnamate:

Acute oral toxicity : LD50 (Rat): 2.610 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Petrolatum:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Benzyl benzoate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Benzyl cinnamate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Petrolatum:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials



## Sulfapyridine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 28.09.2024 5624953-00009 Date of first issue: 09.04.2020

Benzyl benzoate:

Species : Rabbit

Result : No eye irritation

Benzyl cinnamate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

**Components:** 

Petrolatum:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Sulfapyridine:

Assessment : May cause sensitization by skin contact.

Benzyl benzoate:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Benzyl cinnamate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Petrolatum:



## Sulfapyridine Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Sulfapyridine:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Cell type: Bone marrow

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Benzyl benzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

Benzyl cinnamate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials



## Sulfapyridine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 28.09.2024 5624953-00009 Date of first issue: 09.04.2020

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Petrolatum:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

### Sulfapyridine:

Carcinogenicity - Assess- : No data available

ment

#### Benzyl benzoate:

Species : Rat
Application Route : Ingestion
Result : negative

Remarks : Based on data from similar materials

#### Benzyl cinnamate:

Species : Rat
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative

Remarks : Based on data from similar materials

Species: MouseApplication Route: IngestionExposure time: 105 weeksResult: negative

Remarks : Based on data from similar materials

#### Reproductive toxicity

May damage fertility.

#### Components:

#### Petrolatum:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Skin contact

Result: negative

Remarks: Based on data from similar materials

Sulfapyridine:

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on sexual function and

fertility from human epidemiological studies.

Benzyl benzoate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Benzyl cinnamate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs if swallowed.

**Components:** 

Sulfapyridine:

Routes of exposure : Oral

Assessment : Shown to produce significant health effects in animals at con-

centrations of 300 mg/kg bw or less.

**STOT-repeated exposure** 

Not classified based on available information.



## **Sulfapyridine Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 28.09.2024 5624953-00009 Date of first issue: 09.04.2020

#### Repeated dose toxicity

#### **Components:**

#### Petrolatum:

Species : Rat

NOAEL : 5.000 mg/kg
Application Route : Ingestion
Exposure time : 2 y

#### Benzyl benzoate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Remarks : Based on data from similar materials

Species : Rat

NOAEL : 781 mg/kg

LOAEL : 1.250 mg/kg

Application Route : Skin contact

Exposure time : 4 Weeks

#### Benzyl cinnamate:

Species : Rat, male
NOAEL : 275 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

### **Components:**

### Sulfapyridine:

Skin contact : Symptoms: Sensitization

Ingestion : Symptoms: Gastrointestinal disturbance

Symptoms: Sensitivity to light

Symptoms: Headache Symptoms: hepatitis

Symptoms: Stevens-Johnson syndrome

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

#### Petrolatum:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l



## Sulfapyridine Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

NOEL (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Sulfapyridine:

Toxicity to algae/aquatic

plants

EC10 (Raphidocelis subcapitata (freshwater green alga)): 1,0

mg/l

End point: Growth rate Exposure time: 72 h

Benzyl benzoate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2,32 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,09 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0,475 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0,247 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

city)

icity)

io aquaiio ion

Toxicity to fish (Chronic tox-

EC10 (Danio rerio (zebra fish)): 0,032 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0,258 mg/l



## Sulfapyridine Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 28.09.2024 5624953-00009 Date of first issue: 09.04.2020

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l

Exposure time: 3 h Method: ISO 8192

Benzyl cinnamate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,643 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 2,8 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,386

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,122

mg/l

1

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

city)

Toxicity to microorganisms

EC50: > 100 mg/l

Exposure time: 3 h Method: ISO 8192

Remarks: Based on data from similar materials

### Persistence and degradability

### Components:

Petrolatum:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Benzyl benzoate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 28 d

Method: Directive 67/548/EEC Annex V, C.4.D.

Benzyl cinnamate:

Biodegradability : Result: Readily biodegradable.



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

Biodegradation: 100 % Exposure time: 7 d

Remarks: Based on data from similar materials

**Bioaccumulative potential** 

**Components:** 

Benzyl benzoate:

Partition coefficient: n- : log Pow: 4

octanol/water Method: OECD Test Guideline 117

Benzyl cinnamate:

Partition coefficient: n- : log Pow: 4,18

octanol/water Method: OECD Test Guideline 117

Mobility in soil
No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.

(Sulfapyridine)

Class : 6.1
Packing group : III
Labels : 6.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 2811

Proper shipping name : Toxic solid, organic, n.o.s.

(Sulfapyridine)

Class : 6.1
Packing group : III
Labels : Toxic
Packing instruction (cargo : 677

aircraft)



## Sulfapyridine Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 5624953-00009 Date of first issue: 09.04.2020 3.0

Packing instruction (passen: 670

ger aircraft)

**IMDG-Code** 

UN number UN 2811

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S.

(Sulfapyridine)

Class 6.1 Packing group Ш Labels 6.1 F-A, S-A **EmS Code** Marine pollutant no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**ANTT** 

**UN** number UN 2811

TOXIC SOLID, ORGANIC, N.O.S. Proper shipping name

(Sulfapyridine)

Class 6.1 Packing group Ш Labels 6.1 Hazard Identification Number : 60

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans -Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal Not applicable

Police

The ingredients of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

**SECTION 16. OTHER INFORMATION** 

Revision Date 28.09.2024 Date format dd.mm.yyyy



## **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

#### **Further information**

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



# **Sulfapyridine Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 28.09.2024
 5624953-00009
 Date of first issue: 09.04.2020

BR / Z8