

## Sulfapyridine Formulation

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
Date of first issue: 09.04.2020

---

### Section 1: Identification

Product name : Sulfapyridine Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Acute toxicity (Oral) : Category 3

Skin sensitisation : Category 1

Reproductive toxicity : Category 1

Specific target organ toxicity - single exposure (Oral) : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.  
H317 May cause an allergic skin reaction.  
H360F May damage fertility.

## Sulfapyridine Formulation

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
 Date of first issue: 09.04.2020

H370 Causes damage to organs if swallowed.  
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form combustible dust concentrations in air during processing, handling or other means.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 20 -< 30
Sulfapyridine	144-83-2	>= 10 -< 20
Benzyl benzoate	120-51-4	>= 0.25 -< 1
Benzyl cinnamate	103-41-3	>= 0.25 -< 1

**Section 4: First-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

- advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Toxic if swallowed.  
May cause an allergic skin reaction.  
May damage fertility.  
Causes damage to organs if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**Section 5: Fire-fighting measures**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Hazchem Code : 2X

**Section 6: Accidental release measures**

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.

## Sulfapyridine Formulation

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
 Date of first issue: 09.04.2020

- Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Explosives

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	WES-TWA (Mist)	5 mg/m <sup>3</sup>	NZ OEL
		WES-STEL (Mist)	10 mg/m <sup>3</sup>	NZ OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Sulfapyridine	144-83-2	TWA	0.25 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection  
 Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

---

### Section 9: Physical and chemical properties

Appearance	:	solid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form combustible dust concentrations in air during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Toxic if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 158 mg/kg  
Method: Calculation method

#### Components:

##### **Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal

---

**Sulfapyridine Formulation**

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
Date of first issue: 09.04.2020

---

toxicity  
Remarks: Based on data from similar materials

**Sulfapyridine:**

Acute oral toxicity : LD50 (Rat): 15.8 mg/kg

**Benzyl benzoate:**

Acute oral toxicity : LD50 (Rat): 1,700 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Benzyl cinnamate:**

Acute oral toxicity : LD50 (Rat): 2,610 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Benzyl benzoate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzyl cinnamate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405



**Sulfapyridine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

Remarks : Based on data from similar materials

**Benzyl benzoate:**

Species : Rabbit  
Result : No eye irritation

**Benzyl cinnamate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Petrolatum:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Sulfapyridine:**

Assessment : May cause sensitisation by skin contact.

**Benzyl benzoate:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

**Benzyl cinnamate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Petrolatum:**

- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Sulfapyridine:**

- Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive
- Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster cells  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Cell type: Bone marrow  
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Benzyl benzoate:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: positive  
Remarks: Based on data from similar materials
- Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

mammalian liver cells in vivo  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**BenzyI cinnamate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mam-  
 malian cells  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

**Sulfapyridine:**

Carcinogenicity - Assess- : No data available  
 ment

**BenzyI cinnamate:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 105 weeks  
 Result : negative  
 Remarks : Based on data from similar materials

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 105 weeks  
 Result : negative  
 Remarks : Based on data from similar materials

## Sulfapyridine Formulation

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
Date of first issue: 09.04.2020

---

### Reproductive toxicity

May damage fertility.

#### Components:

##### **Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

##### **Sulfapyridine:**

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

##### **Benzyl benzoate:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

##### **Benzyl cinnamate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

##### **STOT - single exposure**

Causes damage to organs if swallowed.

**Sulfapyridine Formulation**

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
Date of first issue: 09.04.2020

---

**Components:****Sulfapyridine:**

Exposure routes : Oral  
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

**Benzyl benzoate:**

Assessment : May cause respiratory irritation.  
Remarks : Based on national or regional regulation.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Petrolatum:**

Species : Rat  
NOAEL : 5,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**Benzyl benzoate:**

Species : Rat  
NOAEL : 781 mg/kg  
Application Route : Skin contact  
Exposure time : 4 Weeks

**Benzyl cinnamate:**

Species : Rat, male  
NOAEL : 275 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Sulfapyridine:**

Skin contact : Symptoms: Sensitisation  
Ingestion : Symptoms: Gastrointestinal disturbance  
Symptoms: Sensitivity to light  
Symptoms: Headache

**Sulfapyridine Formulation**

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
Date of first issue: 09.04.2020

---

Symptoms: hepatitis  
Symptoms: Stevens-Johnson syndrome

---

**Section 12: Ecological information****Ecotoxicity****Components:****Petrolatum:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Sulfapyridine:**

Toxicity to algae/aquatic plants : EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l  
End point: Growth rate  
Exposure time: 72 h

**Benzyl benzoate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2.32 mg/l  
Exposure time: 96 h  
Method: Regulation (EC) No. 440/2008, Annex, C.1

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.09 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.475 mg/l  
Exposure time: 72 h

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.247 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.258 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: ISO 8192

**Benzyl cinnamate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.643 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 2.8 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.386 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.122 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Method: ISO 8192

Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Sulfapyridine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Benzyl benzoate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.

**Benzyl cinnamate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 7 d  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****Benzyl benzoate:**

Partition coefficient: n-octanol/water : log Pow: 4  
Method: OECD Test Guideline 117

**Benzyl cinnamate:**

Partition coefficient: n-octanol/water : log Pow: 4.18  
Method: OECD Test Guideline 117

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number : UN 2811



## Sulfapyridine Formulation

Version 5.1      Revision Date: 30.09.2023      SDS Number: 5624961-00008      Date of last issue: 04.04.2023  
Date of first issue: 09.04.2020

---

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Sulfapyridine)

Class : 6.1

Packing group : III

Labels : 6.1

Environmentally hazardous : no

### IATA-DGR

UN/ID No. : UN 2811

Proper shipping name : Toxic solid, organic, n.o.s.  
(Sulfapyridine)

Class : 6.1

Packing group : III

Labels : Toxic

Packing instruction (cargo aircraft) : 677

Packing instruction (passenger aircraft) : 670

### IMDG-Code

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Sulfapyridine)

Class : 6.1

Packing group : III

Labels : 6.1

EmS Code : F-A, S-A

Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Sulfapyridine)

Class : 6.1

Packing group : III

Labels : 6.1

Hazchem Code : 2X

Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

**HSNO Approval Number**

HSR100425 Pharmaceutical Active Ingredients Group Standard

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**Section 16: Other information**

Revision Date : 30.09.2023

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	:	8-hour, time-weighted average
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	:	Workplace Exposure Standard - Short-Term Exposure Limit

AICC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	5624961-00008	Date of first issue: 09.04.2020

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN