

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
Date of first issue: 09.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sulfapyridine Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 3	H301: Toxic if swallowed.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1A	H360F: May damage fertility.
Specific target organ toxicity - single exposure, Category 1	H370: Causes damage to organs.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

H317 May cause an allergic skin reaction.
 H360F May damage fertility.
 H370 Causes damage to organs.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Hazardous components which must be listed on the label:

Sulfapyridine
 Benzyl cinnamate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Sulfapyridine	144-83-2 205-642-7	Acute Tox. 2; H300 Skin Sens. 1; H317 Repr. 1A; H360F STOT SE 1; H370 Aquatic Chronic 2; H411	>= 10 - < 20
Benzyl benzoate	120-51-4 204-402-9 607-085-00-9	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute)	>= 0,25 - < 1

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
 Date of first issue: 09.04.2020

Benzyl cinnamate	103-41-3 203-109-3	aquatic toxicity): 1 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 <hr/> M-Factor (Acute aquatic toxicity): 1	$\geq 0,25 - < 1$
------------------	-----------------------	--	-------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Toxic if swallowed.
May cause an allergic skin reaction.
May damage fertility.
Causes damage to organs.
- Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
 Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|---|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust, fume, gas, mist, vapours or spray.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|--|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national |
|---|---|--|

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
 Date of first issue: 09.04.2020

regulations.

Advice on common storage : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Explosives
 Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sulfapyridine	144-83-2	TWA	0.25 mg/m ³ (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	0.1 mg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzyl benzoate	Workers	Inhalation	Long-term systemic effects	5,1 mg/m ³
	Workers	Inhalation	Acute systemic effects	102 mg/m ³
	Workers	Skin contact	Long-term systemic effects	2,6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m ³
	Consumers	Inhalation	Acute systemic effects	25 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	1,3 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	78 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Petrolatum	Oral (Secondary Poisoning)	9,33 mg/kg food
Benzyl benzoate	Fresh water	0,017 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	10,66 mg/kg dry weight (d.w.)

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
 Date of first issue: 09.04.2020

	Marine sediment	1,07 mg/kg dry weight (d.w.)
	Soil	2,12 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

- Eye/face protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Hand protection
 Material : Chemical-resistant gloves
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : solid
- Colour : No data available
- Odour : No data available
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : May form combustible dust concentrations in air during processing, handling or other means.
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	No data available
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
Date of first issue: 09.04.2020

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Toxic if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 158 mg/kg
Method: Calculation method

Components:

Sulfapyridine:

Acute oral toxicity : LD50 (Rat): 15,8 mg/kg

Benzyl benzoate:

Acute oral toxicity : LD50 (Rat): 1.700 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Benzyl cinnamate:

Acute oral toxicity : LD50 (Rat): 2.610 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl benzoate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzyl cinnamate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
Date of first issue: 09.04.2020

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl benzoate:

Species : Rabbit
Result : No eye irritation

Benzyl cinnamate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Sulfapyridine:

Assessment : May cause sensitisation by skin contact.

Benzyl benzoate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Benzyl cinnamate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulfapyridine:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

Test Type: Chromosome aberration test in vitro
 Test system: Chinese hamster cells
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Cell type: Bone marrow
 Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Benzyl benzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: positive
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Benzyl cinnamate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mammalian cells
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
Date of first issue: 09.04.2020

Components:**Sulfapyridine:**

Carcinogenicity - Assessment : No data available

Benzyl cinnamate:

Species : Rat
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative
Remarks : Based on data from similar materials

Species : Mouse
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

May damage fertility.

Components:**Sulfapyridine:**

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

Benzyl benzoate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Benzyl cinnamate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs.

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
Date of first issue: 09.04.2020

Components:

Sulfapyridine:

Exposure routes : Oral
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Benzyl benzoate:

Species : Rat
NOAEL : 781 mg/kg
Application Route : Skin contact
Exposure time : 4 Weeks

Benzyl cinnamate:

Species : Rat, male
NOAEL : 275 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Sulfapyridine:

Skin contact : Symptoms: Sensitisation
Ingestion : Symptoms: Gastrointestinal disturbance
Symptoms: Sensitivity to light
Symptoms: Headache
Symptoms: hepatitis
Symptoms: Stevens-Johnson syndrome

SECTION 12: Ecological information

12.1 Toxicity

Components:

Sulfapyridine:

Toxicity to algae/aquatic plants : EC10 (Raphidocelis subcapitata (freshwater green alga)): 1,0 mg/l
End point: Growth rate
Exposure time: 72 h

Sulfapyridine Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 5624964-00009 Date of last issue: 04.04.2023
Date of first issue: 09.04.2020

BenzyI benzoate:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2,32 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,09 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,475 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,247 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 : > 10.000 mg/l
Exposure time: 3 h
Method: ISO 8192
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,258 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

BenzyI cinnamate:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,643 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 2,8 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,386 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Pseudokirchneriella subcapitata (green algae)): 0,122 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

Toxicity to microorganisms : EC50 : > 100 mg/l
Exposure time: 3 h
Method: ISO 8192
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Benzyl benzoate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.D.

Benzyl cinnamate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 7 d
Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Benzyl benzoate:

Partition coefficient: n-octanol/water : log Pow: 4
Method: OECD Test Guideline 117

Benzyl cinnamate:

Partition coefficient: n-octanol/water : log Pow: 4,18
Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	:	UN 2811
ADR	:	UN 2811
RID	:	UN 2811
IMDG	:	UN 2811
IATA	:	UN 2811

14.2 UN proper shipping name

ADN	:	TOXIC SOLID, ORGANIC, N.O.S. (Sulfapyridine)
ADR	:	TOXIC SOLID, ORGANIC, N.O.S. (Sulfapyridine)
RID	:	TOXIC SOLID, ORGANIC, N.O.S. (Sulfapyridine)
IMDG	:	TOXIC SOLID, ORGANIC, N.O.S. (Sulfapyridine)
IATA	:	Toxic solid, organic, n.o.s. (Sulfapyridine)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	6.1
ADR	:	6.1
RID	:	6.1
IMDG	:	6.1
IATA	:	6.1

14.4 Packing group

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

ADN

Packing group	: III
Classification Code	: T2
Hazard Identification Number	: 60
Labels	: 6.1

ADR

Packing group	: III
Classification Code	: T2
Hazard Identification Number	: 60
Labels	: 6.1
Tunnel restriction code	: (E)

RID

Packing group	: III
Classification Code	: T2
Hazard Identification Number	: 60
Labels	: 6.1

IMDG

Packing group	: III
Labels	: 6.1
EmS Code	: F-A, S-A

IATA (Cargo)

Packing instruction (cargo aircraft)	: 677
Packing instruction (LQ)	: Y645
Packing group	: III
Labels	: Toxic

IATA (Passenger)

Packing instruction (passenger aircraft)	: 670
Packing instruction (LQ)	: Y645
Packing group	: III
Labels	: Toxic

14.5 Environmental hazards**ADN**

Environmentally hazardous	: no
---------------------------	------

ADR

Environmentally hazardous	: no
---------------------------	------

RID

Environmentally hazardous	: no
---------------------------	------

IMDG

Marine pollutant	: no
------------------	------

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	: Not applicable for product as supplied.
---------	---

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
-------------------	---	--

Full text of H-Statements

H300	:	Fatal if swallowed.
H302	:	Harmful if swallowed.
H317	:	May cause an allergic skin reaction.
H360F	:	May damage fertility.
H370	:	Causes damage to organs if swallowed.
H400	:	Very toxic to aquatic life.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	5624964-00009	Date of first issue: 09.04.2020

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 3	H301
Skin Sens. 1	H317
Repr. 1A	H360F
STOT SE 1	H370
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN