Commission Regulation (EU) 2020/878



## **Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier		
Trade name	:	Tildipirosin (4%) Formulation
Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
Details of the supplier of the	e saf	ety data sheet
Company	:	MSD
		Kilsheelan
		Clonmel Tipperary, IE
Telephone	:	353-51-601000
	Trade name Relevant identified uses of t Use of the Sub- stance/Mixture Recommended restrictions on use Details of the supplier of the	Trade name       :         Relevant identified uses of the s         Use of the Sub-       :         stance/Mixture         Recommended restrictions       :         on use       :

## 1.4 Emergency telephone number

1-908-423-6000

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Reproductive toxicity, Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

H317: May cause an allergic skin reaction. H361f: Suspected of damaging fertility. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

5

Hazard pictograms



Signal word

1/21

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Tildipirosin (4%) Formulation**

Version 4.1	Revision Date: 28.09.2024	SDS Numbe 1078778-00	
Hazar	d statements	: H317 H361f H410	May cause an allergic skin reaction. Suspected of damaging fertility. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	: <b>Preventi</b> P201 P273 P280	on: Obtain special instructions before use. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		<b>Respons</b> P308 + P P333 + P P391	313 IF exposed or concerned: Get medical advice/ attention.

## Hazardous components which must be listed on the label:

Tildipirosin

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

componenta		-	
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tildipirosin	328898-40-4	Skin Sens. 1A; H317 Repr. 2; H361f STOT RE 2; H373 (Heart, Cardio- vascular system, Nervous system, eye - retina, Thyroid, thymus gland,	>= 3 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Tildipirosin (4%) Formulation

sion	Revision Date: 28.09.2024	SDS Number: 1078778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016	
			spleen, Pancreas) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 100	
Citric	acid monohydrate	5949-29-1	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

		-
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks	:	May cause an allergic skin reaction.
		Suspected of damaging fertility.

### 4.3 Indication of any immediate medical attention and special treatment needed

# Tildipirosin (4%) Formulation

Versio 4.1	on	Revision Date: 28.09.2024	-	0S Number: 78778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016
Т	reatm	ent	:	Treat symptomati	cally and supportively.
SECT		5: Firefighting meas	sur	es	
5.1 Ex	ctingu	ishing media			
	-	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical	
	Jnsuita nedia	ble extinguishing	:	None known.	
5.2 Sp	oecial	hazards arising from	the	substance or mi	xture
	Specific ghting	hazards during fire-	:	Exposure to com	bustion products may be a hazard to health.
	lazard cts	ous combustion prod-	:	Carbon oxides	
5.3 Ad	dvice f	or firefighters			
S	Special	protective equipment ghters	:		e, wear self-contained breathing apparatus. tective equipment.
	Specific ods	extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	tiv	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment.

## Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

## 6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--



## **Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## 6.3 Methods and material for containment and cleaning up

For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
ער איז
Clean up remaining materials from spill with suitable absor-
bent.
Local or national regulations may apply to releases and dis-
posal of this material, as well as those materials and items
employed in the cleanup of releases. You will need to deter- mine which regulations are applicable.
0 11
Sections 13 and 15 of this SDS provide information regarding
certain local or national requirements.

## 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

1.1 1 recautions for sale nationity	9	
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment
		Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2 Conditions for safe storage, i	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types:



## **Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## 7.3 Specific end use(s)

Specific use(s)

: No data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	OELV - 8 hrs (TWA) (particles)	10 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (total (va- pour and parti- cles))	150 ppm 470 mg/m3	IE OEL
Tildipirosin	328898-40- 4	TWA	100 µg/m3 (OEB 2)	Internal
	Further inform	nation: DSEN		
		Wipe limit	100 µg/100 cm²	Internal

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
Propylene glycol	Workers	Inhalation	Long-term local ef-	10 mg/m3
			fects	-
	Workers	Inhalation	Long-term systemic	168 mg/m3
			effects	J J
	Consumers	Inhalation	Long-term local ef-	10 mg/m3
			fects	-
	Consumers	Inhalation	Long-term systemic	50 mg/m3
			effects	Ū

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

	· · · · · · ·	-
Substance name	Environmental Compartment	Value
Citric acid monohydrate	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34.6 mg/kg dry weight (d.w.)
	Marine sediment	3.46 mg/kg dry weight (d.w.)
	Soil	33.1 mg/kg dry weight (d.w.)
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Tildipirosin (4%) Formulation**

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
4.1		1078778-00018	Date of first issue: 18.11.2016
1			weight

		weight (d.w.)
	Marine sediment	57.2 mg/kg dry
		weight (d.w.)
	Soil	50 mg/kg dry
		weight (d.w.)

### 8.2 Exposure controls

### **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

### Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection Material	:	Chemical-resistant gloves
Skin and body protection Respiratory protection	:	Work uniform or laboratory coat. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143
Filter type	:	Particulates type (P)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper	:	No data available



# Tildipirosin (4%) Formulation

Vers 4.1	sion	Revision Date: 28.09.2024		S Number: 78778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016
	flamma	ability limit			
		explosion limit / Lower ability limit	:	No data available	
	Flash p	point	:	No data available	9
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	рН		:	No data available	9
	Viscos Viso	ity cosity, kinematic	:	No data available	2
	Solubil Wa	ity(ies) ter solubility	:	No data available	
	Partitic octano	n coefficient: n- l/water	:	No data available	
	Vapou	r pressure	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	ý	:	1.0499 g/cm <sup>3</sup>	
	Relativ	e vapour density	:	No data available	9
		e characteristics ticle size	:	No data available	9
9.2	Other iı	nformation			
	Explos	ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Evapo	ration rate	:	No data available	9
	Molecu	ılar weight	:	No data available	9

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Not classified as a reactivity hazard.



# Tildipirosin (4%) Formulation

Version 4.1	Revision Date: 28.09.2024		9S Number: 78778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016
	mical stability le under normal condition	ıs.		
10.3 Pos	sibility of hazardous rea	actio	ons	
	ardous reactions	:		trong oxidizing agents.
10.4 Con	ditions to avoid			
Con	ditions to avoid	:	None known.	
10.5 Inco	ompatible materials			
	erials to avoid	:	Oxidizing agents	
	ardous decomposition p nazardous decomposition			
SECTIO	N 11: Toxicological in	for	mation	
11.1 Info	rmation on hazard class	ses	as defined in Reg	ulation (EC) No 1272/2008
	mation on likely routes of osure	:	Inhalation Skin contact Ingestion Eye contact	
	<b>te toxicity</b> classified based on availa	ble	information.	
Con	ponents:			
Tild	ipirosin:			
Acut	e oral toxicity	:	LD50 (Rat): > 2,0	00 mg/kg
			LD50 (Mouse): >	2,000 mg/kg
Acut	e dermal toxicity	:	Remarks: No data	a available
	e toxicity (other routes of inistration)	:	LD50 (Mouse): 6. Application Route	
Citri	c acid monohydrate:			
Acut	e oral toxicity	:	LD50 (Mouse): 5,	400 mg/kg
Acut	e dermal toxicity	:		00 mg/kg est Guideline 402 substance or mixture has no acute dermal

## Skin corrosion/irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion 1	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20241078778-00018Date of first issue: 18.11.2016	
<u>Comp</u>	oonents:		
Tildip	birosin:		
Speci		: Rabbit	
Resul		: No skin irritation	
Citric	acid monohydrate:		
Speci		: Rabbit	
Resul	t	: No skin irritation	
Serio	us eye damage/eye	irritation	
	assified based on av	ailable information.	
<u>Comp</u>	oonents:		
-	birosin:		
Speci		: Rabbit	
Resul	ll i	: No eye irritation	
	acid monohydrate:		
Speci Resul		: Rabbit : Irritation to eyes, reversing within 21 days	
Deen	instant or altin sons		
-	iratory or skin sens	tisation	
-	<b>sensitisation</b> ause an allergic skin	reaction.	
Resp	iratory sensitisation		
Not cl	assified based on av	ailable information.	
<u>Com</u>	ponents:		
-	birosin:		
Test 7		: Maximisation Test	
Expos Speci	sure routes es	: Dermal : Guinea pig	
Resul		: Sensitiser	
Germ	cell mutagenicity		
Not cl	assified based on av	ailable information.	
<u>Com</u>	oonents:		
	pirosin:		
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AME Metabolic activation: with and without metabolic ac Result: negative	
		Test Type: Chromosomal aberration Test system: Human lymphocytes	
		10 / 21	



Versior 4.1	n	Revision Date: 28.09.2024		9S Number: 78778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016	
				Metabolic activati Result: negative	on: with and without metabolic activation	
				Test system: mou	o mammalian cell gene mutation test use lymphoma cells on: with and without metabolic activation	
Ge	Genotoxicity in vivo		:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative		
Ci	itric :	acid monohydrate:				
		oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
				Test Type: in vitro Result: positive	o micronucleus test	
				Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
Ge	Genotoxicity in vivo		:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative		
		<b>ogenicity</b> ssified based on availa	able	information.		
	-	ductive toxicity cted of damaging fertilit	ty.			
<u>Cc</u>	ompo	onents:				
Ti	Idipi	rosin:				
Ef	ffects	on fertility	:	Species: Rat Application Route General Toxicity F Symptoms: Effect	F1: LOAEL: 80 mg/kg body weight	
	ffects ent	on foetal develop-	:	Species: Rabbit, f Embryo-foetal tox Symptoms: Reduce Result: No teratog	icity: NOAEL: 30 mg/kg body weight ced body weight	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



rsion	Revision Date: 28.09.2024		Number: 778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016
		S E S R R R	pecies: Rat, fer mbryo-foetal to symptoms: Redu result: No terato	xicity: NOAEL: 30 mg/kg body weight uced body weight
Repro sessm	oductive toxicity - As- nent			of adverse effects on sexual function and animal experiments.
Citric	acid monohydrate:			
	s on foetal develop-	S A	est Type: Embr pecies: Rat pplication Route cesult: negative	yo-foetal development e: Ingestion
	<b>- single exposure</b> assified based on avai	lable inf	formation.	
Comp	oonents:			
<b>Citric acid monohydrate:</b> Assessment : May cause respiratory irritation.				
	-	: N	lay cause respir	ratory irritation.
Asses STOT Not cla	<ul> <li>repeated exposure</li> <li>assified based on avairable</li> </ul>			ratory irritation.
Asses STOT Not cla <u>Comp</u>	ssment - repeated exposure assified based on avai conents:			ratory irritation.
Asses STOT Not cla Comp Tildip	ssment - repeated exposure assified based on avai	lable inf	formation. leart, Cardio-va	scular system, Nervous system, eye - retina
Asses STOT Not cla <u>Comp</u> Tildip Targe	ssment - repeated exposure assified based on avai <u>ponents:</u> irosin:	lable inf : H T : N	formation. leart, Cardio-va hyroid, thymus	
Asses STOT Not cli Comp Tildip Targe Asses	ssment - repeated exposure assified based on avai <u>ponents:</u> irosin: it Organs	lable inf : H T : N	formation. leart, Cardio-va hyroid, thymus lay cause dama	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cli Comp Tildip Targe Asses Repea	ssment - repeated exposure assified based on avai <u>ponents:</u> irosin: it Organs ssment	lable inf : H T : N	formation. leart, Cardio-va hyroid, thymus lay cause dama	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cli Comp Tildip Targe Asses Repea	ssment - repeated exposure assified based on avai conents: irosin: it Organs ssment ated dose toxicity	lable inf : H T : N	formation. leart, Cardio-va hyroid, thymus lay cause dama	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cla Comp Tildip Targe Asses Repea Comp Tildip Specie	ssment - repeated exposure assified based on avai <u>ponents:</u> irosin: it Organs ssment ated dose toxicity <u>ponents:</u> irosin: es	lable inf : H T : M e	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure.	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cli Comp Tildip Targe Asses Repea Comp Tildip Specia	ssment - repeated exposure assified based on avai <u>conents:</u> irosin: it Organs ssment ated dose toxicity <u>conents:</u> irosin: es	lable inf : H T : M e : R : 2	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure. at 0 mg/kg	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cl: Comp Tildip Targe Asses Repea Comp Tildip Specie NOAE LOAE	ssment - repeated exposure assified based on avai <u>conents:</u> irosin: it Organs ssment ated dose toxicity <u>conents:</u> irosin: es EL iL	lable inf : H : M : R : 2 : 6	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure. Rat 0 mg/kg 0 mg/kg	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cli Comp Tildip Targe Asses Repea Comp Tildip Specie NOAE LOAE Applic	ssment - repeated exposure assified based on avai conents: irosin: t Organs ssment ated dose toxicity conents: irosin: es L iL cation Route	lable inf : H : M : R : 2 : 6 : C	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure. at 0 mg/kg 0 mg/kg 0 mg/kg 0 mg/kg	scular system, Nervous system, eye - retina gland, spleen, Pancreas
Asses STOT Not cli Comp Tildip Targe Asses Repea Comp Tildip Specie NOAE LOAE Applic Expos	ssment - repeated exposure assified based on avai conents: irosin: t Organs ssment ated dose toxicity conents: irosin: es EL cation Route sure time	lable inf : H T : M e : 2 : 6 : 0 : 9	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure. at 0 mg/kg 0 mg/kg 0 mg/kg 0 ral 0 d	scular system, Nervous system, eye - retina gland, spleen, Pancreas age to organs through prolonged or repeated
Asses STOT Not cli Comp Tildip Targe Asses Repea Comp Specia NOAE LOAE Applic Expos Targe	ssment - repeated exposure assified based on avai conents: irosin: it Organs ssment ated dose toxicity conents: irosin: es EL cation Route sure time it Organs	lable inf : H T : M e : R : 2 : 6 : 0 : 9 : s	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure. at 0 mg/kg 0 mg/kg 0 mg/kg 0 mg/kg 0 ral 0 d pleen, thymus g	scular system, Nervous system, eye - retina gland, spleen, Pancreas age to organs through prolonged or repeated
Asses STOT Not cli Comp Tildip Targe Asses Repea Comp Tildip Specie NOAE LOAE Applic Expos	ssment - repeated exposure assified based on avai conents: irosin: it Organs ssment ated dose toxicity conents: iL cation Route sure time it Organs toms	lable inf : H T : M e : R : 2 : 6 : 0 : 9 : s	formation. leart, Cardio-va hyroid, thymus lay cause dama xposure. at 0 mg/kg 0 mg/kg 0 mg/kg 0 ral 0 d	scular system, Nervous system, eye - retina gland, spleen, Pancreas age to organs through prolonged or repeated

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Tildipirosin (4%) Formulation

Version 4.1	Revision Date: 28.09.2024		DS Number: 078778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016				
LOAEL Application Route Exposure time Target Organs Symptoms		:	20 mg/kg Oral 28 d Heart, Central nervous system, Blood Tremors					
NOAE Applic Expos Targe	Species NOAEL Application Route Exposure time Target Organs Symptoms		Dog 6 mg/kg Oral 90 d Heart, Cardio-vascular system Irritability					
NOAE LOAE Applic Expos	Species NOAEL LOAEL Application Route Exposure time Target Organs		Dog 10 mg/kg 50 mg/kg Oral 55 Weeks Nervous system, gland, Pancreas	eye - retina, Heart, Thyroid, spleen, thymus				
Specie NOAE LOAE Applic	E	:	Rat 4,000 mg/kg 8,000 mg/kg Ingestion 10 Days					
•	ation toxicity assified based on avail	able	information.					
	11.2 Information on other hazards							
	Endocrine disrupting properties							
<u>Produ</u> Asses	<u>ıct:</u> sment	:	ered to have ende REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.				

### Experience with human exposure

### Components:

### Tildipirosin:

General Information : No human information is available.



## **Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Components:		
Tildipirosin:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 138 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 32 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.12 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.047 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 0.027 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 0.00011 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	10
Toxicity to microorganisms	:	EC50 : 112.4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
		NOEC : 0.23 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
M-Factor (Chronic aquatic toxicity)	:	100
Citric acid monohydrate:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h



Version 4.1	Revision Date: 28.09.2024	SDS Number: 1078778-0001	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016
	city to daphnia and other tic invertebrates	: EC50 (Dap Exposure t	hnia magna (Water flea)): 1,535 mg/l ime: 24 h
12.2 Pers	sistence and degradabil	ity	
Com	ponents:		
Tildi	pirosin:		
Biod	egradability	Biodegrada Exposure t	t readily biodegradable. ation: 14.7 % ime: 28 d ECD Test Guideline 301B
Citri	c acid monohydrate:		
Biod	egradability		adily biodegradable. ation: 97 %
		Exposure t	
12.3 Bioa	ccumulative potential		
Com	ponents:		
Parti	<b>c acid monohydrate:</b> tion coefficient: n- nol/water	: log Pow: -1	.72
12.4 Mob	<b>ility in soil</b> ata available		
12.5 Res	ults of PBT and vPvB as	ssessment	
Proc	luct:		
Asse	essment	to be eithe	ance/mixture contains no components considered r persistent, bioaccumulative and toxic (PBT), or tent and very bioaccumulative (vPvB) at levels of gher.
12.6 End	ocrine disrupting prope	rties	
Proc	luct:		
Asse	essment	ered to hav REACH Ar (EU) 2017/	nce/mixture does not contain components consid- ve endocrine disrupting properties according to ticle 57(f) or Commission Delegated regulation 2100 or Commission Regulation (EU) 2018/605 at 1% or higher.
	er adverse effects ata available		



## **Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.</li> </ul>
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

## **SECTION 14: Transport information**

14.1 UN number or ID number			
ADN	:	UN 3082	
ADR	:	UN 3082	
RID	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADN	:	ENVIRONMENTALLY N.O.S. (Tildipirosin)	Y HAZARDOUS SUBSTANCE, LIQUID,
ADR	:	ENVIRONMENTALLY N.O.S. (Tildipirosin)	Y HAZARDOUS SUBSTANCE, LIQUID,
RID	:	ENVIRONMENTALLY N.O.S. (Tildipirosin)	Y HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY N.O.S. (Tildipirosin)	Y HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally haza (Tildipirosin)	rdous substance, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADN	:	9	
ADR	:	9	
RID	:	9	
IMDG	:	9	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 4.1	ion	Revision Date: 28.09.2024		9S Number: 78778-00018	Date of last issue: 06.04.2024 Date of first issue: 18.11.2016
	ΙΑΤΑ		:	9	
14.4	Packin	ig group			
	Classifi	g group cation Code Identification Number	: : :	III M6 90 9	
	Classifi Hazard Labels	g group cation Code Identification Number restriction code		III M6 90 9 (-)	
	Classifi	g group cation Code Identification Number	: : :	III M6 90 9	
	IMDG Packing Labels EmS C	g group ode	:	III 9 F-A, S-F	
	aircraft) Packing	g instruction (cargo	: : : : :	964 Y964 III Miscellaneous	
	Packing ger airc Packing	Passenger) g instruction (passen- g instruction (LQ) g group	:	964 Y964 III Miscellaneous	
14.5	Enviro	nmental hazards			
	<b>ADN</b> Enviror	nmentally hazardous	:	yes	
	<b>ADR</b> Enviror	mentally hazardous	:	yes	
	<b>RID</b> Enviror	nmentally hazardous	:	yes	
	<b>IMDG</b> Marine	pollutant	:	yes	
		Passenger) Imentally hazardous	:	yes	



Commission Regulation (EC) NO. 1907/2000, as

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor. Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not. REACH - Candidate List of Substances of Verv High Not applicable 2 Concern for Authorisation (Article 59). Regulation (EC) on substances that deplete the ozone Not applicable : laver Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable : tants (recast) Regulation (EU) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals REACH - List of substances subject to authorisation : Not applicable (Annex XIV) Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of maior-accident hazards involving dangerous substances. Quantity 1 Quantity 2 E1 **ENVIRONMENTAL** 100 t 200 t HAZARDS



## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

## Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

Other information	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements	
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	S
Aquatic Acute	Short-term (acute) aquatic hazard
	Long-term (chronic) aquatic hazard
Eye Irrit.	Eye irritation
	Reproductive toxicity
	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
IE OEL	<ul> <li>Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2</li> </ul>
IE OEL / OELV - 8 hrs (TWA)	Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard



## **Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Classification of the r	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Repr. 2	H361f	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.1	28.09.2024	1078778-00018	Date of first issue: 18.11.2016