

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Tildipirosin (4%) Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Veterinary product

Recommended restrictions  
on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person  
responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361f: Suspected of damaging fertility.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :   

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H361f Suspected of damaging fertility.

## Tildipirosin (4%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 1071847-00015      Date of last issue: 04.04.2023  
Date of first issue: 18.11.2016

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Tildipirosin

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tildipirosin	328898-40-4	Skin Sens. 1A; H317 Repr. 2; H361f STOT RE 2; H373 (Heart, Cardio-vascular system, Nervous system, eye - retina, Thyroid, thymus gland, spleen, Pancreas) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 100	>= 3 - < 10
Citric acid monohydrate	5949-29-1	Eye Irrit. 2; H319	>= 1 - < 10

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

		STOT SE 3; H335	
--	--	-----------------	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.  
Suspected of damaging fertility.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing : None known.

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

media

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## Tildipirosin (4%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 1071847-00015      Date of last issue: 04.04.2023  
Date of first issue: 18.11.2016

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Tildipirosin	328898-40-4	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

## Tildipirosin (4%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 1071847-00015      Date of last issue: 04.04.2023  
 Date of first issue: 18.11.2016

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	50 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Citric acid monohydrate	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)
	Marine sediment	3,46 mg/kg dry weight (d.w.)
	Soil	33,1 mg/kg dry weight (d.w.)
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection  
 Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

**Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

Filter type : sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
: Particulates type (P)

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1,0499 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**9.2 Other information**

**Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

Flammability (liquids)	:	No data available
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Can react with strong oxidizing agents.

**10.4 Conditions to avoid**

Conditions to avoid : None known.

**10.5 Incompatible materials**

Materials to avoid : Oxidizing agents

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Tildipirosin:**

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
		LD50 (Mouse): > 2.000 mg/kg
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Mouse): 6,25 - 12,5 mg/kg Application Route: Intravenous

**Citric acid monohydrate:**



**Tildipirosin (4%) Formulation**

Version 4.1      Revision Date: 30.09.2023      SDS Number: 1071847-00015      Date of last issue: 04.04.2023  
Date of first issue: 18.11.2016

---

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Tildipirosin:**

Species : Rabbit  
Result : No skin irritation

**Citric acid monohydrate:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Tildipirosin:**

Species : Rabbit  
Result : No eye irritation

**Citric acid monohydrate:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Tildipirosin:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Sensitiser

**Germ cell mutagenicity**

Not classified based on available information.

**Tildipirosin (4%) Formulation**

Version 4.1      Revision Date: 30.09.2023      SDS Number: 1071847-00015      Date of last issue: 04.04.2023  
Date of first issue: 18.11.2016

---

**Components:****Tildipirosin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

**Citric acid monohydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Suspected of damaging fertility.

**Components:****Tildipirosin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 80 mg/kg body weight  
Symptoms: Effects on F1 offspring  
Result: Effects on reproduction parameters

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rabbit, females  
 Embryo-foetal toxicity: NOAEL: 30 mg/kg body weight  
 Symptoms: Reduced body weight  
 Result: No teratogenic potential  
 Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development  
 Species: Rat, female  
 Embryo-foetal toxicity: NOAEL: 30 mg/kg body weight  
 Symptoms: Reduced body weight  
 Result: No teratogenic potential  
 Remarks: The effects were seen only at maternally toxic doses.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**Citric acid monohydrate:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****Citric acid monohydrate:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Tildipirosin:**

Target Organs : Heart, Cardio-vascular system, Nervous system, eye - retina, Thyroid, thymus gland, spleen, Pancreas  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Tildipirosin:**

Species : Rat  
 NOAEL : 20 mg/kg  
 LOAEL : 60 mg/kg  
 Application Route : Oral

## Tildipirosin (4%) Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 1071847-00015      Date of last issue: 04.04.2023  
 Date of first issue: 18.11.2016

Exposure time : 90 d  
 Target Organs : spleen, thymus gland  
 Symptoms : Salivation

Species : Dog  
 LOAEL : 20 mg/kg  
 Application Route : Oral  
 Exposure time : 28 d  
 Target Organs : Heart, Central nervous system, Blood  
 Symptoms : Tremors

Species : Dog  
 NOAEL : 6 mg/kg  
 Application Route : Oral  
 Exposure time : 90 d  
 Target Organs : Heart, Cardio-vascular system  
 Symptoms : Irritability

Species : Dog  
 NOAEL : 10 mg/kg  
 LOAEL : 50 mg/kg  
 Application Route : Oral  
 Exposure time : 55 Weeks  
 Target Organs : Nervous system, eye - retina, Heart, Thyroid, spleen, thymus gland, Pancreas

### Citric acid monohydrate:

Species : Rat  
 NOAEL : 4.000 mg/kg  
 LOAEL : 8.000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 10 Days

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Tildipirosin:

General Information : No human information is available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### Tildipirosin:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 138 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 32 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,12 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,047 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 0,027 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 0,00011 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50 : 112,4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
		NOEC : 0,23 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
M-Factor (Chronic aquatic toxicity)	:	100
<b>Citric acid monohydrate:</b>		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.535 mg/l Exposure time: 24 h

### 12.2 Persistence and degradability

#### Components:

#### **Tildipirosin:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 14,7 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

**Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

**Citric acid monohydrate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**12.3 Bioaccumulative potential****Components:****Citric acid monohydrate:**

Partition coefficient: n-  
octanol/water : log Pow: -1,72

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects****Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14: Transport information****14.1 UN number**

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

<b>ADN</b>	:	UN 3082
<b>ADR</b>	:	UN 3082
<b>RID</b>	:	UN 3082
<b>IMDG</b>	:	UN 3082
<b>IATA</b>	:	UN 3082

## 14.2 UN proper shipping name

<b>ADN</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tildipirosin)
<b>ADR</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tildipirosin)
<b>RID</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tildipirosin)
<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tildipirosin)
<b>IATA</b>	:	Environmentally hazardous substance, liquid, n.o.s. (Tildipirosin)

## 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	9
<b>ADR</b>	:	9
<b>RID</b>	:	9
<b>IMDG</b>	:	9
<b>IATA</b>	:	9

## 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90

## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

Labels : 9

**IMDG**

Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F

**IATA (Cargo)**

Packing instruction (cargo aircraft) : 964  
 Packing instruction (LQ) : Y964  
 Packing group : III  
 Labels : Miscellaneous

**IATA (Passenger)**

Packing instruction (passenger aircraft) : 964  
 Packing instruction (LQ) : Y964  
 Packing group : III  
 Labels : Miscellaneous

**14.5 Environmental hazards****ADN**

Environmentally hazardous : yes

**ADR**

Environmentally hazardous : yes

**RID**

Environmentally hazardous : yes

**IMDG**

Marine pollutant : yes

**IATA (Passenger)**

Environmentally hazardous : yes

**IATA (Cargo)**

Environmentally hazardous : yes

**14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks : Not applicable for product as supplied.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



## Tildipirosin (4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H317 : May cause an allergic skin reaction.  
 H319 : Causes serious eye irritation.  
 H335 : May cause respiratory irritation.  
 H361f : Suspected of damaging fertility.  
 H373 : May cause damage to organs through prolonged or repeated exposure.  
 H400 : Very toxic to aquatic life.  
 H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard  
 Aquatic Chronic : Long-term (chronic) aquatic hazard  
 Eye Irrit. : Eye irritation  
 Repr. : Reproductive toxicity  
 Skin Sens. : Skin sensitisation  
 STOT RE : Specific target organ toxicity - repeated exposure  
 STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

**Tildipirosin (4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	1071847-00015	Date of first issue: 18.11.2016

---

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Skin Sens. 1	H317
Repr. 2	H361f
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

**Classification procedure:**

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN