

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 9456745-00010      Date of last issue: 2023/04/04  
Date of first issue: 2021/09/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tilmicosin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : liquid  
**Colour** : dark yellow  
**Odour** : No data available

Harmful if swallowed. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

hazard

### GHS label elements

Hazard pictograms



Signal word

: Warning

Hazard statements

: H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 9456745-00010      Date of last issue: 2023/04/04  
Date of first issue: 2021/09/08

### Health hazards

Harmful if swallowed. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Tilmicosin	137330-13-3	>= 30 -< 50
Phosphoric acid	7664-38-2	>= 1 -< 3

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 9456745-00010      Date of last issue: 2023/04/04  
Date of first issue: 2021/09/08

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

#### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Tilmicosin	137330-13-3	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 9456745-00010      Date of last issue: 2023/04/04  
Date of first issue: 2021/09/08

Phosphoric acid	7664-38-2	PC-TWA	1 mg/m <sup>3</sup>	CN OEL
		PC-STEL	3 mg/m <sup>3</sup>	CN OEL
		TWA	1 mg/m <sup>3</sup>	ACGIH
		STEL	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates, acidic and inorganic gas/vapour type

**Eye/face protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

Appearance	:	liquid
Colour	:	dark yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	3.5 - 6.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.00 - 1.200 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form combustible dust concentrations in air during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### **Acute toxicity**

Harmful if swallowed.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: 1,467 mg/kg  
Method: Calculation method

#### **Components:**

##### **Tilmicosin:**

Acute oral toxicity : LD50 (Rat): 800 - 850 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 97 mg/kg  
Application Route: Subcutaneous

LD50 (Rat): 185 mg/kg  
Application Route: Subcutaneous

---



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

### Phosphoric acid:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Tilmicosin:

Species : Rabbit  
Result : No skin irritation

### Phosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure  
Remarks : Based on national or regional regulation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Tilmicosin:

Species : Rabbit  
Result : Mild eye irritation

### Phosphoric acid:

Species : Rabbit  
Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Tilmicosin:

Test Type : Intracutaneous test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Tilmicosin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: Chinese hamster ovary cells  
Result: negative

Genotoxicity in vivo : Test Type: sister chromatid exchange assay  
Species: Hamster  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

#### Phosphoric acid:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

### Components:

#### Tilmicosin:

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 200 mg/kg body weight

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 8 mg/kg body weight  
Result: Maternal toxicity observed., Reduced foetal weight,  
Skeletal and visceral variations

Reproductive toxicity - Assessment : May damage the unborn child.

### Phosphoric acid:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Components:

#### Tilmicosin:

Exposure routes : Oral  
Target Organs : Heart, Lungs  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Tilmicosin:

Species : Rat

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

NOAEL : 50 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Kidney, Liver, Heart, spleen, Gastrointestinal tract, Adrenal gland  
Symptoms : weight loss, reduced food consumption

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 12 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Heart  
Symptoms : weight loss, Increased heart rate

Species : Dog  
LOAEL : 47 mg/m<sup>3</sup>  
Application Route : Inhalation  
Exposure time : 16 d  
Target Organs : Lungs

### Phosphoric acid:

Species : Rat  
NOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 40 - 52 Days  
Method : OECD Test Guideline 422

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Tilmicosin:

Inhalation : Target Organs: Gastrointestinal tract  
Symptoms: Nausea, Vomiting  
Skin contact : Target Organs: Skin  
Symptoms: tingling  
Eye contact : Target Organs: Eye  
Symptoms: burning or stinging of the eye, Swelling of tissue  
Ingestion : Target Organs: Central nervous system  
Symptoms: anxiety, Headache, Light-headedness, Thirst

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Tilmicosin:**

- |   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 851 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203       |
|   |   | LC50 (Lepomis macrochirus (Bluegill sunfish)): 716 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203    |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 57.3 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202               |
| Toxicity to algae/aquatic plants                    | : | EC50 (Selenastrum capricornutum (green algae)): 0.354 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
|   |   | EC10 (Anabaena flos-aquae (cyanobacterium)): 0.008 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201    |
| M-Factor (Acute aquatic toxicity)                   | : | 1  |
| M-Factor (Chronic aquatic toxicity)                 | : | 10   |
| <b>Phosphoric acid:</b>                             |   |  |
| Toxicity to fish                                    | : | LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203       |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202              |
| Toxicity to algae/aquatic plants                    | : | ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201  |
|   |   | NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201   |
| Toxicity to microorganisms                          | : | EC50: > 100 mg/l<br>Exposure time: 3 h   |

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

#### Tilmicosin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 450  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 3.8

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Tilmicosin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Tilmicosin)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tilmicosin)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tilmicosin)

Class : 9  
Packing group : III  
Labels : 9  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

AICS : not determined

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 2023/09/30

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CN OEL / PC-TWA : Permissible concentration - time weighted average  
CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.8	2023/09/30	9456745-00010	Date of first issue: 2021/09/08

---

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN