

Vers 3.2	ion	Revision Date: 06.04.2024		DS Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016			
SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking							
1.1 Product identifier								
	Trade r	name	:	Trenbolone Aceta	te Formulation			
125	?elevan	t identified uses of t	he s	substance or mixt	ure and uses advised against			
		the Sub-	:		-			
		Mixture	•		-			
	Recommended restrictions		:	Not applicable				
	on use							
1.3 C	Details (	of the supplier of the	saf	etv data sheet				
	Compa	• •	:	MSD				
				20 Spartan Road				
				1619 Spartan, So	Duth Africa			
	Telepho	one	:	+27119239300				
		address of person	:	EHSDATASTEW	ARD@msd.com			
	respons	sible for the SDS						
1.4 E	1.4 Emergency telephone number							
+1-908-423-6000								

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 2 Reproductive toxicity, Category 2

Specific target organ toxicity - repeated exposure, Category 1 Long-term (chronic) aquatic hazard, Category 1 H351: Suspected of causing cancer. H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child. H372: Causes damage to organs through prolonged or repeated exposure. H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

1

Hazard pictograms



Signal word

Hazard statements

: H351 Suspected of causing cancer.



Version 3.2	Revision Date: 06.04.2024	SDS Number: 916802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
		ing the unborn c H372 Causes peated exposure	damage to organs through prolonged or re-
Precautionary statements		P260 Do not b P273 Avoid re	pecial instructions before use. Treathe dust. lease to the environment. otective gloves/ protective clothing/ eye protec- tion.
		<b>Response:</b> P308 + P313 I attention. P391 Collect s	F exposed or concerned: Get medical advice/

Hazardous components which must be listed on the label:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
17β-hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9 233-432-5	Carc. 2; H351 Repr. 2; H361fd STOT RE 1; H372 (Endocrine system, Blood) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1.000	>= 50 - < 70

For explanation of abbreviations see section 16.

## SAFETY DATA SHEET



# **Trenbolone Acetate Formulation**

Version 3.2	Revision Date: 06.04.2024		S Number: 802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
SECTION	N 4: First aid measure	es		
4.1 Descr	iption of first aid meas	ures		
Gene	ral advice		vice immediate	accident or if you feel unwell, seek medical ad ely. ns persist or in all cases of doubt seek medica
Prote	ction of first-aiders		and use the red	nders should pay attention to self-protection, commended personal protective equipment ntial for exposure exists (see section 8).
lf inha	aled		If inhaled, remo Get medical at	ove to fresh air. tention.
In cas	se of skin contact		of water. Remove contai Get medical at Wash clothing	
In cas	se of eye contact			e well with water. tention if irritation develops and persists.
lf swa	allowed		Get medical at	O NOT induce vomiting. tention. horoughly with water.
4.2 Most i	mportant symptoms a	nd ef	fects, both ac	ute and delayed
Risks			Suspected of c Suspected of d unborn child.	-
			the skin.	ust can cause mechanical irritation or drying c
				-
4.3 Indica Treat	•	med		and special treatment needed atically and supportively.
	N 5: Firefighting mea	sure		
-	<b>Juishing media</b> ble extinguishing media	:	Water spray	nt foom

Alcohol-resistant foam Carbon dioxide (CO2)

3 / 16



Vers 3.2	sion	Revision Date: 06.04.2024		9S Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
	Unsuita media	ble extinguishing	:	None known.	
5.2	Special	hazards arising from	the	substance or mix	kture
	Specific hazards during fire- fighting		:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.	
	Hazard ucts	ous combustion prod-	:	Carbon oxides Metal oxides	
5.3	Advice	for firefighters			
	Special protective equipment for firefighters		:	In the event of fire, wear self-contained breathing apparatus Use personal protective equipment.	
	ods cumstances and th Use water spray to		measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Avoid release to the environment.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Retain and dispose of contaminated wash water.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
6.3 Methods and material for con	tainment and cleaning up
Methods for cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	916802-00019	Date of first issue: 30.09.2016

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures	<ul> <li>Static electricity may accumulate and ignite suspended dust causing an explosion.</li> <li>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.</li> </ul>
Local/Total ventilation Advice on safe handling	<ul> <li>Use only with adequate ventilation.</li> <li>Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-</li> </ul>
Hygiene measures	<ul> <li>sessment</li> <li>Minimize dust generation and accumulation.</li> <li>Keep container closed when not in use.</li> <li>Keep away from heat and sources of ignition.</li> <li>Take precautionary measures against static discharges.</li> <li>Do not eat, drink or smoke when using this product.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> <li>If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.</li> <li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li> </ul>
7.2 Conditions for safe storage,	including any incompatibilities
Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.
Advice on common storage	<ul> <li>Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives</li> </ul>

### 7.3 Specific end use(s)

Specific use(s)

: No data available

Gases



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	916802-00019	Date of first issue: 30.09.2016

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
17β-hydroxyestra- 4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 μg/m3 (OEB 5)	Internal
		Wipe limit	2 µg/100 cm <sup>2</sup>	Internal
Talc	14807-96-6	OEL-RL (respira- ble dust fraction)	4 mg/m3	ZA OEL
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			

#### **8.2 Exposure controls**

#### **Engineering measures**

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

#### Personal protective equipment

Eye/face protection		Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type	•	Particulates type (P)





Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	916802-00019	Date of first issue: 30.09.2016

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	: : :	powder No data available No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature	:	No data available No data available No data available
Decomposition temperature		
	•	
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2 Other information		
Flammability (liquids)	:	No data available



Version 3.2	Revision Date: 06.04.2024	SDS Number:Date of last issue: 30.09.20916802-00019Date of first issue: 30.09.20	-
Mole	cular weight	: No data available	
Particle size		: No data available	
SECTION	N 10: Stability and	eactivity	
10.1 Read	-		
	lassified as a reactivity	hazard.	
	<b>nical stability</b> e under normal condit		
	sibility of hazardous rdous reactions	: May form explosive dust-air mixture during pro	ocessing han-
Παζα		dling or other means. Can react with strong oxidizing agents.	Jeessing, nan-
10.4 Cond	ditions to avoid		
Conditions to avoid		: Heat, flames and sparks. Avoid dust formation.	
	mpatible materials		
Mate	rials to avoid	: Oxidizing agents	
10 6 Haza	rdous decompositio	products	
	-	n products are known.	
	N 11: Toxicological		
SECTION		mormation	
11.1 Infor	mation on toxicologi	al effects	
Inforr	mation on likely routes	of : Inhalation	
expo	sure	Skin contact	
		Ingestion Eye contact	
	e toxicity lassified based on ava		
	ponents:		
<u></u>			
470 1	and a survey of the state of th		
-	hydroxyestra-4,9,11- e oral toxicity	: LD50 (Rat): > 5.000 mg/kg	
_			
Acute	e oral toxicity corrosion/irritation	<ul> <li>LD50 (Rat): &gt; 5.000 mg/kg</li> <li>LD50 (Mouse): 2.700 mg/kg</li> </ul>	
Acute Skin Not c	corrosion/irritation	: LD50 (Rat): > 5.000 mg/kg LD50 (Mouse): 2.700 mg/kg lable information.	
Acute Skin Not c Seric	e oral toxicity corrosion/irritation	: LD50 (Rat): > 5.000 mg/kg LD50 (Mouse): 2.700 mg/kg lable information. <b>ritation</b>	



rsion	Revision Date: 06.04.2024		OS Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
Resp	iratory or skin sensiti	satic	on	
Skins	sensitisation			
Not cl	assified based on avail	able	information.	
Resp	iratory sensitisation			
Not cl	assified based on avail	able	information.	
Germ	cell mutagenicity			
Not cl	assified based on avail	able	information.	
<u>Comp</u>	oonents:			
17β-h	ydroxyestra-4,9,11-tri	en-3	one 17-aceta	te:
Geno	toxicity in vitro	:	••	cterial reverse mutation assay (AMES) Salmonella typhimurium ve
				cronucleus test Chinese hamster fibroblasts ve
Geno	toxicity in vivo	:	Test Type: Mie Species: Mous Result: negati	
			Test Type: Mic Species: Rat Result: negati	cronucleus test ve
Germ sessn	cell mutagenicity- As- nent	:	Weight of evic cell mutagen.	lence does not support classification as a ge
Carci	nogenicity			
Suspe	ected of causing cancer			
<u>Comp</u>	oonents:			
17β-h	ydroxyestra-4,9,11-tri	en-3	one 17-aceta	te:
Speci	es	:	Mouse, male a	
Applic Resul	cation Route	:	Oral	
	t Organs	:	positive Liver	
Snaai	-		Dat male and	famala
Speci Applic	es cation Route	:	Rat, male and Oral	ICIIIAIC
Resul	t	:	positive	
Targe	t Organs	:	Pancreas	
<u> </u>	nogenicity - Assess-	:	Limited evider	nce of carcinogenicity in animal studies
ment		-		



Version 3.2	Revision Date: 06.04.2024	SDS Numb 916802-000	
Con	nponents:		
17β·	-hydroxyestra-4,9,11-ti	ien-3-one 17-	acetate:
Effe	cts on fertility	Species Applica Fertility	pe: Two-generation study s: Rat tion Route: Oral : LOAEL: 0,18 mg/kg body weight Postimplantation loss.
Effe men	cts on foetal develop- t	Species Applica Develop	pe: Embryo-foetal development s: Rat tion Route: oral (feed) omental Toxicity: LOAEL: 20 mg/kg body weight Malformations were observed.
	roductive toxicity - As- sment	fertility,	vidence of adverse effects on sexual function and based on animal experiments., Some evidence of e effects on development, based on animal experi-

#### STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Exposure routes	:	Ingestion
Target Organs	:	Endocrine system, Blood
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

#### Repeated dose toxicity

#### **Components:**

### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

NOAEL LOAEL Exposure time	:	Pig 0,004 mg/kg 0,08 mg/kg 14 Weeks Testis, Ovary, Liver, Uterus (including cervix)
LOAEL Application Route Exposure time	:	Rat 0,04 mg/kg 3,6 mg/kg Oral 23 Weeks Blood
Species NOAEL LOAEL	:	Monkey, female 0,01 mg/kg 0,04 mg/kg



Version 3.2	Revision Date: 06.04.2024		9S Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
Exposu Target Specie NOAEI LOAEL Applica Exposu	-		Oral 122 Days female reproducti Monkey, male 0,002 mg/kg 0,04 mg/kg Oral 30 Days male reproductive	J
Exposi	-	:	Rat 0,05 mg/kg 0,1 mg/kg Oral 3 Months male reproductive	e organs, Ovary, Uterus (including cervix)

### Aspiration toxicity

Not classified based on available information.

#### Experience with human exposure

### **Components:**

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Ingestion : Symptoms: male repro

Symptoms: male reproductive effects, gynecomastia, changes in libido

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Toxicity to fish (Chronic tox-	:	NOEC: 0,000035 mg/l
icity)		Exposure time: 21 d
		Species: Pimephales promelas (fathead minnow)
		Method: OECD Test Guideline 229
		Remarks: Based on data from similar materials

M-Factor (Chronic aquatic : 1.000 toxicity)

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

#### Components:

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Partition coefficient: n- : log Pow: 3,77 octanol/water



Version 3.2	Revision Date: 06.04.2024	SDS Number: 916802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
1 <b>2.4 Mobil</b> No da	<b>ity in soil</b> ta available		
12.5 Resu	lts of PBT and vPvB a	issessment	
<u>Produ</u>	ict:		
Asses	sment	to be either per	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Other	adverse effects		
<u>Produ</u>	<u>ict:</u>		
Endoc tial	rine disrupting poten-	ered to have er REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 a
SECTION	12: Dispessioners	levels of 0.1%	
	13: Disposal consi e treatment methods	levels of 0.1%	
	e treatment methods	ievels of 0.1% derations : Dispose of in a According to th are not product Waste codes s discussion with	or higher. Accordance with local regulations. The European Waste Catalogue, Waste Codes t specific, but application specific. Hould be assigned by the user, preferably in the waste disposal authorities.
<b>13.1 Wast</b> e Produ	e treatment methods	<ul> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty containe dling site for re</li> </ul>	or higher. Accordance with local regulations. The European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in
<b>13.1 Waste</b> Produ Conta	e treatment methods ct	<ul> <li>Ievels of 0.1%</li> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty containe dling site for re If not otherwise</li> </ul>	or higher. accordance with local regulations. the European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. the of waste into sewer. the should be taken to an approved waste har the cycling or disposal.
<b>13.1 Waste</b> Produ Conta	e treatment methods ct minated packaging 14: Transport infor	<ul> <li>Ievels of 0.1%</li> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty containe dling site for re If not otherwise</li> </ul>	or higher. accordance with local regulations. the European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. the of waste into sewer. the should be taken to an approved waste har the cycling or disposal.
13.1 Waste Produ Conta	e treatment methods ct minated packaging 14: Transport infor	<ul> <li>Ievels of 0.1%</li> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty containe dling site for re If not otherwise</li> </ul>	or higher. accordance with local regulations. the European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. the of waste into sewer. the should be taken to an approved waste har the cycling or disposal.
13.1 Waste Produ Conta SECTION	e treatment methods ct minated packaging 14: Transport infor	<ul> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty containe dling site for re If not otherwise</li> </ul>	or higher. accordance with local regulations. the European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. the of waste into sewer. the should be taken to an approved waste har the cycling or disposal.
13.1 Waste Produ Conta SECTION 14.1 UN nu ADN	e treatment methods ct minated packaging 14: Transport infor	<ul> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty contained dling site for re If not otherwise</li> <li>Tmation</li> <li>UN 3077</li> </ul>	or higher. accordance with local regulations. the European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. the of waste into sewer. the should be taken to an approved waste har the cycling or disposal.
13.1 Waste Produ Conta SECTION 14.1 UN nu ADN ADR	e treatment methods ct minated packaging 14: Transport infor	<ul> <li>derations</li> <li>Dispose of in a According to th are not product Waste codes s discussion with Do not dispose</li> <li>Empty containe dling site for re If not otherwise</li> <li>Tmation</li> <li>UN 3077</li> <li>UN 3077</li> </ul>	or higher. accordance with local regulations. the European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. the of waste into sewer. the should be taken to an approved waste har the cycling or disposal.

### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)



Vers 3.2	ion	Revision Date: 06.04.2024		0S Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
	RID		:	N.O.S.	LLY HAZARDOUS SUBSTANCE, SOLID, a-4,9,11-trien-3-one 17-acetate)
	IMDG		:	N.O.S.	LLY HAZARDOUS SUBSTANCE, SOLID, a-4,9,11-trien-3-one 17-acetate)
	ΙΑΤΑ		:		azardous substance, solid, n.o.s. a-4,9,11-trien-3-one 17-acetate)
14.3	Transp	oort hazard class(es)			
				Class	Subsidiary risks
	ADN		:	9	
	ADR		:	9	
	RID		:	9	
	IMDG		:	9	
	ΙΑΤΑ		:	9	
14.4	Packin	ig group			
	ADN				
	Packing Classifi	g group ication Code I Identification Number	:	III M7 90 9	
	Classifi Hazard Labels	g group ication Code I Identification Number restriction code		III M7 90 9 (-)	
	Classifi	g group ication Code I Identification Number	: :	III M7 90 9	
	IMDG Packing Labels EmS C	g group ode	:	III 9 F-A, S-F	
	aircraft Packing Packing	g instruction (cargo	:	956 Y956 III	
		Passenger) g instruction (passen-	:	Miscellaneous 956	
	ger airc		:	Y956	



Vers 3.2	sion	Revision Date: 06.04.2024		DS Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
	Packin Labels	g group	:	III Miscellaneous	
14.5	5 Enviro	onmental hazards			
	<b>ADN</b> Enviror	nmentally hazardous	:	yes	
	<b>ADR</b> Enviror	nmentally hazardous	:	yes	
	<b>RID</b> Enviror	nmentally hazardous	:	yes	
	<b>IMDG</b> Marine	pollutant	:	yes	
		Passenger) nmentally hazardous	:	yes	
	•	<b>Cargo)</b> nmentally hazardous	:	yes	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this	product are reported in	the following inventories:
	product are reperted in	

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H351 H361fd	:	Suspected of causing cancer. Suspected of damaging fertility. Suspected of damaging the



Version 3.2	Revision Date: 06.04.2024		0S Number: 6802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016
H372 H410			exposure if swallo	o organs through prolonged or repeated wed. ttic life with long lasting effects.
Full te	xt of other abbreviation	ons		
Carc. Repr. STOT ZA OE	L	:	South Africa. The Agents, Occupation	city gan toxicity - repeated exposure Regulations for Hazardous Chemical onal Exposure Limits
ZA OE	L/OEL-RL	:	Occupational Exp sure or equivalent	osure Limit Restricted limit - 8- hour expo- t (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to	:
compile the Safety Data	
Sheet	

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### **Classification of the mixture:**

**Classification procedure:** 



Version 3.2	Revision Date: 06.04.2024	SDS Number: 916802-00019	Date of last issue: 30.09.2023 Date of first issue: 30.09.2016	
Carc.	2	H351	Calculation method	
Repr.	2	H361fd	Calculation method	
STOT	RE 1	H372	Calculation method	
Aquat	tic Chronic 1	H410	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN