

## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
Date of first issue: 05.11.2014

---

### SECTION 1. IDENTIFICATION

Product name : Trenbolone / Estradiol Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - : Category 1 (Liver, Bone, Blood, Endocrine system)  
repeated exposure

Specific target organ toxicity - : Category 1 (Endocrine system, Blood)  
repeated exposure (Oral)

Short-term (acute) aquatic : Category 3  
hazard

Long-term (chronic) aquatic : Category 1  
hazard

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350 May cause cancer.

## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

H360FD May damage fertility. May damage the unborn child.  
 H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.  
 H372 Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.  
 H402 Harmful to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

### Precautionary Statements

:

#### Prevention:

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P391 Collect spillage.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	>= 58,8686 -<= 74,07
Estradiol	50-28-2	>= 6,9027 -<= 12,5
Magnesium stearate	557-04-0	>= 1,4717 -<= 1,85

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	---	--

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives

## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

## Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Wipe limit	2 $\mu\text{g}/100 \text{ cm}^2$	Internal
Estradiol	50-28-2	TWA	0.05 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Further information: Skin		
		Wipe limit	0.5 $\mu\text{g}/100 \text{ cm}^2$	Internal
Magnesium stearate	557-04-0	CMP	10 $\text{mg}/\text{m}^3$	AR OEL
		Further information: A4 - Not classifiable as a human carcinogen		
		TWA (Inhalable particulate matter)	10 $\text{mg}/\text{m}^3$	ACGIH
		TWA (Respirable particulate matter)	3 $\text{mg}/\text{m}^3$	ACGIH

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

- potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance** : powder
- Color** : yellow
- Odor** : No data available
- Odor Threshold** : No data available
- pH** : No data available
- Melting point/freezing point** : No data available
- Initial boiling point and boiling range** : No data available
- Flash point** : Not applicable
- Evaporation rate** : No data available
- Flammability (solid, gas)** : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids)** : No data available
- Upper explosion limit / Upper flammability limit** : No data available
- Lower explosion limit / Lower flammability limit** : No data available
- Vapor pressure** : No data available
- Relative vapor density** : No data available

**Trenbolone / Estradiol Formulation**

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
Date of first issue: 05.11.2014

---

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

---

**Trenbolone / Estradiol Formulation**

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
Date of first issue: 05.11.2014

---

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
LD50 (Mouse): 2.700 mg/kg

**Estradiol:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Estradiol:**

Result : No eye irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.



## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

---

**Respiratory sensitization**

Not classified based on available information.

**Components:****Estradiol:**

Routes of exposure : Skin contact  
 Species : Guinea pig  
 Assessment : Does not cause skin sensitization.  
 Result : negative

**Magnesium stearate:**

Test Type : Maximization Test  
 Routes of exposure : Skin contact  
 Species : Guinea pig  
 Method : OECD Test Guideline 406  
 Result : negative  
 Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Test system: Salmonella typhimurium  
 Result: negative

Test Type: Micronucleus test  
 Test system: Chinese hamster fibroblasts  
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Result: negative

Test Type: Micronucleus test  
 Species: Rat  
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Estradiol:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
 Test system: mammalian cells  
 Result: positive

Test Type: Chromosome aberration test in vitro  
 Test system: mammalian cells  
 Result: positive

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

Test Type: Chromosomal aberration  
 Test system: mammalian cells  
 Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
 Species: Rat  
 Cell type: Bone marrow  
 Result: negative

Test Type: Chromosomal aberration  
 Species: Mouse  
 Cell type: Bone marrow  
 Result: negative

**Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Remarks: Based on data from similar materials

**Carcinogenicity**

May cause cancer.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Mouse, male and female  
 Application Route : Oral  
 Result : positive  
 Target Organs : Liver

Species : Rat, male and female  
 Application Route : Oral  
 Result : positive  
 Target Organs : Pancreas

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Estradiol:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 24 Months  
 LOAEL : 100  $\mu$ g/kg  
 Result : positive

## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

Target Organs : female reproductive organs

Species : Rat

Application Route : Subcutaneous

Exposure time : 13 weeks

LOAEL : 20 mg/kg body weight

Result : positive

Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat  
 Application Route: Oral  
 Fertility: LOAEL: 0,18 mg/kg body weight  
 Result: Postimplantation loss.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: oral (feed)  
 Developmental Toxicity: LOAEL: 20 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**Estradiol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Fertility: LOAEL: 0,5 mg/kg body weight  
 Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Duration of Single Treatment: 90 d  
 Fertility: LOAEL: 0,69 mg/kg body weight  
 Result: Effects on fertility.

Test Type: Two-generation study  
 Species: Mouse  
 Application Route: Oral  
 Fertility: LOAEL: 0,1 mg/kg body weight  
 Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

Species: Mouse, female  
 Application Route: Subcutaneous  
 Teratogenicity: LOAEL: 4 mg/kg body weight  
 Symptoms: Malformations were observed.  
 Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Subcutaneous  
 Teratogenicity: LOAEL: 2,5 µg/kg body weight  
 Symptoms: Reduced body weight  
 Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 0,2 mg/kg body weight  
 Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

**Components:****17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Routes of exposure : Ingestion  
 Target Organs : Endocrine system, Blood

## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

Assessment : Causes damage to organs through prolonged or repeated exposure.

### Estradiol:

Target Organs : Liver, Bone, Blood, Endocrine system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

#### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Pig  
 NOAEL : 0,004 mg/kg  
 LOAEL : 0,08 mg/kg  
 Exposure time : 14 Weeks  
 Target Organs : Testis, Ovary, Liver, Uterus (including cervix)

Species : Rat  
 NOAEL : 0,04 mg/kg  
 LOAEL : 3,6 mg/kg  
 Application Route : Oral  
 Exposure time : 23 Weeks  
 Target Organs : Blood

Species : Monkey, female  
 NOAEL : 0,01 mg/kg  
 LOAEL : 0,04 mg/kg  
 Application Route : Oral  
 Exposure time : 122 Days  
 Target Organs : female reproductive organs

Species : Monkey, male  
 NOAEL : 0,002 mg/kg  
 LOAEL : 0,04 mg/kg  
 Application Route : Oral  
 Exposure time : 30 Days  
 Target Organs : male reproductive organs

Species : Rat  
 NOAEL : 0,05 mg/kg  
 LOAEL : 0,1 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : male reproductive organs, Ovary, Uterus (including cervix)

### Estradiol:

Species : Rat  
 LOAEL :  $\geq 0,17$  mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 d  
 Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone,

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

Endocrine system, Blood, Testis

**Magnesium stearate:**

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Ingestion	:	Symptoms: male reproductive effects, gynecomastia, changes in libido
-----------	---	--

**Estradiol:**

Inhalation	:	Symptoms: tingling, Nose bleeding
Skin contact	:	Symptoms: Skin irritation, Redness, pruritis
Ingestion	:	Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,000035 mg/l Exposure time: 21 d Method: OECD Test Guideline 229 Remarks: Based on data from similar materials
-------------------------------------	---	---

M-Factor (Chronic aquatic toxicity)	:	1.000
-------------------------------------	---	-------

**Estradiol:**

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 3,9 mg/l Exposure time: 96 h
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2,7 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 1,7 mg/l Exposure time: 72 h
----------------------------------	---	---

## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

- Method: OECD Test Guideline 201
- EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,7 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0,000003 mg/l  
 Exposure time: 160 d  
 Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,2 mg/l  
 Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 1.000
- Toxicity to microorganisms : EC50: > 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209
- NOEC: 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209
- Magnesium stearate:**
- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
 Exposure time: 48 h  
 Method: DIN 38412  
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
 Exposure time: 47 h  
 Test substance: Water Accommodated Fraction  
 Method: Directive 67/548/EEC, Annex V, C.2.  
 Remarks: Based on data from similar materials  
 No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials  
 No toxicity at the limit of solubility.
- NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

**Trenbolone / Estradiol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Estradiol:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Partition coefficient: n-octanol/water : log Pow: 3,77

**Estradiol:**

Partition coefficient: n-octanol/water : log Pow: 4,01

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

**Mobility in soil****Components:****Estradiol:**

Distribution among environmental compartments : log Koc: 3,81

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.



## Trenbolone / Estradiol Formulation

Version 10.2      Revision Date: 02.11.2023      SDS Number: 28261-00025      Date of last issue: 30.09.2023  
 Date of first issue: 05.11.2014

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the : Not applicable

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

preparation of drugs.

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## SECTION 16. OTHER INFORMATION

Revision Date	:	02.11.2023
Date format	:	dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AR OEL	:	Argentina. Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
AR OEL / CMP	:	TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tempera-

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.2	02.11.2023	28261-00025	Date of first issue: 05.11.2014

---

ture; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8