

	DS Number: 8269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
ΓΙΟΝ		
:	: Trenbolone / Es	tradiol Formulation
fication	GRASS FED HI COOPERS REV NON BREEDIN COOPERS REV AND FINISHING COOPERS REV FINISHING IMP	/ALOR 400 GROWTH PROMOTANT FOR EIFERS AND STEERS (48945) /ALOR FLEX GROWTH PROMOTANT FOR G CATTLE (58656) /ALOR S STEER GROWTH PROMOTANT G IMPLANTS (46111) /ALOR-H GROWTH PROMOTANT AND /LANTS (47248) or XR Growth Promotant and Finishing Implan
plier's det	ails	
:	: MSD	
:		ento Soares, 530 Paulo - Brazil CEP 12730-340
:	: 908-740-4000	
•	: 1-908-423-6000	
:	: EHSDATASTE	VARD@msd.com
of the che	mical and restrict	ions on use
		uct
		of the chemical and restricting : Veterinary products: : Not applicable DENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard Carcinogenicity : Category 1A					
Reproductive toxicity	:	Category 1A			
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Bone, Blood, Endocrine system)			
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Endocrine system, Blood)			
Short-term (acute) aquatic hazard	:	Category 3			
Long-term (chronic) aquatic hazard	:	Category 1			

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

ersion 1.0	Revision Date: 28.09.2024	SDS Number: 28269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
	label elements in ac rd pictograms	cordance with ABNT	NBR 14725 Standard
Signa	al Word	: Danger	•
Haza	rd Statements	H372 Causes crine system) H372 Causes through prolo H402 Harmfu	use cancer. damage fertility. May damage the unborn child damage to organs (Liver, Bone, Blood, Endo- through prolonged or repeated exposure. damage to organs (Endocrine system, Blood) nged or repeated exposure if swallowed. I to aquatic life. xic to aquatic life with long lasting effects.
Preca	autionary Statements	Prevention:	
		P260 Do not P264 Wash s P270 Do not P273 Avoid re	kin thoroughly after handling. eat, drink or smoke when using this product. elease to the environment. rotective gloves/ protective clothing/ eye protec
		Response: P308 + P313 attention. P391 Collect	IF exposed or concerned: Get medical advice/ spillage.
		Storage: P405 Store Ic	ocked up.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
17β-hydroxyestra-4,9,11-trien-	10161-34-9	Carc., 2	>= 58,8686 -<= 74,07
3-one 17-acetate		Repr., 2	
		STOT RE,	
		(Oral)(Endocrine sys-	
		tem, Blood), 1	
		Aquatic Chronic, 1	



Version 11.0	Revision Date: 28.09.2024	SDS Number: 28269-00029	Date of last issue: Date of first issue:	
Estra	diol	50-28-2	Acute Tox. (Oral), 5 Carc., 1A Repr., 1A STOT RE, (Liver, Bone, Blood, Endo- crine system), 1 Aquatic Acute, 2 Aquatic Chronic, 1	>= 6,9027 -<= 12,5
Magr	nesium stearate	557-04-0		>= 1,4717 -<= 1,85

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a



Versio 11.0		Revision Date: 8.09.2024		S Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
				potential dust exp Exposure to comb	losion hazard. Dustion products may be a hazard to health.
	azardou cts	is combustion prod-	:	Carbon oxides Metal oxides	
	pecific e ds	extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	pecial p or fire-fig	rotective equipment hters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
SECTI	ION 6. A		ASE	MEASURES	
tiv	ve equip	precautions, protec- ment and emer- ocedures	:		ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).
_					

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	causing an Provide ad	tricity may accumulate and ignite suspended dust explosion. equate precautions, such as electrical grounding ng, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation.	ventilation is unavailable, use with local exhaust
Advice on safe handling	: Do not get Do not bre	on skin or clothing. athe dust.



Version 11.0	Revision Date: 28.09.2024	SDS Number: 28269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
Нус	jene measures	 Handle in acc practice, base assessment Keep containe Minimize dust Keep containe Keep away fro Take precauti Do not eat, dr Take care to p environment. If exposure to flushing syste place. When using d Wash contam The effective engineering c appropriate de 	
Cor	ditions for safe storage	use of admini	strative controls. rly labeled containers. .p.
Mat	erials to avoid	Store in accor : Do not store v Strong oxidizi	dance with the particular national regulations. vith the following product types: ng agents substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
17β-hydroxyestra-4,9,11-trien- 3-one 17-acetate	10161-34-9	TWA	0.2 µg/m3 (OEB 5)	Internal
		Wipe limit	2 µg/100 cm ²	Internal
Estradiol	50-28-2	TWA	0.05 µg/m3 (OEB 5)	Internal
	Further inform	ation: Skin	• •	
		Wipe limit	0.5 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA	3 mg/m ³	ACGIH



Version 11.0	Revision Date: 28.09.2024		DS Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
				(Respirable particulate matter)
Eng	ineering measures	:	to control at so prevent leakag All engineering design and op protect produc No open hand Totally enclos are required. Operations red	rocessing systems or containment technologies source (e.g., glove boxes/isolators) and to age of compounds into the workplace. Ing controls should be implemented by facility berated in accordance with GMP principles to cts, workers, and the environment. dling permitted. Seed processes and materials transport systems equire the use of appropriate containment esigned to prevent leakage of compounds into e.
Pers	sonal protective equipn	nent		
F	piratory protection Filter type d protection	:	exposure asse	ocal exhaust ventilation is not available or essment demonstrates exposures outside the d guidelines, use respiratory protection. ype
Ν	<i>l</i> aterial	:	Chemical-resi	istant gloves
Eye	Remarks protection and body protection	:	If the work env mists or aeros Wear a facesh potential for di aerosols. Work uniform	glasses with side shields or goggles. Ivironment or activity involves dusty conditions, sols, wear the appropriate goggles. hield or other full face protection if there is a lirect contact to the face with dusts, mists, or or laboratory coat.
			Additional boo task being per disposable su	dy garments should be used based upon the rformed (e.g., sleevelets, apron, gauntlets, uits) to avoid exposed skin surfaces. ate degowning techniques to remove potentially

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	powder
Color	:	yellow
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available



Version 11.0	Revision Date: 28.09.2024		S Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
rar	ige			
Fla	sh point	:	Not applicable	
Ev	aporation rate	:	No data available	9
Fla	mmability (solid, gas)	:	May form explosi handling or other	ve dust-air mixture during processing, means.
Fla	mmability (liquids)	:	No data available)
	per explosion limit / Upper mmability limit	:	No data available)
	wer explosion limit / Lower mmability limit	:	No data available)
Va	por pressure	:	No data available)
Re	lative vapor density	:	No data available)
Re	lative density	:	No data available)
De	nsity	:	No data available)
So	lubility(ies) Water solubility	:	No data available)
	rtition coefficient: n- anol/water	:	No data available)
	toignition temperature	:	No data available)
De	composition temperature	:	No data available	9
Vis	cosity Viscosity, kinematic	:	No data available	9
Ex	plosive properties	:	Not explosive	
Ox	idizing properties	:	The substance or	r mixture is not classified as oxidizing.
Мс	lecular weight	:	No data available	9
	rticle characteristics rticle size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.



ersion 1.0	Revision Date: 28.09.2024		OS Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
Incom	itions to avoid npatible materials rdous decomposition icts	:	Heat, flames a Avoid dust forr Oxidizing ager No hazardous	nation.
ECTION	11. TOXICOLOGICAL I	NF	ORMATION	
Inforn expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on availa	hle	information	
Prod			information.	
	e oral toxicity	:	Acute toxicity e Method: Calcul	stimate: > 5.000 mg/kg ation method
<u>Com</u>	ponents:			
	nydroxyestra-4,9,11-trie	en-3		
Acute	e oral toxicity	:	LD50 (Rat): > 5	5.000 mg/kg
			LD50 (Mouse):	2.700 mg/kg
Estra	diol:			
Acute	e oral toxicity	:	LD50 (Rat): > 2	2.000 mg/kg
admir	e toxicity (other routes of nistration)	:		00 mg/kg ute: Subcutaneous
II Magn	esium stearate:			
	e oral toxicity	:	Assessment: T icity	2.000 mg/kg Test Guideline 423 he substance or mixture has no acute oral to ed on data from similar materials
Acute	e dermal toxicity	:	LD50 (Rabbit): Remarks: Base	> 2.000 mg/kg d on data from similar materials
	corrosion/irritation lassified based on availa	ble	information.	
Com	ponents:			
Magr	esium stearate:			
Speci	ies	:	Rabbit	
Resu	lt	:	No skin irritatio	n from similar matarials



Version 11.0	Revision Date: 28.09.2024	-	OS Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
	ous eye damage/eye lassified based on ava			
Com	ponents:			
Estra				
Resu	lt	:	No eye irritatio	'n
Magr	nesium stearate:			
Spec		:	Rabbit	
Resu Rema		:	No eye irritatio Based on data	n I from similar materials
_				
-	biratory or skin sens	itizatio	n	
-	sensitization	ailable	information.	
Resp	biratory sensitization	1		
Not c	lassified based on ava	ailable	information.	
<u>Com</u>	ponents:			
Estra	adiol:			
	es of exposure	:	Skin contact	
Spec Asse	ssment	:	Guinea pig Does not caus	e skin sensitization.
Resu	lt	:	negative	
Magr	nesium stearate:			
Test		:	Maximization 7	Test
Route Spec	es of exposure	:	Skin contact Guinea pig	
Meth		:	OECD Test G	uideline 406
Resu Rema		:	negative Based on data	from similar materials
			Dased on data	
	n cell mutagenicity			
	lassified based on ava	ailable	information.	
	ponents:			
	hydroxyestra-4,9,11- otoxicity in vitro	trien-3		e: cterial reverse mutation assay (AMES)
Conc			Test system: S	Salmonella typhimurium
			Result: negativ	/e
			Test Type: Mic	cronucleus test
			Test system: C	Chinese hamster fibroblasts
			Result: negativ	/e
Gend	otoxicity in vivo	:	Test Type: Mic	cronucleus test
			9 / 19)



ersion .0	Revision Date: 28.09.2024	SDS Number: 28269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
		Species: Mouse Result: negative	
		Test Type: Micr Species: Rat Result: negative	
	n cell mutagenicity - ssment	: Weight of evide cell mutagen.	nce does not support classification as a gerr
Estra	idiol:		
Genotoxicity in vitro			damage and repair, unscheduled DNA syn- alian cells (in vitro) ammalian cells
		Test Type: Chro Test system: ma Result: positive	omosome aberration test in vitro ammalian cells
		Test Type: Chro Test system: ma Result: positive	omosomal aberration ammalian cells
Geno	toxicity in vivo	: Test Type: Chro Species: Rat Cell type: Bone Result: negative	
		Test Type: Chro Species: Mouse Cell type: Bone Result: negative	marrow
II Magr	nesium stearate:		
Geno	toxicity in vitro	Result: negative	tro mammalian cell gene mutation test e d on data from similar materials
		Method: OECD Result: negative	omosome aberration test in vitro Test Guideline 473 e d on data from similar materials
		Result: negative	erial reverse mutation assay (AMES) e d on data from similar materials

May cause cancer.



Version 11.0	Revision Date: 28.09.2024	-	S Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
<u>Com</u>	oonents:			
17β-h	ydroxyestra-4,9,11-trie	en-3	-one 17-acetat	e:
Speci Applic Resul	es cation Route It	:	Mouse, male a Oral positive	
Targe	et Organs	•	Liver	
Resul Targe	cation Route It et Organs	:	Rat, male and Oral positive Pancreas Limited eviden	female ce of carcinogenicity in animal studies
ment	0			
Expos LOAE Resul Targe	es cation Route sure time L t t Organs es	:	Mouse Ingestion 24 Months 100 µg/kg positive female reprode Rat	uctive organs
Expos LOAE Resul		:	Subcutaneous 13 weeks 20 mg/kg body positive Endocrine sys	^v weight
Carcii ment	nogenicity - Assess-	:	Positive evider	nce from human epidemiological studies
Repro May c	oductive toxicity damage fertility. May dan ponents:	nag	e the unborn ch	ild.
	ydroxyestra-4,9,11-trie	en-3		
Effect	s on fertility	:	Species: Rat Application Ro Fertility: LOAE	o-generation study ute: Oral L: 0,18 mg/kg body weight plantation loss.
Effect	s on fetal development	:	Species: Rat Application Ro Developmenta	bryo-fetal development ute: oral (feed) I Toxicity: LOAEL: 20 mg/kg body weight nations were observed.
Repro sessn	oductive toxicity - As- nent	:	fertility, based	e of adverse effects on sexual function and on animal experiments., Some evidence of s on development, based on animal

SAFETY DATA SHEET



ersion 1.0	Revision Date: 28.09.2024		0S Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
Π				
Estra	diol:			
Effect	ts on fertility	:	Species: Rat Application Route Fertility: LOAEL: (Result: Effects on Test Type: One-g Species: Rat Duration of Single Fertility: LOAEL: (Result: Effects on Test Type: Two-g Species: Mouse Application Route	0,5 mg/kg body weight fertility. eneration reproduction toxicity study Treatment: 90 d 0,69 mg/kg body weight fertility. eneration study
- "			Result: Effects on	
Effect	ts on fetal development	:	Species: Mouse, Application Route Teratogenicity: LC Symptoms: Malfo	
			Species: Rat Application Route Teratogenicity: LC Symptoms: Redu	DAEL: 2,5 μg/kg body weight ced body weight Embryotoxic effects and adverse effects on
			Species: Rat Application Route Developmental To Symptoms: Early number of viable Result: Embryoto	vo-fetal development e: Subcutaneous oxicity: LOAEL: 0,2 mg/kg body weight Resorptions / resorption rate., Reduced fetuses., Reduced body weight xic effects and adverse effects on the off- cted only at high maternally toxic doses
Repro sessn	oductive toxicity - As- nent	:	May damage ferti	lity. May damage the unborn child.
Magn	esium stearate:			
	ts on fertility	:	reproduction/deve Species: Rat Application Route Method: OECD T Result: negative	ined repeated dose toxicity study with the elopmental toxicity screening test :: Ingestion est Guideline 422 on data from similar materials



Version 11.0	Revision Date: 28.09.2024		0S Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
Effect	ts on fetal development	:	Species: Rat Application Route Result: negative	vo-fetal development : Ingestion on data from similar materials
	F-single exposure lassified based on availa	able	information.	
	-repeated exposure			
Caus expos	es damage to organs (Li sure. es damage to organs (E			ocrine system) through prolonged or repeated d) through prolonged or repeated exposure if
Com	oonents:			
17 β- ł	ydroxyestra-4,9,11-trie	en-3	-one 17-acetate:	
Route Targe	es of exposure et Organs ssment	:	Ingestion Endocrine system	n, Blood to organs through prolonged or repeated
Estra	diol:			
Targe	et Organs ssment	:		d, Endocrine system to organs through prolonged or repeated
_	ated dose toxicity conents:			
17β-ł	ydroxyestra-4,9,11-trie	en-3	one 17-acetate:	
	ΞL		Pig 0,004 mg/kg 0,08 mg/kg 14 Weeks Testis, Ovary, Liv	er, Uterus (including cervix)
Expo	ΞL	:	Rat 0,04 mg/kg 3,6 mg/kg Oral 23 Weeks Blood	
Expo	ΞL	: : : : : : : : : : : : : : : : : : : :	Monkey, female 0,01 mg/kg 0,04 mg/kg Oral 122 Days female reproducti	ve organs



Version 11.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.07.202428269-00029Date of first issue: 05.11.2014				
Expo	EL	 Monkey, male 0,002 mg/kg 0,04 mg/kg Oral 30 Days male reproductive organs 				
Species NOAEL LOAEL Application Route Exposure time Target Organs		Rat 0,05 mg/kg 0,1 mg/kg Oral 3 Months male reproductive organs, Ovary, Uterus (including cervix)				
Estra	diol:					
Expo		 Rat >= 0,17 mg/kg Ingestion 90 d Mammary gland, Ovary, Uterus (including cervix), Liver, E Endocrine system, Blood, Testis 	3one,			
Magr	nesium stearate:					
	EL cation Route sure time	 Rat > 100 mg/kg Ingestion 90 Days Based on data from similar materials 				
-	ration toxicity lassified based on av	able information.				
	rience with human e					
Com	ponents:					
		en-3-one 17-acetate:				
Inges		: Symptoms: male reproductive effects, gynecomastia, cha in libido	nges			

Estradiol:	
Inhalation	: Symptoms: tingling, Nose bleeding
Skin contact	: Symptoms: Skin irritation, Redness, pruritis
Ingestion	: Symptoms: Headache, Gastrointestinal disturbance, Dizzi- ness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irreg- ularities

Version

11.0



Date of last issue: 06.07.2024

Date of first issue: 05.11.2014

Trenbolone / Estradiol Formulation

SDS Number:

28269-00029

Revision Date:

28.09.2024

Ecotoxicity		
Components:		
17β-hydroxyestra-4,9,11-trie	n-3	-one 17-acetate:
Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,000035 mg/l Exposure time: 21 d Method: OECD Test Guideline 229 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1.000
Estradiol:		
Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 3,9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2,7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 1,7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Pseudokirchneriella subcapitata (green algae)): > 1, mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0,000003 mg/ Exposure time: 160 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,2 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1.000
Toxicity to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
		NOEC: 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

: LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l



ersion 1.0	Revision Date: 28.09.2024	-	9S Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
			Exposure time: 48 Method: DIN 3847 Remarks: Based of	
	ity to daphnia and other tic invertebrates	:	Exposure time: 47 Test substance: V Method: Directive	Vater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials
Toxic plants	ity to algae/aquatic S	:	mg/l Exposure time: 72 Test substance: V Method: OECD Te	Vater Accommodated Fraction est Guideline 201 on data from similar materials
			mg/l Exposure time: 72 Test substance: V Method: OECD To	Vater Accommodated Fraction
Toxic	ity to microorganisms	:	Exposure time: 16 Test substance: V	nas putida): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials
Persi	stence and degradabil	ity		
<u>Com</u>	ponents:			
Estra Biode	i diol: egradability	:	Result: rapidly de Biodegradation: 8 Exposure time: 24	34 %
II Magr	nesium stearate:			
	egradability	:	Result: Not biode Remarks: Based o	gradable on data from similar materials
Bioa	ccumulative potential			
Com	ponents:			
17β-ł	nydroxyestra-4,9,11-trie	en-3	-one 17-acetate:	
	ion coefficient: n- ol/water	:	log Pow: 3,77	
Estra				
	ion coefficient: n-	:	log Pow: 4,01	



/ersion 1.0	Revision Date: 28.09.2024		DS Number: 269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
octan	ol/water			
Magr	nesium stearate:			
	ion coefficient: n- ol/water	:	log Pow: > 4	
Mobi	lity in soil			
Com	ponents:			
Estra Distri menta	idiol: bution among environ- al compartments	:	log Koc: 3,81	
Othe	r adverse effects ata available			

Disposal	methods
Dispusai	memous

	biopecal memerae		
١	Naste from residues	:	Do not dispose of waste into sewer.
			Dispose of in accordance with local regulations.
(Contaminated packaging	:	Empty containers should be taken to an approved waste
			handling site for recycling or disposal.
			If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
		(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passen- ger aircraft)	:	956
Environmentally hazardous	:	yes
IMDG-Code UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,



Version 11.0	Revision Date: 28.09.2024	SDS Number: 28269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
Labels EmS (N.O.S. (Estradiol, 17) : 9 : III : 9 : F-A, S-F : yes	3-hydroxyestra-4,9,11-trien-3-one 17-acetate)
	port in bulk according		RPOL 73/78 and the IBC Code
Dome	stic regulation		
ANTT UN nu Prope		N.O.S.	NTALLY HAZARDOUS SUBSTANCE, SOLID,
Labels	ng group s d Identification Number	(Estradiol, 17 : 9 : III : 9 : 90	β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Speci	al precautions for use	r	
based Sheet	upon the properties of t	the unpackaged matching the unpackaged matching the second	e for informational purposes only, and solely aterial as it is described within this Safety Data / mode of transportation, package sizes, and

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or
mixture

National List of Carcinogenic A (LINACH)	gents for Humans -	:	Not applicable
Brazil. List of chemicals contro Police	lled by the Federal	:	Not applicable
The ingredients of this produ	ict are reported in the f	ollo	wing inventories:
AICS	: not determined		

DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD



Version 11.0	Revision Date: 28.09.2024	SDS Number: 28269-00029	Date of last issue: 06.07.2024 Date of first issue: 05.11.2014
compil Data S	e the Material Safety Sheet	eChem Portal se cy, http://echa.eu	arch results and European Chemicals Agen- iropa.eu/
	where changes have b ent by two vertical line		ous version are highlighted in the body of this
Full te	ext of other abbreviati	ons	
ACGI			reshold Limit Values (TLV)
ACGIH	I / TWA	: 8-hour, time-weig	jhted average
Land of Carcin Standa x% res ENCS x% gro tem; G - Inter Equipr centra cal Su Maritin ganisa centra Lethal n.o.s. Conce Loadin Zealar ment; lative a es; (C 1907/2 Author ture; S tion of stance menda	of Brazil; ASTM - Ame ogen, Mutagen or Re ardisation; DSL - Dome sponse; ELx - Loading - Existing and New C owth rate response; EF ELP - Good Laboratory national Air Transport nent of Ships carrying tion; ICAO - Internation bstances in China; IM ne Organization; ISHL tion for Standardizatio tion to 50 % of a test p Dose); MARPOL - In - Not Otherwise Specif ntration; NO(A)EL - No g Rate; NOM - Officia d Inventory of Chemic OPPTS - Office of Che and Toxic substance; F DSAR - (Quantitative 2006 of the European F isation and Restriction DS - Safety Data Shee Dangerous Goods; T is Control Act (United	rican Society for the T eproductive Toxicant; estic Substances List (g rate associated with hemical Substances (RG - Emergency Resp Practice; IARC - Interr t Association; IBC - Dangerous Chemical nal Civil Aviation Organ DG - International Ma - Industrial Safety and n; KECI - Korea Exist population; LD50 - Let ternational Convention fied; Nch - Chilean No o Observed (Adverse) I Mexican Norm; NTP cals; OECD - Organiza mical Safety and Pollu PICCS - Philippines Im) Structure Activity F Parliament and of the C n of Chemicals; SADT et; TCSI - Taiwan Che TECI - Thailand Existi States); UN - United of Dangerous Goods;	s; ANTT - National Agency for Transport by esting of Materials; bw - Body weight; CMR - DIN - Standard of the German Institute for Canada); ECx - Concentration associated with a x% response; EmS - Emergency Schedule; Japan); ErCx - Concentration associated with onse Guide; GHS - Globally Harmonized Sys- national Agency for Research on Cancer; IATA International Code for the Construction and s in Bulk; IC50 - Half maximal inhibitory con- nization; IECSC - Inventory of Existing Chemi- aritime Dangerous Goods; IMO - International d Health Law (Japan); ISO - International Or- ting Chemicals Inventory; LC50 - Lethal Con- hal Dose to 50% of a test population (Median n for the Prevention of Pollution from Ships; rm; NO(A)EC - No Observed (Adverse) Effect Effect Level; NOELR - No Observable Effect - National Toxicology Program; NZIoC - New ation for Economic Co-operation and Develop- tion Prevention; PBT - Persistent, Bioaccumu- ventory of Chemicals and Chemical Substanc- Relationship; REACH - Regulation (EC) No Council concerning the Registration, Evaluation, - Self-Accelerating Decomposition Tempera- mical Substance Inventory; TSCA - Toxic Sub- Nations; UNRTDG - United Nations Recom- ty ovPB - Very Persistent and Very Bioaccumu- formation System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8