according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

1. PRODUCT AND COMPANY IDENTIFICATION


Product name	:	Trenbolone / Estradiol Formulation
Other means of identification	:	COOPERS REVALOR 400 GROWTH PROMOTANT FOR GRASS FED HEIFERS AND STEERS (48945) COOPERS REVALOR FLEX GROWTH PROMOTANT FOR NON BREEDING CATTLE (58656) COOPERS REVALOR S STEER GROWTH PROMOTANT AND FINISHING IMPLANTS (46111) COOPERS REVALOR-H GROWTH PROMOTANT AND FINISHING IMPLANTS (47248) Coopers Revalor XR Growth Promotant and Finishing Implants (90903)

Manufacturer or supplier's details						
Company	-	MSD				
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331				
Telephone	:	+1-908-740-4000				
Emergency telephone number	:	86-571-87268110				
E-mail address	:	EHSDATASTEWARD@msd.com				
Recommended use of the chemical and restrictions on use						
Recommended use Restrictions on use	:	Veterinary product Not applicable				

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance Colour Odour	: powder : yellow : No data available			
	May cause cancer. May damage fertility. May damage the unborn child. Causes damage to or- gans through prolonged or repeated exposure. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.			
GHS Classification				
Carcinogenicity	: Category 1A			
Reproductive toxicity	: Category 1A			





Trenbolone / Estradiol Formulation

/ersion 0.0	Revision Date: 2024/09/28	SDS Number: 28276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
	fic target organ toxicity - ted exposure	: Category 1	
Short- hazar	-term (acute) aquatic d	: Category 3	
Long- hazar	term (chronic) aquatic d	: Category 1	
	label elements		
Hazar	d pictograms		¥
Signa	l word	: Danger	•
Hazar	d statements	H372 Causes exposure. H402 Harmfu	use cancer. damage fertility. May damage the unborn child. damage to organs through prolonged or repeat I to aquatic life. kic to aquatic life with long lasting effects.
Preca	utionary statements	Prevention:	
		P202 Do not l and understor P260 Do not l P264 Wash s P270 Do not o P273 Avoid re	breathe dust. kin thoroughly after handling. eat, drink or smoke when using this product. elease to the environment. rotective gloves/ protective clothing/ eye protec-
		Response: P308 + P313 attention. P391 Collect	IF exposed or concerned: Get medical advice/
		Storage: P405 Store lo	cked up.
		Disposal:	e of contents/ container to an approved waste

Physical and chemical hazards

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

Health hazards

May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS


Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
17β-hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	>= 58.8686 -<= 74.07
Estradiol	50-28-2	>= 6.9027 -<= 12.5
Magnesium stearate	557-04-0	>= 1.4717 -<= 1.85

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).





Version 9.0	Revision Date: 2024/09/28		0S Number: 276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
Notes	s to physician	:	Treat symptomati	cally and supportively.
5. FIREFI	GHTING MEASURES			
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
Unsu medi	itable extinguishing a	:	None known.	
Spec fightii	ific hazards during fire- ng	:	concentrations, a potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. pustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	:	Carbon oxides Metal oxides	
Spec ods	Specific extinguishing meth- ods		cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to d
	Special protective equipment for firefighters			e, wear self-contained breathing apparatus. tective equipment.
6. ACCID	ENTAL RELEASE MEAS	SUF	RES	
tive e	onal precautions, protec- equipment and emer- y procedures	:	Follow safe hand	tective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
Envir	Retain and dispose o		Prevent further le Retain and dispos Local authorities	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
	Methods and materials for containment and cleaning up		tainer for disposa	f dust in the air (i.e., clearing dust surfaces

according to GB/T 16483 and GB/T 17519




Trenbolone / Estradiol Formulation

Version 9.0	Revision Date: 2024/09/28	SDS Number: 28276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
		employed in th mine which reg Sections 13 ar	aterial, as well as those materials and items the cleanup of releases. You will need to deter- gulations are applicable. Ind 15 of this SDS provide information regarding r national requirements.
7. HANDL	ING AND STORAGE		
Hand	ling		
	nical measures	causing an exp Provide adequ	y may accumulate and ignite suspended dust blosion. ate precautions, such as electrical grounding or inert atmospheres.
Local	/Total ventilation	: If sufficient ver	ntilation is unavailable, use with local exhaust
	e on safe handling	 ventilation. Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene an practice, based on the results of the workplace exposisessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharge Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release environment. 	
	ance of contact	: Oxidizing ager	ItS
Stora Condi	ge itions for safe storage	Store locked u Keep tightly cle	osed.
Mater	ials to avoid		dance with the particular national regulations. ith the following product types: ng agents
Packa	aging material	: Unsuitable ma	terial: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
------------	---------	-------------------------------------	--	-------





Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

17β-hydroxyestra-4,9,11-trien- 3-one 17-acetate	10161-34-9	TWA	0.2 µg/m3 (OEB 5)	Internal
		Wipe limit	2 µg/100 cm ²	Internal
Estradiol	50-28-2	TWA	0.05 µg/m3 (OEB 5)	Internal
	Further inform	ation: Skin		
		Wipe limit	0.5 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures :	Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to pre- vent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment tech- nology designed to prevent leakage of compounds into the workplace.
Personal protective equipmen	t
Respiratory protection :	
Hand protection	contaminated clothing.
Material :	Chemical-resistant gloves
Remarks : Hygiene measures :	Consider double gloving. If exposure to chemical is likely during typical use, provide

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

VersionRevision Date:SDS Number:Date of last issue: 2024/07/069.02024/09/2828276-00030Date of first issue: 2014/11/05	
---	--

eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Vers 9.0	sion	Revision Date: 2024/09/28		S Number: 276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
	Partitio octanol	n coefficient: n-	:	No data available	9
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	No data available	9

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact
	Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

ersion 0	Revision Date: 2024/09/28		276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
Acute	oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
			LD50 (Mouse): 2,	700 mg/kg
Estra	diol			
	e oral toxicity	:	LD50 (Rat): > 2,00	00 mg/kg
	toxicity (other routes of histration)	:	LD50 (Rat): > 300 Application Route	
Magn	esium stearate:			
	oral toxicity	:	icity	
Acute	dermal toxicity	:	LD50 (Rabbit): > 2 Remarks: Based of	2,000 mg/kg on data from similar materials
-	corrosion/irritation lassified based on availa	ble	information.	
<u>Com</u>	oonents:			
Magn	esium stearate:			
Speci	es	:	Rabbit	
Resul Rema		:	No skin irritation Based on data fro	m similar materials
	us eye damage/eye irri			
	assified based on availa	ble	information.	
<u>Com</u>	oonents:			
Estra Resul		:	No eye irritation	
			,	
	esium stearate:			
Speci	es	:	Rabbit	

Species	:	Rabbit
Species Result Remarks	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

Respiratory sensitisation

Not classified based on available information.

Components:

Estradiol:

Exposure routes Species Assessment Result	: Skin contact
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: negative

Magnesium stearate:

Test Type :	Maximisation Test
Exposure routes :	Skin contact
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	negative
Test Type:Exposure routes:Species:Method:Result:Remarks:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

...

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Genotoxicity in vitro :		Test Type: Bacterial reverse mutation assay (AMES) Test system: Salmonella typhimurium Result: negative
		Test Type: Micronucleus test Test system: Chinese hamster fibroblasts Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative
		Test Type: Micronucleus test Species: Rat Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
Estradiol:		
Genotoxicity in vitro	:	Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Test system: mammalian cells Result: positive

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28	SDS Number: 28276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
			romosome aberration test in vitro nammalian cells e
			romosomal aberration nammalian cells e
Geno	toxicity in vivo	: Test Type: Ch Species: Rat Cell type: Bon Result: negati	
		Test Type: Ch Species: Mou Cell type: Bon Result: negati	e marrow
Magn	esium stearate:		
Genotoxicity in vitro	Result: negati	vitro mammalian cell gene mutation tes ve ed on data from similar materials	
	Method: OEC Result: negati		
		Test Type: Ba Result: negati	ed on data from similar materials cterial reverse mutation assay (AMES) ve ed on data from similar materials
		Remarks. Das	
	nogenicity cause cancer.		
<u>Comp</u>	oonents:		
17β-h	ydroxyestra-4,9,11-t	rien-3-one 17-acetat	e:
Resul	cation Route	: Mouse, male a : Oral : positive : Liver	and female
Resul	cation Route	: Rat, male and : Oral : positive : Pancreas	female
Carcir ment	nogenicity - Assess-	: Limited evider	nce of carcinogenicity in animal studies

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

	e of last issue: 2024/07/06 e of first issue: 2014/11/05
--	---

Estradiol:

Species Application Route Exposure time LOAEL Result Target Organs	 Mouse Ingestion 24 Months 100 µg/kg positive female reproductive organs
Species Application Route Exposure time LOAEL Result Target Organs	 Rat Subcutaneous 13 weeks 20 mg/kg body weight positive Endocrine system
Carcinogenicity - Assess- ment	: Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

r/p-nydroxyestra-4,9, rr-then-3-one r/-acetate.			
Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 0.18 mg/kg body weight Result: Postimplantation loss.	
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: oral (feed) Developmental Toxicity: LOAEL: 20 mg/kg body weight Result: Malformations were observed.	
Reproductive toxicity - As- sessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.	
Estradiol:			
Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Fertility: LOAEL: 0.5 mg/kg body weight Result: Effects on fertility	
		Test Type: One-generation reproduction toxicity study Species: Rat Duration of Single Treatment: 90 d	

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28	SDS Number: 28276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
		Result: Effe Test Type: Species: M Application Fertility: LO	AEL: 0.69 mg/kg body weight ects on fertility Two-generation study ouse Route: Oral AEL: 0.1 mg/kg body weight ects on fertility
Effects on foetal develop- ment	Species: M Application Teratogenic Symptoms:	Embryo-foetal development ouse, female Route: Subcutaneous city: LOAEL: 4 mg/kg body weight Malformations were observed. itive, Teratogenic effects	
		Species: Ra Application Teratogenic Symptoms: Result: pos	One-generation reproduction toxicity study at Route: Subcutaneous city: LOAEL: 2.5 µg/kg body weight Reduced body weight itive, Embryotoxic effects and adverse effects on g were detected.
		Species: Ra Application Developme Symptoms: number of v Result: Eml	Embryo-foetal development at Route: Subcutaneous Intal Toxicity: LOAEL: 0.2 mg/kg body weight Early Resorptions / resorption rate, Reduced viable fetuses, Reduced body weight bryotoxic effects and adverse effects on the off- e detected only at high maternally toxic doses
Repro sessm	oductive toxicity - As- nent	: May damag	ge fertility. May damage the unborn child.
Magn	esium stearate:		
	s on fertility	reproductio Species: Ra Application Method: OE Result: neg	Route: Ingestion ECD Test Guideline 422
Effect ment	s on foetal develop-	Species: Ra Application Result: neg	Route: Ingestion

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Exposure routes Target Organs Assessment	: Ingestion
Target Organs	: Endocrine system, Blood
Assessment	: Causes damage to organs through prolonged or repeated
	exposure.

Estradiol:

Target Organs Assessment	:	Liver, Bone, Blood, Endocrine system
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species : NOAEL : LOAEL :	Pig
NOAEL :	0.004 mg/kg
LOAEL :	0.08 mg/kg
Exposure time : Target Organs :	14 Weeks
Target Organs :	Testis, Ovary, Liver, Uterus (including cervix)

Species NOAEL LOAEL Application Route Exposure time Target Organs		Rat 0.04 mg/kg 3.6 mg/kg Oral 23 Weeks Blood
Species NOAEL LOAEL Application Route Exposure time Target Organs	:	Monkey, female 0.01 mg/kg 0.04 mg/kg Oral 122 Days female reproductive organs
Species NOAEL LOAEL Application Route Exposure time Target Organs		Monkey, male 0.002 mg/kg 0.04 mg/kg Oral 30 Days male reproductive organs

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Version 9.0	Revision Date: 2024/09/28	SDS Number: 28276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05				
Species NOAEL LOAEL Application Route Exposure time Target Organs		: Rat : 0.05 mg/kg : 0.1 mg/kg : Oral : 3 Months : male reproduc	ctive organs, Ovary, Uterus (including cervix)				
Expos	es	: Ingestion : 90 d : Mammary glat	>= 0.17 mg/kg Ingestion				
Magnesium stearate: Species NOAEL Application Route Exposure time Remarks		: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on data	> 100 mg/kg Ingestion				
Not cl	ation toxicity assified based on ava rience with human ex ponents:						
_17β-h	ydroxyestra-4,9,11-t						
Ingest	ion	: Symptoms: m in libido	ale reproductive effects, gynecomastia, changes				
Ingest	tion contact	: Symptoms: Sk Symptoms: He ness, Vomiting change, chang ularities	ngling, Nose bleeding kin irritation, Redness, pruritis eadache, Gastrointestinal disturbance, Dizzi- g, Diarrhoea, water retention, liver function ges in libido, breast tenderness, menstrual irreg-				
	DGICAL INFORMATION						

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.000035 mg/l

according to GB/T 16483 and GB/T 17519




Version 9.0	Revision Date: 2024/09/28		0S Number: 276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05		
			Exposure time: 21 Method: OECD To Remarks: Based o			
M-Fa	ctor (Chronic aquatic ty)	:	1,000			
Estra	diol:					
Toxic	ity to fish	:		LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l Exposure time: 96 h		
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 2.7 mg/l 3 h		
Toxic plants	ity to algae/aquatic s	:	NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te			
			EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD Te			
Toxic icity)	ity to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 16 Method: OECD Te			
aquat	ity to daphnia and other tic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 0.2 mg/l I d		
ic tox M-Fa toxicit	ctor (Chronic aquatic	:	1,000			
Toxic	ity to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition		
			NOEC: 100 mg/l Exposure time: 3 Test Type: Respir Method: OECD To	ation inhibition		
Magn	nesium stearate:					
	ity to fish	:	Exposure time: 48 Method: DIN 384			
	ity to daphnia and other tic invertebrates	:	EL50 (Daphnia m Exposure time: 47	agna (Water flea)): > 1 mg/l ′ h		

according to GB/T 16483 and GB/T 17519




Revision Date: 2024/09/28			Date of last issue: 2024/07/06 Date of first issue: 2014/11/05
		Method: Directiv	Water Accommodated Fraction /e 67/548/EEC, Annex V, C.2. d on data from similar materials
v to algae/aquatic	:	No toxicity at the EL50 (Pseudoki mg/l Exposure time: Test substance: Method: OECD Remarks: Based	e limit of solubility rchneriella subcapitata (green algae)): > 1
		mg/l Exposure time: Test substance: Method: OECD	okirchneriella subcapitata (green algae)): > 72 h Water Accommodated Fraction Test Guideline 201 d on data from similar materials
v to microorganisms	:	Exposure time: Test substance:	nonas putida): > 100 mg/l 16 h Water Accommodated Fraction d on data from similar materials
ence and degradabi	lity		
onents:			
iol: radability	:	Biodegradation:	84 %
sium stearate: radability	:		egradable d on data from similar materials
umulative potential			
onents:			
-	en-3		
n coefficient: n- /water	:	log Pow: 3.77	
i ol: n coefficient: n-	:	log Pow: 4.01	
/water			
	v to algae/aquatic v to algae/aquatic v to microorganisms ence and degradabi onents: iol: radability sium stearate: radability sumulative potential onents: droxyestra-4,9,11-tri n coefficient: n- /water	2024/09/28 28 v to algae/aquatic : v to microorganisms : sence and degradability : ments: : iol: : radability : sium stearate: : radability : sium stearate: : radability : sumulative potential : onents: : droxyestra-4,9,11-trien-3 : n coefficient: n- :	2024/09/28 28276-00030 rest substance: Method: Directive Remarks: Based No toxicity at the rest substance: Method: OECD Remarks: Based No toxicity at the NOELR (Pseudoki mg/l Exposure time: Test substance: Method: OECD Remarks: Based No toxicity at the NOELR (Pseudom mg/l Exposure time: Test substance: Method: OECD Remarks: Based No toxicity at the NOELR (Pseudom mg/l Exposure time: Test substance: Method: OECD Remarks: Based No toxicity at the NOELR (Pseudom Exposure time: Test substance: Remarks: Based to nicroorganisms r to microorganisms EC10 (Pseudom Exposure time: Test substance: Remarks: Based tence and degradability pnents: iol: radability Result: rapidly d Biodegradation: Exposure time: 1 sium stearate: radability Result: Not biod Remarks: Based mulative potential pnents: droxyestra-4,9,11-trien-3-one 17-acetate: iol:





Versio 9.0	on Revision Date: 2024/09/28	-	S Number: 276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05	
C	Partition coefficient: n- octanol/water Mobility in soil	:	log Pow: > 4		
	-				
	Components:				
	Estradiol: Distribution among enviro nental compartments	n- :	log Koc: 3.81		
C	Other adverse effects				
١	No data available				
13. D	ISPOSAL CONSIDERAT	IONS			
	Disposal methods				
	Waste from residues	:		e of waste into sewer.	
C	Contaminated packaging		Empty contain dling site for re	accordance with local regulations. hers should be taken to an approved waste han- ecycling or disposal. he specified: Dispose of as unused product.	
14. TI	RANSPORT INFORMAT	ION			
I	nternational Regulation	S			
ι ι	JNRTDG JN number Proper shipping name	:	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, SOLID,	
(Class	:	(Estradiol, 17 9	3-hydroxyestra-4,9,11-trien-3-one 17-acetate)	
F	Packing group	:	III		
	_abels Environmentally hazardou	: IS :	9 yes		
	ATA-DGR	-	y = =		
ι	JN/ID No.	:	UN 3077		
F	Proper shipping name	:		lly hazardous substance, solid, n.o.s. β-hydroxyestra-4,9,11-trien-3-one 17-acetate)	
	Class	:	9		
	Packing group	:			
F	_abels Packing instruction (cargo	;) ;	Miscellaneous 956		
F	aircraft) Packing instruction (passe	en- :	956		
	ger aircraft) Environmentally hazardou	is :	yes		
	MDG-Code JN number	:	UN 3077		





Trenbolone / Estradiol Formulation

Version 9.0	Revision Date: 2024/09/28	SDS Number: 28276-00030	Date of last issue: 2024/07/06 Date of first issue: 2014/11/05			
Prope	er shipping name	: ENVIRONMEI N.O.S.	NTALLY HAZARDOUS SUBSTANCE, SOLID,			
Label EmS	ng group s		3-hydroxyestra-4,9,11-trien-3-one 17-acetate)			
			RPOL 73/78 and the IBC Code			
	pplicable for product as nal Regulations	supplied.				
UN ni Prope Class Packi Label	ng group	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, SOLID, β-hydroxyestra-4,9,11-trien-3-one 17-acetate)			
-	ial precautions for us					
based Shee	The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.					
15. REGU	LATORY INFORMATI	ON				
	nal regulatory inform on the Prevention and		ational Diseases			
	lations on Safety Mar					
Catal	ogue of Hazardous Ch	emicals	: This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.			

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed 18218)

Hazardous Chemicals for Priority Management under : Not listed SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

according to GB/T 16483 and GB/T 17519



Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	2024/09/28
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd
Full text of other abbreviation	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
9.0	2024/09/28	28276-00030	Date of first issue: 2014/11/05

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN