

/ersion 3.0	Revision Date: 06.07.2024		S Number: 294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014	
ection 1:	: Identification				
Produ	uct name	:	Trenbolone / E	stradiol Formulation	
Other means of identification		:	COOPERS REVALOR 400 GROWTH PROMOTANT FOR GRASS FED HEIFERS AND STEERS (48945) COOPERS REVALOR FLEX GROWTH PROMOTANT FOR NON BREEDING CATTLE (58656) COOPERS REVALOR S STEER GROWTH PROMOTANT AND FINISHING IMPLANTS (46111) COOPERS REVALOR-H GROWTH PROMOTANT AND FINISHING IMPLANTS (47248) Coopers Revalor XR Growth Promotant and Finishing Implant (90903)		
Manu	ifacturer or supplier's c	leta	ils		
Comp	bany	:	MSD		
Addre	ess	:	33 Whakatiki S Upper Hutt - Ne	treet - Private Bag 908 ew Zealand	
Telep	hone	:	0800 800 543		
Emer	gency telephone number	· :	0800 764 766 ( CHEMCALL)	0800 POISON) 0800 243 622 (0800	
E-mai	il address	:	EHSDATASTE	WARD@msd.com	
Reco	mmended use of the cl	nem	ical and restric	tions on use	
	mmended use ictions on use	:	Veterinary proc Not applicable	luct	

Category 1
Category 1
Category 1 (Liver, Bone, Blood, Endocrine system)
Category 1 (Endocrine system, Blood)
Category 1



ersion 3.0	Revision Date: 06.07.2024	SDS Number: 28294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
GHS	label elements		
Hazaı	rd pictograms		¥
Signa	l word	: Danger	•
Hazaı	rd statements	H372 Cause crine system H372 Cause through prote	ause cancer. / damage fertility. May damage the unborn chi s damage to organs (Liver, Bone, Blood, Endo ) through prolonged or repeated exposure. s damage to organs (Endocrine system, Blood onged or repeated exposure if swallowed. oxic to aquatic life with long lasting effects.
Preca	utionary statements	P264 Wash s P270 Do not P273 Avoid r	special instructions before use. skin thoroughly after handling. eat, drink or smoke when using this product. release to the environment. protective gloves/ protective clothing/ eye prote stection.
		<b>Response:</b> P308 + P313 attention. P391 Collect	B IF exposed or concerned: Get medical advice spillage.
		<b>Storage:</b> P405 Store I	ocked up.
		<b>Disposal:</b> P501 Dispos disposal plar	e of contents/ container to an approved waste

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
17β-hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	>= 58.8686 -<= 74.07
Estradiol	50-28-2	>= 6.9027 -<= 12.5
Magnesium stearate	557-04-0	>= 1.4717 -<= 1.85



Version         Revision Date:         SDS Number:         Date of last issue: 16.05.2024           13.0         06.07.2024         28294-00029         Date of first issue: 05.11.2014	Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
	13.0	06.07.2024	28294-00029	Date of first issue: 05.11.2014

Section 4: First-aid measures	
General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	<ul> <li>May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.</li> </ul>
Protection of first-aiders	<ul> <li>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</li> </ul>
Notes to physician	: Treat symptomatically and supportively.

# Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do



Version 13.0	Revision Date: 06.07.2024		DS Number: 294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
for fire	ial protective equipment efighters hem Code	:		e, wear self-contained breathing apparatus. tective equipment.
Section 6	: Accidental release me	eas	ures	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Follow safe handl	tective equipment. ing advice (see section 7) and personal pro recommendations (see section 8).
Envir	onmental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	tainer for disposal Avoid dispersal of with compressed Dust deposits sho es, as these may leased into the att Local or national posal of this mate employed in the of mine which regula Sections 13 and 1	f dust in the air (i.e., clearing dust surfaces
Section 7	: Handling and storage	!		
Tech	nical measures	:	causing an explos	nay accumulate and ignite suspended dust sion.

		Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
		<b>0</b> , 1
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
		Do not breathe dust.
		Do not swallow.
		Avoid contact with eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure as- sessment
		Keep container tightly closed.
		Minimize dust generation and accumulation.
		Keep container closed when not in use.



Version 13.0	Revision Date: 06.07.2024	SDS Number: 28294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014	
Hygie	ene measures	<ul> <li>Take precautic Do not eat, drin Take care to p environment.</li> <li>If exposure to o flushing system place.</li> <li>When using do Wash contamin The effective o engineering co appropriate de industrial hygie</li> </ul>	m heat and sources of ignition. onary measures against static discharges. hk or smoke when using this product. revent spills, waste and minimize release to the chemical is likely during typical use, provide eye ns and safety showers close to the working o not eat, drink or smoke. nated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, gowning and decontamination procedures, ene monitoring, medical surveillance and the	
Cond	litions for safe storage	Store locked up. Keep tightly closed.		
Mate	rials to avoid	<ul> <li>Store in accordance with the particular national regulat</li> <li>Do not store with the following product types:</li> <li>Strong oxidizing agents</li> </ul>		

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
17β-hydroxyestra-4,9,11-trien- 3-one 17-acetate	10161-34-9	TWA	0.2 µg/m3 (OEB 5)	Internal
		Wipe limit	2 µg/100 cm <sup>2</sup>	Internal
Estradiol	50-28-2	TWA	0.05 µg/m3 (OEB 5)	Internal
	Further inform	ation: Skin		
		Wipe limit	0.5 µg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	WES-TWA	10 mg/m3	NZ OEL
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures

: Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.



Version 13.0	Revision Date: 06.07.2024	SDS N 28294-	umber: 00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
		Tot are Op nol	required. erations require	permitted. processes and materials transport systems e the use of appropriate containment tech- o prevent leakage of compounds into the
Perse	onal protective equip	nent		
Resp	iratory protection	sur	e assessment	exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection.
	Iter type protection		ticulates type	
M	aterial	: Ch	emical-resistan	it gloves
	emarks protection	: We If th mis We pot	ne work enviror ets or aerosols, ear a faceshield	gloving. tes with side shields or goggles. Inment or activity involves dusty conditions, wear the appropriate goggles. If or other full face protection if there is a a contact to the face with dusts, mists, or
Skin	and body protection	Ade tas pos Use	ditional body ga k being perforn able suits) to a	aboratory coat. arments should be used based upon the ned (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. legowning techniques to remove potentially hing.
Section 9	: Physical and chemic	cal prope	rties	
Арре	arance	: ро	wder	
-				

Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han-



Version Revision Da 13.0 06.07.2024	te: SDS Nur 28294-00		e of last issue: 16.05.2024 e of first issue: 05.11.2014
	dling	g or other means.	
Flammability (liquids	s) : No c	lata available	
Upper explosion limi flammability limit		lata available	
Lower explosion limi flammability limit	t/Lower : No c	lata available	
Vapour pressure	: No c	lata available	
Relative vapour den	sity : No c	lata available	
Relative density	: No c	lata available	
Density	: No c	lata available	
Solubility(ies) Water solubility	: No c	lata available	
Partition coefficient:	n- : No c	lata available	
octanol/water Auto-ignition temper	ature : No c	lata available	
Decomposition temp	erature : No c	lata available	
Viscosity Viscosity, kinema	atic : No c	lata available	
Explosive properties	: Not	explosive	
Oxidizing properties	: The	substance or mixt	ure is not classified as oxidizing.
Molecular weight	: No c	lata available	
Particle characteristi Particle size		lata available	

# Section 10: Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents



/ersion 3.0	Revision Date: 06.07.2024		9S Number: 294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
	dous decomposition	:	No hazardous	decomposition products are known.
produ	1: Toxicological inform	atio	on	
	sure routes	:		
	e toxicity			
Not cl	assified based on availa	ble	information.	
<u>Comp</u>	oonents:			
	ydroxyestra-4,9,11-trie	en-3	-one 17-acetate	:
Acute	oral toxicity	:	LD50 (Rat): > 5 LD50 (Mouse):	
11				
Estra				
Acute	oral toxicity	:	LD50 (Rat): > 2	2,000 mg/kg
	toxicity (other routes of histration)	:		300 mg/kg ute: Subcutaneous
Magn	esium stearate:			
	oral toxicity	:	Assessment: Thicity	2,000 mg/kg Test Guideline 423 he substance or mixture has no acute oral to ed on data from similar materials
Acute	dermal toxicity	:	LD50 (Rabbit): Remarks: Base	> 2,000 mg/kg ed on data from similar materials
_	corrosion/irritation assified based on availa	ble	information.	
	oonents:	-		
	esium stearate:			
Speci Resul	es t	:	Rabbit No skin irritation Based on data	
Resul		:		n from similar materials

# Serious eye damage/eye irritation

Not classified based on available information.



----

/ersion 3.0	Revision Date: 06.07.2024	-	OS Number: 294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
<u>Comp</u>	oonents:			
Estra	diol:			
Result	t	:	No eye irritation	n
Magn	esium stearate:			
Specie		:	Rabbit	
Result Rema		:	No eye irritation Based on data	n from similar materials
Respi	iratory or skin sensi	itisatio	on	
	sensitisation			
Not cla	assified based on ava	ailable	information.	
•	iratory sensitisation			
	assified based on ava	ailable	information.	
<u>Comp</u>	oonents:			
Estra	diol:			
	sure routes	:	Skin contact	
Specie	es sment	:	Guinea pig	e skin sensitisation.
Result		:	negative	
Magn	esium stearate:			
Test T		:	Maximisation T	est
Expos	sure routes es	:	Skin contact Guinea pig	
Metho	od	:	OECD Test Gu	iideline 406
Result Rema	-	:	negative Based on data	from similar materials
		•	Dased on data	
Chror	nic toxicity			
	cell mutagenicity			
	assified based on ava	ailable	information.	
<u>Comp</u>	oonents:			
17β-h	ydroxyestra-4,9,11-	trien-3	one 17-acetate	2:
Genot	toxicity in vitro	:		terial reverse mutation assay (AMES
			Result: negativ	almonella typhimurium e
			Test Type: Mic	ronucleus test
			Test system: C	hinese hamster fibroblasts
			Result: negativ	e
Genot	toxicity in vivo	:	Test Type: Mic	ronucleus test
			9 / 20	



rsion .0	Revision Date: 06.07.2024	SDS Number: 28294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
		Species: Mouse Result: negative	
		Test Type: Micr Species: Rat Result: negative	
	cell mutagenicity -	: Weight of evide cell mutagen.	nce does not support classification as a ger
Estra	diol:		
Geno	toxicity in vitro		
		Test Type: Chro Test system: m Result: positive	
		Test Type: Chro Test system: m Result: positive	
Geno	toxicity in vivo	: Test Type: Chro Species: Rat Cell type: Bone Result: negative	
		Test Type: Chro Species: Mouse Cell type: Bone Result: negative	marrow
Magn	esium stearate:		
Geno	toxicity in vitro	Result: negative	tro mammalian cell gene mutation test e d on data from similar materials
		Method: OECD Result: negative	omosome aberration test in vitro Test Guideline 473 e d on data from similar materials
		Result: negative	terial reverse mutation assay (AMES) e d on data from similar materials

May cause cancer.



/ersion 3.0	Revision Date: 06.07.2024		Number: 4-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
<u>Com</u>	ponents:			
17 <b>B</b> -I	hydroxyestra-4,9,11-t	rien-3-o	ne 17-acetat	e:
Spec			louse, male a	
	cation Route		oral	
Resu	llt	: р	ositive	
Targe	et Organs	: L	iver	
Spec	ies	: R	at, male and	female
Appli	cation Route	-	Iral	
Resu			ositive	
large	et Organs	: P	ancreas	
Carci ment	inogenicity - Assess-	: L	imited eviden	ce of carcinogenicity in animal studies
Estra	adiol:			
Spec			louse	
	cation Route		ngestion	
	sure time		4 Months	
LOAE Resu			00 µg/kg ositive	
	et Organs		emale reprodu	uctive organs
Spec	ies	·R	at	
	cation Route		ubcutaneous	
Expo	sure time		3 weeks	
LOAE			0 mg/kg body	v weight
Resu			ositive	tom
	et Organs	. ⊏	ndocrine syst	
Carci ment	inogenicity - Assess-	: P	ositive evider	nce from human epidemiological studies
Repr	oductive toxicity			
May	damage fertility. May d	amage t	he unborn ch	ild.
<u>Com</u>	ponents:			
17β-ł	hydroxyestra-4,9,11-t	rien-3-o	ne 17-acetat	e:
Effec	ts on fertility			o-generation study
			pecies: Rat	
			pplication Ro	ute: Oral L: 0.18 mg/kg body weight
				plantation loss.
	to on factal davalan		oot Turoo E	hrup footal douglanmant
ment	ts on foetal develop-		est Type: Em pecies: Rat	bryo-foetal development
				ute: oral (feed)
		D	evelopmenta	I Toxicity: LOAEL: 20 mg/kg body weigh
		R	esult: Malforr	mations were observed.
Repr	oductive toxicity - As-	: S	ome evidenc	e of adverse effects on sexual function a
Incept	oddelive loxicity - AS-	. 3		e or auverse elletis on sexual iunciion



Version 13.0	Revision Date: 06.07.2024	SDS Number: 28294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
sessm	nent		on animal experiments., Some evidence of s on development, based on animal experi-
II Estra	diol:		
Effect	s on fertility	Species: Rat Application Ro Fertility: LOAE Result: Effects Test Type: On Species: Rat	L: 0.5 mg/kg body weight
			L: 0.69 mg/kg body weight
		Species: Mous Application Ro	oute: Oral :L: 0.1 mg/kg body weight
Effect: ment	s on foetal develop-	Species: Mous Application Ro Teratogenicity Symptoms: Ma	nbryo-foetal development se, female oute: Subcutaneous : LOAEL: 4 mg/kg body weight alformations were observed. e, Teratogenic effects
		Species: Rat Application Ro Teratogenicity Symptoms: Re	e-generation reproduction toxicity study oute: Subcutaneous : LOAEL: 2.5 μg/kg body weight educed body weight e, Embryotoxic effects and adverse effects on vere detected.
		Species: Rat Application Ro Developmenta Symptoms: Ea number of vial Result: Embry	abryo-foetal development bute: Subcutaneous al Toxicity: LOAEL: 0.2 mg/kg body weight arly Resorptions / resorption rate, Reduced ble fetuses, Reduced body weight otoxic effects and adverse effects on the off- etected only at high maternally toxic doses
Repro sessm	oductive toxicity - As- nent	: May damage f	ertility. May damage the unborn child.
-	<b>esium stearate:</b> s on fertility	: Test Type: Co	mbined repeated dose toxicity study with the

# SAFETY DATA SHEET



# **Trenbolone / Estradiol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
13.0	06.07.2024	28294-00029	Date of first issue: 05.11.2014
Effects ment	on foetal develop-	Species: Rat Application Route Method: OECD To Result: negative Remarks: Based : Test Type: Embry Species: Rat Application Route Result: negative	est Guideline 422 on data from similar materials vo-foetal development

#### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

## Components:

## 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Exposure routes	:	Ingestion
Target Organs	:	Endocrine system, Blood
Exposure routes Target Organs Assessment	:	Causes damage to organs through prolonged or repeated exposure.

#### **Estradiol:**

Target Organs Assessment	Liver, Bone, Blood, Endocrine system Causes damage to organs through prolonged or repeated
	exposure.

## **Repeated dose toxicity**

## **Components:**

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species :	Pig
NOAEL :	0.004 mg/kg
LOAEL :	0.08 mg/kg
Exposure time : Target Organs :	14 Weeks
Target Organs :	Testis, Ovary, Liver, Uterus (including cervix)
Species :	Rat
Species : NOAEL :	0.04 mg/kg
LOAEL :	3.6 mg/kg
Application Route : Exposure time :	Oral
Exposure time :	23 Weeks



ersion 3.0	Revision Date: 06.07.2024	SDS Number: 28294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
Targe	et Organs	: Blood	
Ilensi		Mankay fama	
Speci NOAE		: Monkey, femal : 0.01 mg/kg	e
LOAE		: 0.04 mg/kg	
	cation Route	: Oral	
	sure time	: 122 Days	
large	et Organs	: female reprodu	ictive organs
Speci		: Monkey, male	
NOAE		: 0.002 mg/kg	
LOAE		: 0.04 mg/kg	
	cation Route sure time	: Oral : 30 Days	
	et Organs	: male reproduc	tive organs
Speci	es	: Rat	
NOAE		: 0.05 mg/kg	
LOAE		: 0.1 mg/kg	
	cation Route	: Oral	
	sure time et Organs	: 3 Months	tive organs, Ovary, Uterus (including cervix)
Turge	or organo	. maie reproduo	
Estra			
Speci		: Rat	
LOAE	L Cation Route	: >= 0.17 mg/kg : Ingestion	
	sure time	: 90 d	
	et Organs	: Mammary glar	id, Ovary, Uterus (including cervix), Liver, Bor æm, Blood, Testis
Magn	esium stearate:		
Speci		: Rat	
NOAE		: > 100 mg/kg	
	cation Route	: Ingestion	
	sure time	: 90 Days	from cimilar motorials
Rema	arks	Based on data	from similar materials
Aspir	ation toxicity		
Not cl	lassified based on av	ailable information.	
Expe	rience with human e	exposure	
<u>Comp</u>	oonents:		
		trien-3-one 17-acetat	e:
Inges	tion		le reproductive effects, gynecomastia, chang
11		in libido	
Estra			
Inhala	ation	: Symptoms: tin	gling, Nose bleeding



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
13.0	06.07.2024	28294-00029	Date of first issue: 05.11.2014
Skin ( Inges	contact tion	: Symptoms: H ness, Vomitin	kin irritation, Redness, pruritis eadache, Gastrointestinal disturbance, Dizzi- g, Diarrhoea, water retention, liver function ges in libido, breast tenderness, menstrual irreg-

## Section 12: Ecological information

## Ecotoxicity

## Components:

## 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000035 mg/l Exposure time: 21 d Method: OECD Test Guideline 229 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1,000
Estradiol:		
Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l Exposure time: 160 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.2 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1,000
Toxicity to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209



ersion 3.0	Revision Date: 06.07.2024	-	S Number: 294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014
1				
	esium stearate: ay to fish	:	Exposure time Method: DIN	
	ty to daphnia and other c invertebrates	:	Exposure time Test substand Method: Dired Remarks: Bas	ia magna (Water flea)): > 1 mg/l e: 47 h ce: Water Accommodated Fraction ctive 67/548/EEC, Annex V, C.2. sed on data from similar materials the limit of solubility
Toxicit plants	y to algae/aquatic	:	mg/l Exposure time Test substand Method: OEC Remarks: Bas	okirchneriella subcapitata (green algae)): > 1 e: 72 h ce: Water Accommodated Fraction D Test Guideline 201 sed on data from similar materials the limit of solubility
			mg/l Exposure time Test substand Method: OEC	udokirchneriella subcapitata (green algae)): > e: 72 h ce: Water Accommodated Fraction D Test Guideline 201 sed on data from similar materials
Toxicit	ty to microorganisms	:	Exposure time Test substance	omonas putida): > 100 mg/l e: 16 h ce: Water Accommodated Fraction sed on data from similar materials
Persis	stence and degradabil	ity		
<u>Comp</u>	onents:			
Estrac Biodeç	<b>liol:</b> gradability	:	Result: rapidly Biodegradatic Exposure time	n: 84 %
Magne	esium stearate:			
	gradability	:	Result: Not bi Remarks: Bas	odegradable sed on data from similar materials
			16/2	20



VersionRevision Date:SDS Number:Date of last issue: 16.05.202413.006.07.202428294-00029Date of first issue: 05.11.2014	
--	--

# II

# Bioaccumulative potential

## Components:

<b>17β-hydroxyestra-4,9,11-trie</b> Partition coefficient: n- octanol/water	en-3	
Estradiol: Partition coefficient: n- octanol/water	:	log Pow: 4.01
Magnesium stearate: Partition coefficient: n- octanol/water	:	log Pow: > 4
Mobility in soil <u>Components:</u>		
Estradiol: Distribution among environ- mental compartments	:	log Koc: 3.81
Other adverse effects No data available		

Section 13: Disposal considerations

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

# Section 14: Transport information

## International Regulations

<b>UNRTDG</b> UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR UN/ID No.	:	UN 3077



Version 13.0	Revision Date: 06.07.2024		98 Number: 294-00029	Date of last issue: 16.05.2024 Date of first issue: 05.11.2014			
Class Packin Labels Packin aircraft Packin ger airc	Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Environmentally hazardous substance, solid, n.o.s. (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate) 9 III Miscellaneous 956				
Environmentally hazardous IMDG-Code UN number Proper shipping name		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,			
Labels EmS C		::	(Estradiol, 17β-hy 9 III 9 F-A, S-F yes	droxyestra-4,9,11-trien-3-one 17-acetate)			
Transport in bulk according Not applicable for product as s		-		OL 73/78 and the IBC Code			

# National Regulations

NZS 5433		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
		(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	
Labels	:	9
Hazchem Code	:	2Z
Marine pollutant	:	no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Section 15: Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

## HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL) Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024	
13.0	06.07.2024	28294-00029	Date of first issue: 05.11.2014	

Environmental Exposure Limits (EEL)

Not applicable

## **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### Section 16: Other information

Revision Date	:	06.07.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH NZ OEL	:	USA. ACGIH Threshold Limit Values (TLV) New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
ACGIH / TWA NZ OEL / WES-TWA	:	8-hour, time-weighted average Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-



Version	Revision Date:	SDS Number:	Date of last issue: 16.05.2024
13.0	06.07.2024	28294-00029	Date of first issue: 05.11.2014

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN