

**Trenbolone / Estradiol Formulation**

Version 8.3      Revision Date: 07.12.2023      SDS Number: 28297-00026      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Trenbolone / Estradiol Formulation

Other means of identification : COOPERS REVALOR 400 GROWTH PROMOTANT FOR GRASS FED HEIFERS AND STEERS (48945)  
COOPERS REVALOR FLEX GROWTH PROMOTANT FOR NON BREEDING CATTLE (58656)  
COOPERS REVALOR S STEER GROWTH PROMOTANT AND FINISHING IMPLANTS (46111)  
COOPERS REVALOR-H GROWTH PROMOTANT AND FINISHING IMPLANTS (47248)

**Manufacturer or supplier's details**

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Liver, Bone, Blood, Endocrine system)


Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Endocrine system, Blood)

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

## Trenbolone / Estradiol Formulation

Version 8.3      Revision Date: 07.12.2023      SDS Number: 28297-00026      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H350 May cause cancer.  
 H360FD May damage fertility. May damage the unborn child.  
 H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.  
 H372 Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.  
 H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P391 Collect spillage.
- Storage:**  
 P405 Store locked up.
- Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form explosive dust-air mixture during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	>= 58.8686 -<= 74.07
Estradiol	50-28-2	>= 6.9027 -<= 12.5
Magnesium stearate	557-04-0	>= 1.4717 -<= 1.85

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

### 4. FIRST AID MEASURES

- |   |   |   |
|---|---|---|
| General advice  | : | In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.  |
| If inhaled  | : | If inhaled, remove to fresh air.<br>Get medical attention.  |
| In case of skin contact                                     | : | In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.   |
| In case of eye contact                                      | : | If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.  |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : | May cause cancer.<br>May damage fertility. May damage the unborn child.<br>Causes damage to organs through prolonged or repeated exposure.<br>Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation. |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : | Treat symptomatically and supportively.   |

### 5. FIREFIGHTING MEASURES

- |                                       |   |   |
|---------------------------------------|---|---|
| Suitable extinguishing media          | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media        | : | None known.   |
| Specific hazards during fire-fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products         | : | Carbon oxides<br>Metal oxides   |
| Specific extinguishing methods        | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.   |

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

---

## Trenbolone / Estradiol Formulation

Version 8.3      Revision Date: 07.12.2023      SDS Number: 28297-00026      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Wipe limit	2 $\mu\text{g}/100 \text{ cm}^2$	Internal
Estradiol	50-28-2	TWA	0.05 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 $\mu\text{g}/100 \text{ cm}^2$	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 $\text{mg}/\text{m}^3$	SG OEL
		TWA (Inhalable particulate matter)	10 $\text{mg}/\text{m}^3$	ACGIH
		TWA (Respirable particulate matter)	3 $\text{mg}/\text{m}^3$	ACGIH

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 No open handling permitted.  
 Totally enclosed processes and materials transport systems are required.  
 Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

**Trenbolone / Estradiol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Filter type	:	Recommended guidelines, use respiratory protection.
Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	powder
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.

**Trenbolone / Estradiol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

## Trenbolone / Estradiol Formulation

Version 8.3      Revision Date: 07.12.2023      SDS Number: 28297-00026      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): 2,700 mg/kg

**Estradiol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Estradiol:**

Result : No eye irritation



**Trenbolone / Estradiol Formulation**

Version 8.3      Revision Date: 07.12.2023      SDS Number: 28297-00026      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Estradiol:**

Exposure routes : Skin contact  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Test system: Salmonella typhimurium  
Result: negative

Test Type: Micronucleus test  
Test system: Chinese hamster fibroblasts  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

Test Type: Micronucleus test  
Species: Rat  
Result: negative

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Estradiol:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: mammalian cells  
Result: positive

Test Type: Chromosome aberration test in vitro  
Test system: mammalian cells  
Result: positive

Test Type: Chromosomal aberration  
Test system: mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Chromosomal aberration  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

### **Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

May cause cancer.

### **Components:**

#### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Mouse, male and female  
Application Route : Oral  
Result : positive  
Target Organs : Liver

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Species : Rat, male and female  
 Application Route : Oral  
 Result : positive  
 Target Organs : Pancreas

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Estradiol:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 24 Months  
 LOAEL : 100 µg/kg  
 Result : positive  
 Target Organs : female reproductive organs

Species : Rat  
 Application Route : Subcutaneous  
 Exposure time : 13 weeks  
 LOAEL : 20 mg/kg body weight  
 Result : positive  
 Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat  
 Application Route: Oral  
 Fertility: LOAEL: 0.18 mg/kg body weight  
 Result: Postimplantation loss.

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: oral (feed)  
 Developmental Toxicity: LOAEL: 20 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**Estradiol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat

## Trenbolone / Estradiol Formulation

Version 8.3	Revision Date: 07.12.2023	SDS Number: 28297-00026	Date of last issue: 02.11.2023 Date of first issue: 05.11.2014
----------------	------------------------------	----------------------------	---

Application Route: Ingestion  
Fertility: LOAEL: 0.5 mg/kg body weight  
Result: Effects on fertility

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Duration of Single Treatment: 90 d  
Fertility: LOAEL: 0.69 mg/kg body weight  
Result: Effects on fertility

Test Type: Two-generation study  
Species: Mouse  
Application Route: Oral  
Fertility: LOAEL: 0.1 mg/kg body weight  
Result: Effects on fertility

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Mouse, female  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 4 mg/kg body weight  
Symptoms: Malformations were observed.  
Result: positive, Teratogenic effects

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 2.5 µg/kg body weight  
Symptoms: Reduced body weight  
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight  
Symptoms: Early Resorptions / resorption rate, Reduced number of viable fetuses, Reduced body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment

: May damage fertility. May damage the unborn child.

**Magnesium stearate:**

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

ment

Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

### Components:

#### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Exposure routes : Ingestion  
 Target Organs : Endocrine system, Blood  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

#### Estradiol:

Target Organs : Liver, Bone, Blood, Endocrine system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species : Pig  
 NOAEL : 0.004 mg/kg  
 LOAEL : 0.08 mg/kg  
 Exposure time : 14 Weeks  
 Target Organs : Testis, Ovary, Liver, Uterus (including cervix)

Species : Rat  
 NOAEL : 0.04 mg/kg  
 LOAEL : 3.6 mg/kg  
 Application Route : Oral  
 Exposure time : 23 Weeks  
 Target Organs : Blood

Species : Monkey, female  
 NOAEL : 0.01 mg/kg  
 LOAEL : 0.04 mg/kg  
 Application Route : Oral  
 Exposure time : 122 Days  
 Target Organs : female reproductive organs

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Species : Monkey, male  
 NOAEL : 0.002 mg/kg  
 LOAEL : 0.04 mg/kg  
 Application Route : Oral  
 Exposure time : 30 Days  
 Target Organs : male reproductive organs

Species : Rat  
 NOAEL : 0.05 mg/kg  
 LOAEL : 0.1 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : male reproductive organs, Ovary, Uterus (including cervix)

### Estradiol:

Species : Rat  
 LOAEL :  $\geq 0.17$  mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 d  
 Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

### Magnesium stearate:

Species : Rat  
 NOAEL :  $> 100$  mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Ingestion : Symptoms: male reproductive effects, gynecomastia, changes in libido

#### Estradiol:

Inhalation : Symptoms: tingling, Nose bleeding  
 Skin contact : Symptoms: Skin irritation, Redness, pruritis  
 Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

## 12. ECOLOGICAL INFORMATION

## Ecotoxicity

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000035 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 229  
 Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1,000

**Estradiol:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l  
 Exposure time: 160 d  
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.2 mg/l  
 Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to microorganisms : EC50: > 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC: 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

**Trenbolone / Estradiol Formulation**

Version 8.3      Revision Date: 07.12.2023      SDS Number: 28297-00026      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

**Magnesium stearate:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility
- NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Estradiol:**

- Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

**Magnesium stearate:**

- Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**



## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

Partition coefficient: n-octanol/water : log Pow: 3.77

**Estradiol:**

Partition coefficient: n-octanol/water : log Pow: 4.01

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

**Mobility in soil****Components:****Estradiol:**

Distribution among environmental compartments : log Koc: 3.81

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer. Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo) : 956

---

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

aircraft)  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
 Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined  
 DSL : not determined  
 IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 07.12.2023

**Trenbolone / Estradiol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
8.3	07.12.2023	28297-00026	Date of first issue: 05.11.2014

---

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN